



SUPER GLUE LIQUID

This super cyanoacrylate adhesive has been formulated to quickly bond rubber, plastics, metal, and ceramics. It offers excellent strength characteristics.

Cat. No.	Description	Net Price
8333-3G	3 grams (0.1 oz) liquid	\$2.95
8333-20G	20 grams (0.7 oz) liquid	10.95



SUPER GLUE GEL

The hybrid cyanacrylate adhesive has been formulated to quickly bond rubber, plastics, metal, and ceramics. It offers excellent strength characteristics. Choose gel when bonding uneven or vertical surfaces.

Cat. No.	Description	Net Price
8334-3ML	3 ml (0.1 oz) gel	\$3.45



SUPER GLUE DISPLAY PACK

The super glue display pack offers a point of sale solution for MG chemicals super glue products. Contains 12 units of Cat. No. 8333 super glue liquid and 12 units of Cat. No. 8334 super glue gel.

Cat. No.	Description	Net Price
8335	Display Pack (12xGel, 12xliquid)	\$79.04



SUPER CONTACT CEMENT

Quick drying, water proof, clear, and vibration-resistant bond with minimal shrinkage. For shop, industry, home and hobby use. Ideal for speaker repair.

Cat. No.	Description	Net Price
8336-55ML	55 ml (2 oz) Bottle	\$7.45



SPEAKER SERVICE CEMENT

A quick drying adhesive that is specially designed for speaker repair. It forms a hard, durable and vibration resistant bond with minimal shrinkage. Use for repairing Cones, foam surrounds, and more.

Cat. No.	Description	Net Price
8337-55ML	55 ml (2 oz) Bottle	\$8.95




THREADLOCKERS

The solution to vibrational loosening. Loosening of fasteners creates warranty problems, reliability issues and unscheduled shutdown of equipment. Threadlockers completely fills in thread paths to eliminate the movements that cause parts to shake and vibrate loose. **Four strengths. Display pack with 20 bottles available.**

Cat. No.	Description	Net Price
8701-10ML	10 ml liquid, removable, up to 1/4"	\$8.45
8701-50ML	50 ml liquid, removable, up to 1/4"	29.95
8702-10ML	10 ml liquid, removable, up to 3/4"	8.45
8702-50ML	50 ml liquid, removable, up to 3/4"	29.95
8703-10ML	10 ml liquid, permanent, up to 1"	8.45
8703-50ML	50 ml liquid, permanent, up to 1"	29.95
8704-10ML	10 ml liquid, wicking grade	8.45
8704-50ML	50 ml liquid, wicking grade	29.95
8700	Display pack	161.71

Swabs



CHAMOIS SWAB

For cleaning sensitive tape heads. Lint free synthetic suede bonded to a bendable handle allowing access to hard to reach areas. Use with M.G. Chemicals' Cat. No. 407C Audio/Video Head Cleaner.

Cat. No.	Description	Net Price
SINGLE HEAD		
810-15	15 swabs	\$7.95
810-50	50 swabs	24.95
810-500	500 swabs	180.00
DOUBLE HEAD		
810D-15	15 swabs	8.95
810D-50	50 swabs	27.95
810D-500	500 swabs	225.33



811



8112

COTTON SWABS (DOUBLE ENDED)

Pharmaceutical grade. Extra absorbent on a 6" birch shaft. Compatible with most solvents. Available in standard or tapered head.

Cat. No.	Description	Net Price
811-100	100 standard head	\$3.65
8112-100	100 tapered head	3.65



FOAM OVER COTTON SWAB

Absorbent precision cleaning applicator. Shred resistant, 100% urethane foam heads with 100 PPI porosity over extra absorbent U.S.P. pharmaceutical grade purified cotton. Bonded securely to a 6" birch shaft. Compatible with most solvents.

Cat. No.	Description	Net Price
812-10	10 swabs	\$5.95
812-50	50 swabs	16.75
812-250	250 swabs	79.45
812-1000	1000 swabs	245.00



ANTI-STATIC FOAM OVER COTTON SWAB

Absorbent precision cleaning applicator. Anti-static, shred resistant, 100% urethane foam heads with 100 PPI porosity over extra absorbent U.S.P. pharmaceutical grade purified cotton. Bonded securely to a 6" birch shaft. Compatible with most solvents.

Cat. No.	Description	Net Price
812AS-10	10 swabs	\$6.25
812AS-250	250 swabs	99.50
812AS-1000	1000 swabs	378.10



FOAM SWAB

Durable precision cleaning applicator. Shred resistant, 100% urethane foam heads with 100 PPI porosity. Bonded securely to a 6" birch shaft.

Cat. No.	Description	Net Price
813-10	10 swabs	\$4.85
813-50	50 swabs	14.95
813-250	250 swabs	71.25
813-1000	1000 swabs	245.00



RECTANGULAR FOAM SWAB

Large foam head bonded to sturdy handle for aggressive cleaning applications. Large shred resistant, 100% urethane foam heads with 100 PPI porosity. Bonded securely to a 5" polypropylene shaft.

Cat. No.	Description	Net Price
814-10	10 swabs	\$5.95
814-50	50 swabs	16.75
814-250	250 swabs	79.45
814-1000	1000 swabs	299.50



PRESATURATED IPA WIPES

Handy wipes are pre-saturated with isopropyl alcohol. Convenient individual packs. 5" x 8". 99.953% anhydrous IPA. Cloth Type.

Cat. No.	Description	Net Price
824W	Individually packaged	\$6.65
824Wx50	50 wipes (jar)	24.95
824Wx500	500 wipes per bag	225.00



MULTI PURPOSE ALCOHOL WIPE

Excellent for cleaning DVD's, CD's, and SMT Stencils. Removes inks, pastes, and contaminants. Contains 70% pure isopropyl alcohol and 30% de-ionized water. Safe on plastics. Fast dry. Lint free.

Cat. No.	Description	Net Price
8241-T	Tub (90 wipes 5" x 6")	\$9.95



LCD CLEANING WIPE

Gentle formulation safely cleans LCD and plasma screen. Also effective for killing germs on telephones, keyboards, peripherals, or desktops.


Cat. No.	Description	Net Price
8242-T	Tub (90 wipes 5" x 6")	\$7.95



GENERAL PURPOSE COTTON WIPE

100% natural cotton, reusable, prewashed, super absorbent. Size 15" x 15". Water absorption rate-3.5 seconds, light oil absorption-instantaneous.

Cat. No.	Description	Net Price
830-25	25 wipes	\$15.95



TWILL WIPES

Low linting 100% cotton twill weave. Excellent for abrasion-free cleaning and drying. Class 1000 cleanroom compliant. Static free. Absorbs 3 times it's own weight.

Cat. No.	Description	Net Price
829-4X4	100 wipes	\$13.95
829-50	50 wipes	26.95



OPTIWIPE

Super soft hydroentangled polyester fiber. Use to clean optical surfaces, photo processing, lab equipment, and other precision instrumentation. Dimensions 4" x 4". Zero lint.

Cat. No.	Description	Net Price
828-4X4	100 wipes	\$10.95

TUN-O-WASH® CLEANER

The original fast drying cleaner for electro-mechanical and electronic tuners. **FEATURES:** Safe on plastics. Upper ozone safe, CFC/HCFC free. Dries fast. Leaves no residue. Cleans hard-to-reach areas. Flammable.

Cat. No.	Description	Size	Net Price
ES2400	Tun-O-Wash	12.5 oz. Aerosol	\$19.36

SWABS AND APPLICATORS

Chemtronics® swabs and applicators are engineered for use in a variety of environments and applications. They are ideal for use with our cleaner degreasers, head cleaners, flux removers and other solvents for fast, precision cleaning. From the innovative no-lint Chamois Tips™ Swab to the general purpose Cotton-tips™ Swab, Chemtronics has the right swab or applicator for your job.



CHAMOIS TIPS™ SWABS

The ideal swab for cleaning audio and video heads and optical pick-ups. **FEATURES:** Synthetic chamois cloth head. Material is free of oils and residues. Flexible handle bends to clean hard-to-reach areas. Bonded without adhesive. Use with Head Cleaner™ II to clean magnetic heads and drives.

SINGLE HEADED CHAMOIS TIPS

Cat. No.	Description	Net Price
CC50	Chamois Tips™—50 Swabs	\$39.54

NOTE: Product Selection Guide found at the end of the Chemtronics section.

FOAMTIPS™ SWABS

The highly absorbent precision cleaning swab with a wide variety of head sizes and shapes. **FEATURES:** Precision cleaning swabs with 100 ppi polyurethane foam head. Purest medical grade foam. The Foamtips™ Pro has a blue scrubber side and a soft absorbent side. Foamtips™ Swabs are available in a wide variety of head sizes and shapes.

Cat. No.	Description	Net Price
CFP50	Foamtips™ Pro—50 Swabs	\$38.79
CF50	Foamtips™ 100—50 Swabs	18.74
CF2050	Foamtips™ 120—50 Swabs	23.75
CF3050	Foamtips™ 130—50 Swabs	20.89
CF4050	Foamtips™ 140—50 Swabs	18.74

NOTE: Product Selection Guide found at the end of the Chemtronics section.

MICROTIPS™ APPLICATOR

The precision applicator for pinpoint solvent, adhesive and lubricant applications. **FEATURES:** Porous polyvinylidene fluoride-tipped and precision cleaning tools. Low in extractable. Low particulate levels and compatible with most solvents. 1.925 mm tapered tip. Excellent choice for dispensing and dispersing solvents, adhesives and primers.

Cat. No.	Description	Net Price
CM502	Microtips™—50 Swabs	\$34.41

NOTE: Product Selection Guide found at the end of the Chemtronics section.

COTTONTIPS™ SWABS

The economical swab designed for general cleaning applications. **FEATURES:** Soft and highly absorbent. Compatible and most solvents. 100% pure pharmaceutical grade bleached white cotton head. Available double headed.

Cat. No.	Description	Net Price
SINGLE-HEADED		
CT100	Single Cottontips—100 Swabs	\$4.00
DOUBLE-HEADED		
CT200	Double Cottontips—100 Swabs	4.19
CT2000	Double Cottontips—1000 Swabs	33.65

NOTE: Product Selection Guide found at the end of the Chemtronics section.

DRY WIPES

Chemtronics® dry wipes are designed for controlled environments, sensitive cleaning (i.e., optical surfaces) and for high absorbancy applications. **FEATURES:** Contamination control. High-purity, precision wipe material. They are ideal for use with Electro-Wash® Cleaner Degreasers, Static Free™ Static Control Products and other highly effective Chemtronics cleaners.



CONTROLWIPES™

The solvent resistant highly absorbent wipe. **FEATURES:** Packaged in a class 100 cleanroom environment. Spunlaced polyester cellulose fabric. Strong, will not tear or shred; will not unravel or lint. High Absorbency and liquid retention. Will not abrade surfaces. Resistant to most solvents, Alcohols and dilute acids. For critical environment applications requiring contamination control.

Cat. No.	Description	Net Price
C910	150—9"×9" Wipes	\$35.85

NOTE: Product Selection Guide found at the end of the Chemtronics section.

TWILLWIPES™

The highly absorbent wipe for abrasion-free cleaning and drying of sensitive surfaces, components and equipment. **FEATURES:** Strong, textured cotton. Minimal linting. Resistant to caustic solvents and temperatures up to 302°F/150°C. For cleaning magnetic tape heads and transport mechanisms, contacts, connectors and other electronic components.

Cat. No.	Description	Net Price
C600	300—6"×6" Wipes	\$78.96
C900	150—9"×9" Wipes	79.61

NOTE: Product Selection Guide found at the end of the Chemtronics section.




QBE™ FIBER OPTIC CLEANING SYSTEM

The precision wipe platform for cleaning fiber optic end faces. **FEATURES:** Provides the ideal cleaning surface; the QBE cleaning platen is perfect for outside plant or OEM application. Convenient size: portable, easily fits in tool cases or on work benches. Heavy duty lint-free wipes: tough enough to remove buffer gel, gentle enough for all end-face cleaning. Won't shred or tear. Patent Pending.

Cat. No.	Description	Net Price
QBE	200 Wipes	\$48.94

NOTE: Product Selection Guide found at the end of the Chemtronics section.



OPTICWIPES™

The soft laboratory-grade cellulose paper designed for use on optical and other sensitive surfaces. **FEATURES:** Packaged in a Class 100 cleanroom environment. 100% cellulose. Highly absorbent; high wet strength. Solvent resistant. Use to clean optical surfaces, photo processing, lab equipment and other precision instrumentation.

Cat. No.	Description	Net Price
⊕ C920	500—9"×9" Wipes	\$41.78

NOTE: Product Selection Guide found at the end of the Chemtronics section.

PRESATURATED SWABS AND WIPES

Presaturated swabs and wipes combine Chemtronics' highly effective cleaners and static dissipative treatments with the convenience of a disposable applicator. Convenient to use and are ideal for field service kits. Every swab or wipe is hermetically sealed to prevent evaporation and maintain solvent effectiveness. Can be used in a wide variety of applications. **FEATURES:** Safe on plastics. Upper ozone safe, CFC/HCFC free.



CHEMSWAB™ PRESATURATED SWAB

The easy to use swab presaturated with alcohol. **FEATURES:** Urethane foam swab (Foamtips™ #120) presaturated with ultra-pure IPA. Evaporates quickly with no residue or contamination. Nonabrasive. Safely cleans computer keyboards, magnetic tape devices and electronic components.

Cat. No.	Description	Net Price
⊕ CS25	25 Twin Packs #1—3"×4" pads, #2—4"×6" Wiper	\$31.92

NOTE: Product Selection Guide found at the end of the Chemtronics section.

SCREEN PREP™ PRESATURATED WIPE

A convenient to use cleaning and static control system for use on monitor screens. **FEATURES:** Cleans and provides a static dissipative treatment. Safely removes dust, dirt and oils. Controls static-generated contamination. Wet pad cleans and applies static protection; dry wiper wipes screen optically clear.


Cat. No.	Description	Net Price
⊕ CSP20	25 Twin Packs #1—3"×4" pads, #2—4"×6" Wiper	\$27.29

NOTE: Product Selection Guide found at the end of the Chemtronics section.

ELECTRO-WASH® MX PRESATURATED WIPE

The extra-strength, plastic safe universal cleaner with a moderate evaporation time. **FEATURES:** Cleans all soil types, removes organic and ionic soils. Moderate evaporation rate increases cleaning power. Leaves no residue. Presaturated wipe great for tool box or travel. **APPLICATIONS:** Ideal for cleaning fibre optics and fibre optic connectors, cables, hard-line coax cable, cable splices, PC boards, motors, tools and transformers, flooding compounds, control systems, screens, and stencils.

Cat. No.	Quantity	Description	Net Price
⊕ CP421	25	8" (20.3cm)×10" (25.4cm) presaturated wipes	\$44.24
⊕ T021	100	6" (15.2cm)×8.5" (21.6cm) per tub	42.70



OPTIC PREP™ PRESATURATED WIPE

The highest quality premoistened lens-grade tissue for cleaning optical surfaces. **FEATURES:** Safely cleans and polishes optical surfaces, lenses, photographic equipment, CRT screens and instruments. Evaporates quickly, leaves no residue. Compatible with most plastics, glass and metals. Mild nonabrasive solvent. Quickly removes dust, oils and contaminants.

Cat. No.	Description	Net Price
⊕ CP410	50—4"×8.25" Pads	\$23.12

NOTE: Product Selection Guide found at the end of the Chemtronics section.

CHEMPAD™ PRESATURATED WIPE

General purpose, presaturated lint-free cleaning wipe. **FEATURES:** Solvent evaporates completely, leaving no residue. Nonabrasive. Ideal cleaning wipe for computers, office equipment and electronic appliances. Cleans dirt, oxides, and oil from magnetic tape heads.

Cat. No.	Description	Net Price
⊕ CP400	50—4"×3" Wipers	\$25.38

NOTE: Product Selection Guide found at the end of the Chemtronics section.



IPA PRESATURATED WIPES

The general purpose presaturated wipe in a convenient tub dispenser. **FEATURES:** Plastic safe. Flammable. Regular cleaning strength. Ozone safe. Ultra pure mixture of 70% IPA and 30% deionized water. High absorbency and liquid retention. Strong, will not tear, shred, unravel, or lint. Holds up to the most rigorous scrubbing.

Cat. No.	Description	Net Price
⊕ SIP100P	100 wipes per tub	\$23.04
⊕ SIP48P	48 wipes per tub	16.63

PRODUCT SELECTION GUIDE (CONT'D.)

Product Name	Size	Colour	Cat. Numbers			VacuPak™ Can 10 bobbins per can	Application
			5'	10'	25'		
Soder-Wick® Rosin SD	1	White	80-1-5	80-1-10		SW18015 SW18025 SW18035 SW18045 SW18055	Micro-Circuits Small Pads Medium Pads Large Pads Terminals Large Lugs
	2	Yellow	80-2-5	80-2-10			
	3	Green	80-3-5	80-3-10			
	4	Blue	80-4-5	80-4-10			
	5	Brown	80-5-5	80-5-10			
	6	Red	80-6-5				
Soder-Wick® No Clean SD	1	White	60-1-5	60-1-10		SW16015 SW16025 SW16035 SW16045 SW16055	Micro-Circuits Small Pads Medium Pads Large Pads Terminals Large Lugs
	2	Yellow	60-2-5	60-2-10			
	3	Green	60-3-5	60-3-10			
	4	Blue	60-4-5	60-4-10			
	5	Brown	60-5-5	60-5-10			
	6	Red	60-6-5				
Soder-Wick® Unfluxed	2	Yellow			70-2-25		Small Pads Medium Pads
	3	Green			70-3-25		
Soder-Wick® Unfluxed SD	2	Yellow		75-2-10			Small Pads Medium Pads Large Pads
	3	Green		75-3-10			
	4	Blue		75-4-10			

CHEM-WIK® DESOLDERING BRAID

PRODUCT SELECTION GUIDE

Product Name	Colour	Cat. Numbers		Application
		5'	25'	
Chem-Wik® Rosin	Grey	2-5L	2-25L	Micro-Circuits Small Pads Medium Pads Large Pads
	Yellow	5-5L	5-25L	
	Green	7-5L	7-25L	
	Blue	10-5L	10-25L	

CONFORMAL COATINGS

PRODUCT SELECTION GUIDE

Product	Temperature Resistance	Abrasion Resistant	Acid Resistant	Flexibility	Solderability	Repairability	Humidity Resistant
Konform® SR	★★★★		✓	★★★★	★★★★	★★★	✓
Konform® AR	★★★	✓	✓	★	★★★	★★★★	✓

STATIC DISSIPATIVE PRODUCTS

PRODUCT SELECTION GUIDE

Product	Key Function			Application
	Static Dissipative	Cleaning	Transparent Surface	
Static Free™ Plast-N-Glas®	Secondary	Primary	✓	Oscilloscopes, laboratory & engineering equipment, CRT monitors, control panels
Static Free™ Mat & Benchtop Reconditioner	Secondary	Primary		ESD mats, benchtops, production/assembly surfaces, tool cribs
Static Free™ Hand Guard™	Primary	N/A	N/A	Moisturizing hands to minimize static buildup

SWABS AND APPLICATORS

PRODUCT SELECTION GUIDE

Swab	Head Material	Head Width x Thickness	Head Length	Handle Material	Handle Width x Thickness	Swab Length	Cat. Numbers	
							Small Package	50 Pack
Chamois Tips™	Chamois cloth	3/8" x 1/8"	7/8"	ABS	3/8" x 9/128"	3-1/4"		CC50
Foamtips™ Pro	100 ppi open cell foam	Dual 1/2" x 3/8"	Dual 7/8"	PP	3/16" x 1/8"	6-3/4"		CFP50
Foamtips™ Pro	75 ppi closed cell foam	Single 9/32" x 3/8"	Single 7/8"					
Foamtips™ 100	Open cell foam over cotton	3/8" x 5/16"	7/8"	Wood	1/16" x 1/16"	6-1/8"		CF50
Foamtips™ 120	100 ppi open cell foam	1/2" x 7/16"	1"	PP	3/16" x 1/8"	5-1/8"		CF2050
Foamtips™ 130	100 ppi open cell foam	1/4" x 1/4"	3/4"	PP	1/8" x 1/8"	6-1/16"		CF3050
Foamtips™ 140	100 ppi open cell foam	3/16" x 3/16"	1/2"	PP	7/64" x 7/64"	2-7/8"		CF4050
Microtips™ Medium	PPF	1.925 mm tapered	5/8"	PP	1/8" x 1/8"	6-11/16"		CM502
Cottontips™ Single	Cotton	3/16" x 3/16"	5/8"	Wood	1/12" x 1/12"	6"	CT100/100 pcs	CT1000/1000 pcs
Cottontips™ Double	Cotton	3/16" x 3/16"	5/8"	Wood	1/12" x 1/12"	6"	CT200/100 pcs	CT2000/1000 pcs

ABS—Acrylonitrile-Butadiene-Styrene, N/PP—Nylon/Polypropylene, PP—Polypropylene, PPF—Porous Polyvinylidene Fluoride.

Tech Spray Products



COTTON TECHSWABS

Tightly wrapped, pre-cleaned cotton ensures the least amount of extractable contaminants. Wooden handles (2300, 2301) offer aggressive cleaning, while pointed tip (2313) allows for precision cleaning.

Cat. No.	Quantity	Net Price
3/16" WIDTH, WOOD HANDLE		
2300-100	pkg. of 100	\$3.69
2300-1000	pkg. of 1000	29.85
3/16" WIDTH, WOOD HANDLE, SINGLE TIPPED		
2301-100	pkg. of 100	3.39
2301-1000	pkg. of 1000	23.92
1/8" WIDTH, PAPER HANDLE		
2313-30	pkg. of 25	6.33

FOAM TECHSWABS

All foam swabs have maximum absorbency with minimum contamination. Flexible tips (2307) provide versatility and softer touch, while rigid heads (2302, 2303, 2306) allow for more aggressive cleaning.

Cat. No.	Quantity	Net Price
7/16" WIDTH, POLYPROPYLENE HANDLE		
2302-10	pkg. of 10	\$3.97
2302-50	pkg. of 50	13.14
2302-1000	pkg. of 1000	175.38
1/4" WIDTH, POLYPROPYLENE HANDLE		
2303-10	pkg. of 10	4.31
2303-50	pkg. of 50	13.14
2303-1000	pkg. of 1000	175.48
1/2" WIDTH, POLYPROPYLENE HANDLE		
2306-10	pkg. of 10	5.08
2306-50	pkg. of 50	13.22
2306-1000	pkg. of 1000	200.10



1909-SQ



1912



1980

ANTI-STATIC PLASTIC CONTAINERS


Static dissipative, high density polyethylene bottles for dispensing of materials in static sensitive areas.

Cat. No.	Description	Net Price
1909-SQ	Squeeze Bottle	\$5.19
1910-PT	Pint w/Trigger Sprayer	5.34

CHAMOIS TECHSWABS

Synthetic chamois tips offer durable, contaminate free, tape head cleaning.

Cat. No.	Quantity	Net Price
3/8" WIDTH, POLYPROPYLENE 3 1/2" HANDLE		
2314-10	pkg. of 10	\$6.79
2314-50	pkg. of 50	26.17
2314-1000	pkg. of 1000	440.79
3/8" WIDTH, POLYPROPYLENE 4 3/4" HANDLE		
2315-10	pkg. of 10	7.18
2315-50	pkg. of 50	26.73
2315-1000	pkg. of 1000	464.50



FIBER OPTIC SWABS

The 1.25mm and 2.5mm wrapped foam fiber optic swabs are ideal for removing transmission-disrupting contaminants in bulkhead connectors. The head conforms to the various connector shapes cleaning the conductor bulkhead corners inside the bulkhead pocket. Can be used wet or dry.

Cat. No.	Description	Net Price
1.25mm		
2316-10	10 swabs per bag	\$8.58
2316-50	50 swabs per bag	58.41
2316-1000	1000 swabs per bag	435.67
2.5mm		
2317-10	10 swabs per bag	9.49
2317-50	50 swabs per bag	32.06
2317-1000	1000 swabs per bag	520.53



2064



2063



2062



2061



2060

STATIC DISSIPATIVE BRUSHES

These innovative brushes are ideal for cleaning static sensitive surfaces that are too delicate for metal bristles. Made of a proprietary material that dissipates static charge from your work surface, and prevents static buildup on the brush even when dry brushing. For your safety, use these brushes with a wrist strap or other mechanisms to provide a good path to ground. Bulk package of 6.

Cat. No.	Description	Net Price
2060	1/8" width, aluminum 6 7/16" handle	\$19.21
2061	3/8" width, aluminum 6 7/16" handle	28.18
2062	3/8" width, zinc plated steel 4 1/2" handle	14.59
2063	3/16" width, stainless steel 4 1/2" handle	14.77
2064	1/8" width, stainless steel 3 1/2" handle	12.03

HAND LOTION/SOAP DISPENSERS


Convenient pumps that provide a choice for dispensing of Zero Charge® Hand Lotion (1702) and Zero Charge® Hand Soap (1745).

Cat. No.	Net Price
1912	\$10.29

TECH PUMP & BOTTLES

Tech Pump bottles are designed for the precision control and dispensing of solvents in electronic and laboratory environments. The distinctive pumping mechanism combined with a high density polyethylene (HDPE) bottle affords a complete unit for use with a broad range of cleaning solvents.

Cat. No.	Description	Net Price
1980	4 Ounce Bottle with Pump	\$21.83
1981	6 Ounce Bottle with Pump	22.16
1982	8 Ounce Bottle with Pump	22.36



32-0696-0000

32-0698-0000
32-0697-0000

32-3142-0000
32-3143-0000
32-3144-0000

32-3148-0000
32-3149-0000
32-3150-0000

32-3154-0000
32-3155-0000

32-3173-0000
32-3176-0000
32-3178-0000

GC ELECTRONICS VIDEO CABLES

This complete line of professional quality GC Electronics 75-ohm coaxial video cables feature all popular types of connectors fully moulded into the cable. The cables also have a special strain-relief design that helps assure positive connections and superior signal transmission.

Cat. No.	End To End		Length	Net Price
32-3178-0000	'F' type plug	'F' type plug	3 ft.	\$4.57
32-0698-0000	'F' type plug	'F' type plug	25 ft.	14.55
32-0697-0000	'F' type plug	'F' type plug	50 ft.	23.90
32-3173-0000	'F' type plug	'F' type plug	3 ft.	1.67
32-3176-0000	'F' type plug	'F' type plug	6 ft.	4.18
32-0696-0000	'F' type plug	'F' type plug w/rubber weather boot	100 ft.	16.12
32-3142-0000	BNC plug	BNC plug	3 ft.	6.70
32-3143-0000	BNC plug	BNC plug	6 ft.	9.37
32-3144-0000	BNC plug	BNC plug	12 ft.	9.28
32-3148-0000	Phono (RCA-type) plug	Phono (RCA-type) plug	3 ft.	3.25
32-3149-0000	Phono (RCA-type) plug	Phono (RCA-type) plug	6 ft.	3.87
32-3150-0000	Phono (RCA-type) plug	Phono (RCA-type) plug	12 ft.	5.09
32-3154-0000	BNC plug	Phono (RCA-type) plug	3 ft.	6.45
32-3155-0000	BNC plug	Phono (RCA-type) plug	6 ft.	9.05



S-VHS VIDEO CABLE

4 pin S-connector plug to 4 pin S-connector plug. Compatible with S-VHS equipment and televisions that uses a 4 pin S-connector to separate luminance (Y) and chroma (C) signals, which will provide an enhanced, signal to noise ratio, horizontal resolution, contrast and picture quality.

S-VHS ADAPTOR

4 pin S-connector jack to 4 pin S-connector jack, used to connect two S-VHS video cables with 4 pin S-connector plugs.

Cat. No.	Description	Net Price
32-3165-0000	Cable 6 feet long	\$4.62
32-3166-0000	Cable 12 feet long	7.38
32-3170-0000	Adaptor	10.59



SUPER VHS VIDEO CABLE

4-Pin mini DIN plugs on both ends are designed for Super VHS videocassette recorders. PE foam improves degree of isolation providing the highest resolution picture available, free from external interference. Gold-plated pins prevent loss at point of contact for the sharpest possible image.

Cat. No.	Cable Length	Net Price
32-3766-0000	2 Metre Cable	\$7.93
32-3767-0000	5 Metre Cable	11.57



VHS FORMAT VCR HEAD CLEANING CARTRIDGES (WET TYPE)

These cartridges gently clean accumulated oxides, dirt and dust from recorder and playback heads, capstans and rollers along the entire tape path inside your VCR. Regular use after 10-15 hours of playing time helps keep picture and sound clear and crisp. More frequent use is recommended if VCR is used in areas where it is exposed to heavy tobacco smoke or salt air or if the stop frame mode is often used. Cartridges snap into place just like a VCR cartridge. Cleaning tape is super soft and non abrasive. Cleaning liquid included.

Cat. No.	Description	Net Price
32-3186-0000	VHS Format	\$4.35



POLY & COTTON LINT FREE SWABS

A special absorbent polyurethane swab with a fine texture that is gentle enough for cleaning delicate surfaces. Particularly good for delicate tape heads and similar usage. Reusable if used with solvents such as TF solvent, alcohol, etc. Contents: 30 swabs to a package.


Cat. No.	Net Price
10-0277-0000	\$6.16



VCR INSPECTION MIRROR

Permits visual inspection in tight spots. All plastic insulated mirror, 7 7/8" long. No danger of shock or shorting.

Cat. No.	Net Price
00-5090-000P	\$6.24



CHAMOIS CLEANING WANDS

These top quality wands are tipped with soft absorbent chamois and angled slightly to fit easily into hard-to-reach places. Reusable. Contents: 6 swabs to a package.

Cat. No.	Net Price
32-3088-0000	\$9.11



G-C MAG-NETIK RECORDING HEAD CLEANER

"Removes Oxide from Tape Recording Heads". Cleans without injury to the recording head that gradually loses its sensitivity if oxide accumulates. Clean and preserve at regular intervals.

Cat. No.	Description	Net Price
19-5302-0000	2 oz. bottle	\$9.79
19-5304-0000	4 oz. aerosol	4.07



REMOTE CONTROL A/B SWITCH

The infrared remote control video switch allows you to switch between two 75 ohm inputs (cable, antenna, satellite, or dual cable systems) and a 75 ohm output (probably a TV) without leaving the comfort of your chair. Complies with FCC part 15.6 and is recommended when switching between cable TV and antenna systems inputs. Isolation 80 dB. AC adapter. **SPECIFICATIONS:** Frequency range: 5-2050 MHz.

Cat. No.	Net Price
32-3221-0000	\$50.08



PILLOW SPEAKER

Enjoy listening to TV or radio without disturbing others. 8 ft. cord with 3.5mm miniature phone plug fits most transistor radios, tape recorders and many TV's. Dynamic type. 8 ohm impedance.

Cat. No.	Net Price
30-0160-0000	\$5.05



32-1830-0000



32-1827-0000
32-1820-0000
32-1813-0000

TELEVISION WALL MOUNTS

Space-saving television/monitor mounts are ideal for today's home or office. As space becomes more valuable in every room, GC mounts provide a modern alternative to bulky TV stands and home entertainment centres. The 10° shelf tilt angle and the 90° left/right swivel lets you position the television for optimum viewing from any point in the room. High-tech black or white, scratch resistant finish. All mounts include hardware for wood installation.

25"/27" TELEVISION MOUNT

TRAY WIDTH: 25". MAX. DEPTH of SET: 19½". LOAD RATING: 125 lbs. FITS: Most 25" and 27" sets.

Cat. No.	Description	Net Price
32-1827-0000	Black	\$96.33
32-1827-00CM	Ceiling Mount	96.33

19"/20" TELEVISION MOUNT

TRAY WIDTH: 20". MAX. DEPTH of SET: 18". LOAD RATING: 100 lbs. FITS: Most 19" and 20" sets.

Cat. No.	Description	Net Price
32-1816-0000	Black	\$70.21

13" TELEVISION MOUNT

TRAY WIDTH: 14". MAX. DEPTH of SET: 15½". LOAD RATING: 100 lbs. FITS: Most 13" sets.

Cat. No.	Description	Net Price
32-1815-0000	Black	\$64.64
32-1813-00WH	White	62.38

SATELLITE RECEIVER/VCR BRACKET

Attaches to wall or ceiling mount. Adjustable height and width. 2½" to 4½" high. 12½" to 17¼" wide.

Cat. No.	Description	Net Price
32-1830-0000	Black	\$37.51
32-1830-00WH	White	37.51

CEILING/WALL ANCHOR KIT WITH 4 BOLTS

For concrete walls.

Cat. No.	Net Price
32-1820-00AK	\$15.41