



### M60V MINI SCREWDRIVER SET

The M-60V Mini-Drivers consist of jeweler's type Slotted and Phillips screwdriver blades molded in color-coded plastic handles for precise, detailed work. The kit contains: One 7/8" x 3 1/16" torque amplifier handle, One No. 00 Phillips, and Five .04", .055", .07", .08", .10" Slotted screwdrivers. Furnished in a see-thru plastic pouch.

Cat. No.	Net Price
<b>M60V</b>	<b>\$18.29</b>



### OFFSET RATCHET SCREWDRIVER SET

The XL75 is a 5 piece reversible offset ratchet screwdriver set. Sold only as a set with a see-thru plastic pouch. All driver bits: 1/4" hex shank. Sizes: Slotted 1/4" and 3/16". Phillips No. 1 and 2. Reversible ratchet arm.

Cat. No.	Net Price
<b>XL75V</b>	<b>\$27.77</b>



### OFFSET RATCHET SCREWDRIVER SET

19 piece midget reversible ratchet offset all-purpose screwdriver set. Simple and easy-to-use in all kinds of assembly, disassembly, adjustment and repair work involving Alex hex, Phillips and slotted screws. All driver bits: 1/4" hex shank. Sold only as a set. Allen hex. .050, 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 3/32", 1/4" and 5/16". Slotted 1/4" and 3/16". Phillips No. 1 and 2. 1/4" hex to 1/4" square Adaptor bit. 3 3/4" Reversible ratchet. 6" Spinner-extension.

Cat. No.	Net Price
<b>XL70</b>	<b>\$89.79</b>



### ELECTRICIAN'S KNIFE

It's both a knife and a screwdriver. Screwdriver blade has sharp edge for scraping insulation. Has positive lock when open.

Cat. No.	Net Price
<b>K22V</b>	<b>\$28.94</b>



### HEAT SINK

Protects transistors and other delicate electronic components from heat during soldering. Tool has copper jaws for greatest possible heat absorption and dissipation; solder won't stick to nickel plate finish. Positive no-slip spring tension action with cushion-grip.

Cat. No.	Net Price
<b>80V</b>	<b>\$11.10</b>



### SEIZERS

Precision machined from perfectly tempered stainless steel, these versatile tools clamp tightly, hold wires for soldering, act as heat sinks, retrieve small parts from hard-to-reach places. Features include two-position snap lock and box joint construction. 6" models have serrated jaws. 5" Jr. models are slimmer, get into tighter spots, have smooth jaws to prevent marring of delicate materials.

Cat. No.	Description	Net Price
<b>32H</b>	Straight nose jr. seizer.	<b>\$9.95</b>
<b>33HV</b>	Curved nose jr. seizer.	<b>9.95</b>
<b>42HV</b>	Straight nose seizer.	<b>9.95</b>
<b>43HV</b>	Curved nose seizer.	<b>9.95</b>



### ADJUSTABLE WRENCHES

Thin-pattern design permits access to places regular adjustables won't go. Rugged, forged alloy steel construction. Chrome plated with polished heads and cushioned grip handles.

Cat. No.	Length	Maximum Opening	Net Price
<b>44CGV</b>	4"	1/2"	<b>\$24.12</b>
<b>46CGV</b>	6"	3/4"	<b>24.98</b>
<b>48CGV</b>	8"	1 1/16"	<b>26.25</b>



## G-C COLOUR TV ALIGNMENT TOOL KIT

Consists of five alignment tools covering the majority of all alignment adjustments required in colour TV servicing. Provides eight hex ends which cover virtually all of the iron core transformer adjustments.

Cat. No.	Net Price
00-8454-0000	\$8.33



## STANDARD TV ALIGNMENT TOOL KIT

Made of last and wear—a quality kit with essential alignment tools in a roll type case. **KIT CONTAINS 1 EACH:** 00-5004-0000 adjustment screwdriver, 00-5097-0000 K-Tran tool, 00-8195-0000 TV channel tuning tool, 00-8196-0000 TV-FM tuning tool, 00-8271-0000 core aligner, 00-8273-0000 TV aligner, 00-8274-0000 long aligning tool, 00-8275-0000 universal aligner, 00-8276-0000 duplex aligner.

Cat. No.	Net Price
00-8455-0000	\$22.91



## G-C INSPECTION MIRROR

**00-5090-0000:** 7-1/2" long mirror. Metal shaft and plastic handle. N.S.N. 5120-00-620-9233. **00-590-000P:** 7-7/8" long all plastic insulated mirror. No danger of shock or shorting. N.S.N. 5120-00-159-8180.

Cat. No.	Net Price
12-5090	\$6.27
00-5090-000P	6.24



## G-C HEAT SINK

A lightweight, first quality heat sink that allows a firm grip and provides protection to transistors and diodes when soldering. Solder will not stick to heat sink which is aluminum.


Cat. No.	Description	Net Price
00-9077-0001	Aluminum Heat Sink	\$1.38



## ALIGNMENT AND SPECIALTY KIT

Comprehensive selection of the most popular alignment tools and service aids. Packaged in a handsome carrying case, designed to provide easy removal and replacement of tools. Ideal for the technician and engineer who requires a wide variety of tools for every purpose. **KIT CONTAINS 1 EACH:** 12-0760-0000 wire stripper, 00-2520-0000 duplex aligner screwdriver, 00-5000-0000 alignment screwdriver, 00-5004-0000 adjustment screwdriver, 00-5028-0000 wrench kit, 00-5090-0000 inspection mirror, 00-5091-0000 extension shaft, 00-5097-0000 K-Tran tool, 00-5101-0000 AC/DC test light, 00-7948-0000 tweezers, 00-8195-0000 TV channel tuning tool, 00-8271-0000 core aligner, 00-8275-0000 universal aligner, 00-8276-0000 duplex aligner, 00-8277-0000 "shorty duplex aligner", 00-8282-0000 Zenith alignment tool, 00-8605-0000 capacitor tool, 00-8606-0000 hex wrench 5", 00-8606-000L hex wrench 11", 00-8721-0000 2-in-1 tool 9", 00-8722-0000 2-in-1 tool 7", 00-8728-0000 alignment tool 12", 00-8728-000A screwdriver 7", 00-8867-0000 Tel-A-Turn tool, 00-8868-0000 Tel-A-Turn tool, 00-8869-0000 Tel-A-Turn tool, 00-8868-0000 Tel-A-Turn tool, 00-8869-0000 Tel-A-Turn tool, 00-8885-0000 oiler, 00-8987-0000 screwdriver 9-1/2", 00-9076-0000 reamer/forked tip tool, 00-9077-0000 heat sink, 00-9091-0000 hex iron core tool 5-3/32", 00-9091-000L 11" hex tool, 00-9093-0000 solder probe, 00-9094-0000 brush/scrapper tool, 12-4614-0000 I.C. removal tool, 00-9293-0000 alignment tool 12", 00-9295-0000 Delrin hex tool 11", 00-9296-0000 Delrin hex tool 11", 00-9300-0000 hex core tool, 00-9302-0000 hex wrench, 00-9304-0000 double end tool, 00-9338-0000 burnishing tool, 00-9356-0000 fuse puller, 00-9440-0000 transistor tool.

Cat. No.	Net Price
00-5050-0000	\$139.64



## CERAMIC ADJUSTER SET

Six sizes include Flat Blade .9, 1.3, 1.8, 2.6mm and Phillips 1.7 and 3.0mm. These adjusters are anti-static and nonmagnetic. Protective caps are included to keep tips clean and contamination-free. Solder does not adhere to tip surface. Resists acids (except Hydrofluoric) and solder. Comfortable, smooth handles and tips are 100% rustproof. Packaged in form-fitted storage tray.


Cat. No.	Net Price
12-0577-0000	\$42.54



## CONTACT BURNISHING TOOLS

GC burnishing tools consist of stainless steel strips, micro-scored to an ultra-fine file surface. They remove oxide and corrosion on relay and switch contact points made of platinum, palladium, molybdenum, gold tungsten, and silver. The standard tool is used on medium and large contact points whereas the fineline tool is recommended for use on small and miniature components.


Cat. No.	Description	Net Price
00-9337-0000	Fineline (0.120" wide)	\$1.86
00-9338-0000	Standard width (1/4")	1.86



## LENLINE AUTOMATIC WIRE STRIPPER

All metal automatic wire stripper with insulated handles. Easy, two step operation—insert wire and squeeze the handle. The 08-369 tool will cleanly strip the wire insulation without damaging or nicking the finest solid or stranded wires. Strips sizes: 8 to 22 AWG.


Cat. No.	Net Price
08-369	\$12.86



## LENLINE "THIRD HAND" SOLDERING AID


Two adjustable arms with alligator jaws set in a heavy base. A versatile tool, it can be adjusted to any position and firmly hold small items of any shape.

Cat. No.	Description	Net Price
70-490M	Soldering Aid with magnifier	\$7.86



## LENLINE SCISSORS

Cat. No.	Description	Net Price
70-272	Splicer's scissors. Stainless steel, c/w scraper and file on the back edge of the blade. Length: 5-1/4" (130mm).	\$5.36
70-273	Electrician's scissors. Extra strength stainless steel with insulated handles, c/w notch in blade and file on the back edge of blade. Length: 5" (125mm).	5.36



## LENLINE STRAIGHT AND CURVED LOCK HOLDERS


6" O.A.L. stainless steel, slim serrated jaws. Has two position snap-lock. Excellent heat sink and clamp. Allows quick disconnect and reconnect for temporary connections.

Cat. No.	Description	Net Price
70-20S	Straight Lock Holder	\$4.21
70-20C	Curved Lock Holder. Same as above, but with a slight curve in the jaws.	4.21



## LENLINE TWEEZER SETS

Cat. No.	Description	Net Price
P314	Two piece set: one straight and one curved. Nickel plated. Length: 4-1/4".	\$4.64
08-389	Four piece set: one straight, one angled, one wafer, and one closing.	6.43



652-AA-SA

652-5AR-SA

652-7A-SA

652-518

652-35-SA

652-514

## LENLINE TWEEZERS

Cat. No.	Description	Net Price
652-AA-SA	AA—General purpose tweezer with fine point tips. Stainless steel anti-magnetic. Length: 5".	\$3.21
652-MM-SA	MM—General purpose tweezer with fine bevelled tips. Stainless steel anti-magnetic. Length: 5".	3.00
652-SS-SA	SS—Extra fine point tips. Longer, slimmer design. Stainless steel anti-magnetic. Length: 5-3/8".	2.93
652-OO-SA	OO—Extra tip strength. Stainless steel anti-magnetic. Length: 4-1/2".	2.86
652-OC-SA	OC—Round fine point tips for hard to reach areas. Stainless steel anti-magnetic. Length: 3-1/2".	2.21
652-1-SA	1—Extra fine pointed tips. Stainless steel anti-magnetic. Length: 4-5/8".	2.79
652-2-SA	2—Fine pointed tips. Stainless steel anti-magnetic. Length: 4-1/2".	2.79
652-2A-SA	2A—Flat tipped, approx. .005" and smooth on all sides. Stainless steel anti-magnetic. Length: 4-6/8".	2.71
652-2AB-SA	2AB—Curved flat tipped, approx. .005" and smooth on all sides. Stainless steel anti-magnetic. Length: 4-6/8".	2.79
652-3CB-SA	3CB—Fine pointed tips bent 45 degrees. Stainless steel anti-magnetic. Length: 4-1/8".	2.79
652-4-SA	4—Sharp taper extra fine tips. Stainless steel anti-magnetic. Length: 4-1/2".	2.79
652-5A-SA	5A—Very fine point angled tips. Stainless steel anti-magnetic. Length: 4-3/4".	2.79
652-5AR-SA	5A—Angled fine point tips and bent at 45 degrees. Stainless steel anti-magnetic. Length: 4-3/4".	2.79
652-7A-SA	7A—Curved fine point tips. Stainless steel anti-magnetic. Length: 4-1/2".	2.79
652-7B-SA	7B—Curved fine point serrated tips. Stainless steel anti-magnetic. Length: 4-1/2".	2.79
652-205-SA	205—Flat tipped for SMD components. Stainless steel anti-magnetic. Length: 4-1/2".	4.21
652-35-SA	SA—Straight wafer tips. Nickel plated. 4-3/4".	2.79
652-36-SA	36—Bent wafer tips. Nickel plated. Length: 4-3/4".	2.79
652-514	Self locking with serrated tips. Nickel plated. Length: 6-3/4".	2.50
652-515	Serrated broad tip. Stainless steel. Length: 5-1/8".	2.64
652-516	Curved fine point. Stainless steel. Length: 4-6/8".	2.57
652-517	Serrated round tips. Stainless steel. Length: 6-1/4".	3.00
652-518	Serrated curved rounded tips. Stainless steel. Length: 6-1/2".	3.00



## EREM "N" SERIES PLIERS

The best all-purpose diagonal cutters in the world. Superior to leaf springs. Invisible, internal EREM-Magic springs provide uniform, constant tension and ultimate performance. Linear closing and opening force. Guaranteed for over 1 million openings. High precision inter-lock screw joint system. These EREM-Magic tools are manufactured using a unique Swiss lamination technique, which is a multiple extrusion process that super-compacts the molecules of Eremadium® steel and implants extra strength to the tool. EREM FULL FLUSH cutters leave the flattest surface on cut leads of any full flush cutters available in the world. Because of its' overall superior design, Full Flush EREM-Magic tools transmit the least shock of any diagonal cutters available in the world.

Cat. No.	Description	Net Price
612N	4" diagonal cutter, small oval head, semi-flush	\$54.99
622N	4" diagonal cutter, small oval head, full-flush	54.99
512N	5" diagonal cutter, medium oval head, semi-flush	54.99
522N	5" diagonal cutter, medium oval head, full-flush	67.54



E2ASA



E3CSA



E5SA



E7SA




E00SA

## EREM ANTI-MAGNETIC, ULTRA-FINE, SWISS MADE, ERGONOMIC TWEEZERS

Stainless steel construction. ESD safe. Straight high precision tips.

Cat. No.	Description	Net Price
E2ASA	Straight round tip	\$28.02
E3CSA	Straight fine tip	29.99
E5SA	Straight very fine tip	29.99
E7SA	Curved very fine tip	32.99



## EREM SWISS HIGH-PRECISION TWEEZERS

They are available in various shapes, finish and materials such as: Stainless steel, "non-magnetic", anti-acid alloy, temperature resistance 300°C.

Cat. No.	Description	Overall Length	Net Price
5SA	Superfine points, special shaping. For handling very fine wires, miniature components such as speed diodes; SMD, Melf, etc.	4½"	\$42.18
AASA	Strong but fine points. Very popular model.	4¾"	13.41
15AGS	Most popular cutting tweezers—oblique head, long life. For soft wires, max. dia. 0.25mm (.010).	4½"	41.55
00SA	Flat inside edges. Very resistant. General purpose, electronic assembly tweezers.	4¾"	24.96
2ASA	Flat and round points. Very popular model.	4½"	28.70
7SA	Curved for easy manipulation in confined areas.	4½"	38.46
00DSA	Flat inside edges. Very resistant. General purpose, electronic assembly tweezers. Plus interior and exterior serrations. Carbon steel.	4½"	30.42
5ASA	Very fine, for die attaching.	4½"	41.12
ACSA	For precision bending and handling. With serrated grip area.	4¼"	14.75
3SA	The most popular tweezers for microelectronics.	4½"	35.55



## EREM EROP PRECISION TWEEZERS

These tweezers are a low cost series made in India to the Erem specs.

Cat. No.	Description	Overall Length	Net Price
EROP00SA	Very sturdy, fine tip, general purpose.	4-3/4"	\$4.46
EROP2ASA	Round tapered tip, flat gripping surface.	4-1/2"	4.46
EROP3CSA	Straight ultra fine tip, short version.	4-1/4"	4.46
EROP3SA	Ultra fine tip for subminiature assembly.	4-1/2"	4.46
EROP5SA	Super fine tip for miniature assembly.	4-1/2"	4.46
EROP5ASA	Off-set fine precision tip.	4-1/2"	4.46
EROP7SA	Curved fine precision tip.	4-1/2"	4.46
EROPAASA	Sturdy fine tip, general purpose.	4-3/4"	4.46
EROP00DSA	Fine, straight precision points. Serrated tips.	4-3/4"	4.46
EROPSSSA	Straight precision point. Extra long and narrow.	5-1/2"	4.46