

Get .64 Connector System

TE Internal #: 1411001-6

8 Position Housing, Housing for Female Terminals, Wire-to-Wire,

2.54 mm [.1 in] Centerline, Sealable, Black, Wire & Cable, Get .64

Connector System

View on TE.com >



Automotive Parts > Automotive Connectors > Automotive Housings











Connector & Housing Type: Housing for Female Terminals

Number of Positions: 8

Sealable: Yes

Number of Rows: 2

Connector Position Assurance Capable: Yes

Features

Product Type Features

Primary Product Color

Connector Shape	Rectangular
Mixed & Hybrid Connector	No
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Primary Locking Feature	Integrated in Housing
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	8
Number of Rows	2
Electrical Characteristics	
Nominal Voltage Architecture	12 V
Body Features	

Black



Connector & Keying Code	В
Contact Features	
Contact Size	.64mm
Contact Type	Receptacle
Mating Tab Width	.64 mm[.025 in]
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA
Centerline (Pitch)	2.54 mm[.1 in]
Operation/Application	
Circuit Application	Signal
Other	

Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

Connector Position Assurance Capable

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Dodecamethylcyclohexasiloxane (D6) (.5% in 27520126661) Decamethylcyclopentasiloxane (D5) (.5% in 27519994350) Octamethylcyclotetrasiloxane (D4) (.5% in 27519994350) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 3-1579007-6
EXTRACTION TOOL

TE Part # 8-1419161-4
2X4 SEALED PERIMETER SEAL

TE Part # 1419162-9 2X4 SEALED COVER TE Part # 9-1419160-2 2X4 SEALED HARNESS KEY B



TE Part # CAT-G3353-T273
GET .64 CONNECTOR SYSTEM,
RECEPT AND TAB


TE Part # 9-1419161-6
2X4 SEALED GROMMET

TE Part # 5-1419161-6

2X4 SEALED SPACER

Also in the Series | Get .64 Connector System














Customers Also Bought

















TE Part #2112758-1 COVER

Documents

Product Drawings

SEALED HARN ASSY W CPA KEY B

English

CAD Files

Customer View Model ENG_CVM_CVM_1411001-6_D1.3d_igs.zip

English

Customer View Model

8 Position Housing, Housing for Female Terminals, Wire-to-Wire, 2.54 mm [.1 in] Centerline, Sealable, Black, Wire & Cable, Get .64 Connector System



ENG_CVM_CVM_1411001-6_D1.3d_stp.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1411001-6_D1.2d_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English