

### Sensor Flat Contact System

TE Internal #: 1801178-3

3 Position Housing, Housing for Female Terminals, Wire-to-Wire,

3.33 mm [.13 in] Centerline, Sealable, Gray, Wire & Cable, Sensor

Flat Contact System

View on TE.com >



Automotive Parts > Automotive Connectors > Automotive Housings











Connector & Housing Type: Housing for Female Terminals

Number of Positions: 3

Sealable: Yes

Operating Temperature Range: -40 - 150 °C [-40 - 302 °F]

Number of Rows: 1

### **Features**

### **Product Type Features**

Troduct Type reatures	
Mixed & Hybrid Connector	No
Connector Shape	Rectangular
Connector & Housing Type	Housing for Female Terminals
Sealable	Yes
Primary Locking Feature	On the Terminal
Connector System	Wire-to-Wire
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	3
Number of Rows	1
Electrical Characteristics	
Operating Voltage	16 VDC

12 V

Nominal Voltage Architecture



Cable Exit Angle	180°
Primary Product Color	Gray
Connector & Keying Code	3
Contact Features	
Contact Size	1.5mm
Contact Type	Receptacle
Mating Tab Width	1.5 mm[.06 in]
Contact Current Rating (Max)	16 A
Mechanical Attachment	
Strain Relief	Add By Accessory
Terminal Position Assurance	Yes
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PBT GF
Centerline (Pitch)	3.33 mm[.13 in]
Dimensions	
Product Width	35.05 mm[1.38 in]
Product Length	21.33 mm[.84 in]
Connector Height	19.65 mm[.773 in]
Usage Conditions	
Operating Temperature Range	-40 - 150 °C[-40 - 302 °F]
Operating Temperature (Max)	150 °C[302 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
IP Rating	IP69K
UL Flammability Rating	UL 94HB
Other	
Serviceable	Yes



Connector Position Assurance Capable

Yes

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**













TE Part # 1-1801467-1 COVER, FIXED, 3 WAY HP CONNECTOR



TE Part # 1801467-2 COVER, FIXED, 3 WAY HP CONNECTOR



TE Part # 6-1579018-2 **EXTRACTION TOOL** 



AMP MCP, SFC, RECEPTACLE

# Also in the Series | Sensor Flat Contact System



Automotive Connector Caps & Covers



Automotive Housings(42)



Automotive Signal & Power Connector Housings(42)



Automotive Terminals(16)

# Customers Also Bought



TE Part #284443-7 COVER + LEVER FOR 12 POS M.Q.S



TE Part #1379914-1 20POS MQS REC



TE Part #1544454-1 CLIP 6.35 MM SECUR



TE Part #1544603-3 1W 8MM NG1 SEALED CLIP ASSY **GREY** 



TE Part #1544965-1 8MM NG1+ TERMINAL



TE Part #1801175-6 2W RECEPTACLE HP CONNECTOR BROWN



TE Part #1-1801175-1 2W RECEPTACLE HP CONNECTOR **BLACK** 



TE Part #1801179-1 3W RECEPTACLE HPSL CONNECTOR **BLACK** 



TE Part #1801422-1 RECEPT HOUSING ASSY, 8MM, 2 W



TE Part #1801600-3 RECEPTACLE HOUSING, MCON, 10 W, SEALED



### **Documents**

### **Product Drawings**

3W RECEPTACLE HP CONNECTOR GREY

English

### **CAD Files**

**Customer View Model** 

ENG\_CVM\_CVM\_1801178-3\_E.2d\_dxf.zip

English

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_1801178-3\_E.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1801178-3\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### **Product Specifications**

**Product Specification** 

English

### **Instruction Sheets**

Instruction Sheet (non U.S.)

English