




Connectors > Connector Accessories > Connector Caps & Covers



Connector Cover Type: **Protective Cover**

Primary Product Material: **Zinc**

Operating Temperature (Max): **85 °C [185 °F]**

Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**

Features

Product Type Features

Sealable	Yes
Connector Cover Type	Protective Cover

Body Features

Seal Material	Silicone Rubber
Primary Product Material	Zinc

Mechanical Attachment

Component Retention Feature	Lanyard
-----------------------------	---------

Housing Features

Compatible With Connector Shape	Circular
---------------------------------	----------

Usage Conditions

Operating Temperature (Max)	85 °C[185 °F]
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]

Packaging Features

Packaging Method	Bag, Box
Packaging Quantity	200



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

TE Part # 2355443-2
RJ45 CAT5e PANEL MOUNT SOCKET (PBT)

TE Part # 1954643-1
Recpt Kit, Series A to Series A


Customers Also Bought



TE Part #194018-1
PIN ASSY..070



TE Part #8-640917-1
RECEPT,PIDG FASTON 22-18 187



TE Part #3-794632-4
04P MICRO MNL ASSY,VRT,HDR,LF



TE Part #1-1415390-1
PE014F05



TE Part #1776296-2
TSB5000231DS=EUROPA T-BLK,10MM



TE Part #2213782-2
UNIVERSAL MATE-N-LOK 2-PSN WIRE SEAL




TE Part #2362760-2
IDC PLUG, PBT



TE Part #5747375-8
37 PLUG SP/FMS INSRT



TE Part #1-6609028-8
10VK6=F7356 S0



TE Part #6450129-1
MBXL R/A HDR STR 2ACP

Documents

Product Drawings

RJ45 PROTECTION CAP (PBT)

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2355444-2_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2355444-2_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2355444-2_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



Application Specification

English