



698-960 & 1710-2700 MHz LTE WORLD BAND ANTENNA

Part Number: X-2361492-X

(see page 6 for details)

FEATURES & BENEFITS

- Adhesive backing on the PCB simplifies mounting within the device
- Omnidirectional coverage
- Efficient design reduces power usage
- No matching components required

SPECIFICATIONS


Frequency Range (MHz)	698-960 1710-2700			
VSWR	< 3.6:1 < 2.5:1			
Efficiency	80%	70%		
Average Gain	-2.0dBi	-2.0dBi		
Peak Gain	3.0dBi	4.0dBi		
Power Handling	10 Watt cw			
Feed Point Impedance	50 ohms unbalanced			
Polarization	Linear			
Size	65 mm x 15 mm x 1.0 mm			
Weight	< 2.9 g			
Mounting	Adhesive Tape			
Mating Connector	MHF-type, refer to page6			
Cable (coazial)	1.13mm Dia. Refer to page6			
Operating Temperature	-40 to +85°C			
Storage Temperature	-40 to +85°C			
Hazardous Materials	A certificate of conformance is available from the product page on TE website.			



RF DATA








Data measured in free space and on plastic device enclosure




RADIATION PATTERN



Data measured in free space and on plastic device enclosure




RADIATION PATTERN



Data measured in free space and on plastic device enclosure




KEEP OUT AREA




NOTES

- 1. Antenna designed to be mounted on plastic cover.
- 2. Area in blue indicates Keep Out Area.
- 3. For more information please call TE.



Dimension: mm Diagrams is not to scale

DIMENSIONS






MATING COMPONENTS TO PART NUMBERS AND DIMENSIONS

NUMBER CABLE LENGTH(A)		MM(B) (ON CABLE)		MATING COMPONENTS		
PART	MM	INCH	CABLE O.D,	CONNECTOR TYPE	PART NUMBER	IMAGE
1-2361492-5	300.0	11.81	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
1-2361492-4	250.0	9.84	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
1-2361492-3	200.0	7.784	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
1-2361492-2	150.0	5.905	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
1-2361492-1	100.0	3.937	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
2361492-9	50.0	1.968	1.13	MHF4L-TYPE PLUG	RECEPTACLE (TE PN: 2334884-1)	
2361492-8	300.0	11.81	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-7	250.0	9.84	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-1	200.0	7.784	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-6	150.0	5.905	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-4	100.0	3.937	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-3	80.0	3.15	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	
2361492-2	50.0	1.968	1.13	MHF-TYPE PLUG	RECEPTACLE (TE PN: 2337019-1)	

PACKAGING







TE TECHNICAL SUPPORT CENTER

USA: +1 (800) 522-6752 Canada: +1 (905) 475-6222 Mexico: +52 (0) 55-1106-0800 Latin/S. America: +54 (0) 11-4733-2200 Germany: +49 (0) 6251-133-1999 UK: +44 (0) 800-267666 France: +33 (0) 1-3420-8686 +31 (0) 73-6246-999 Netherlands: China: +86 (0) 400-820-6015

For phone numbers in other countries, go to te.com/support-center

te.com

TE Connectivity, TE Connectivity (logo) are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2020 TE Connectivity Ltd. family of companies All Rights Reserved.

01/2022

