

Specifications

Key Characteristics

Catalog Page # 	128
Product Number	146226
UPC	754473551018
UOM	Each
Trade Name	BMP®61
Brand Name	Brady®
Country of Origin 	Malaysia
HTS Code (Harmonized Tariff Schedule) 	8443.32.1050
ECCN (Export Commodity Control Number) 	5A992C

Dimensions

Dimensions	12.93 in H x 4.22 in W x 4.19 in D
Height	12.93 in
Width	4.22 in
Depth	4.19 in
Display Size	2.8 in
Printer Weight	3.212 lb

Product Features

Applications 	Asset Tracking, Circuit Board Labeling, Data and Telecommunications Labeling, Electrical Labeling, General Identification, Wire and Cable Labeling
Shipped With Battery	Yes

How Is Battery Shipped	Shipped in box, not installed
Battery mAh Rating	1200 mAh
Battery Weight	252 g
Connectivity Options 	Cabled, Standalone Use, USB 2.0, USB Host, Wi-Fi, Wireless
Cutter Type	Single Hand Manual Actuate, Straight Cut
Display Type	Color Touch Screen, LCD backlit graphics display
Keyboard Type	QWERTY
Memory	256 MB Flash;512 MB RAM
Mode of Operation 	Stand-Alone & PC Connect
Number of Symbols	450
Plug Type	US
Power Supply Voltage	110 to 240 V
Auto Shut-Off / Power Conserve	10 minutes, User Configurable
Recharge Time 	3 hours
Special Characters Quantity	123
User Interface Type	Full QWERTY Keyboard, PC, Touch Screen
Battery Type	NiMH, Rechargeable Battery
Label/Media Format	Cartridge

Printing Specifications

Barcode Capability	Yes
Barcode Symbolologies - 2D	More Through Brady Workstation
Barcode Symbolologies - Linear	Code 128;Code 39
Color Printing Capability	Single Color
Font Sizes	4 pt to 170 pt Text
Font Styles	Brady Alpine, Brady Fixed Width

Label Retention Feature 	No
Maximum Labels per Day 	750
Maximum Print Speed	1.33 in/s
Print Resolution	300 dpi
Print Technology	Thermal Transfer

Compatibility

Cartridge Printer Series 	BradySleeve Markers (PTS-), Bulk DuraSleeve Wire Marker Inserts (BPTDS-), Bulk Labels (BPTL-), Bulk M71 Series (BM71-, BM71C-), Bulk PermaSleeve Wire Marker Sleeves (BPSPT-), Bulk Terminal Block Markers (BPTLTB-), Labels (PTL-, PTLEP-, PTLFP-, PTLFT-, PTLSL-), M61 Series (M61-, M61C-), Permashield Labels (PTPS-, PTPSL-), PermaSleeve Wire Marker Sleeves (PSPT-, PSHT-, PSFR-)
Compatible Media 	BM61-, BM61D-, BM61E-, BM71-, BM71C-, BM71D-, BM71R-, BPTDS-, BPTL-, M61-, M61C-, M61EP-, PSFR-, PSHT-, PSPT-, PTDS-, PTDSU-, PTL-, PTLCM-, PTLEP-, PTLFP-, PTLFT-, PTLRDS-, PTLSL-, PTLTB-, PTLTL-, PTPSL-, PTS-
Continuous & Die-Cut Materials Supported	Continuous Tapes & Die-Cut Labels
Maximum Label/Tape Width	2 in
Maximum Print Width	1.92 in
Maximum Printed Label Length	40 in
Minimum Label Length 	0.236 in
Minimum Liner Width	0.812 in
Maximum Liner Width	2.25 in
Software Compatibility	Brady® Workstation, Labelmark™ Software
Languages Available	Bulgarian, Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French (France), German, Hungarian, Italian, Norwegian, Polish, Portuguese (Portugal), Romanian, Russian,

	Slovak, Slovenian, Spanish (Spain), Swedish, Turkish
--	--

What's Included

Includes	(1) BMP®61 Printer with WiFi (BMP61-W), (1) Glossy White Polyester Asset and Equipment Tracking Labels (PTL-19-423), (1) Halogen Free Printer Ribbon (M61-R6010), (1) Hard Case (BMP-HC-1), (1) NiMH Rechargeable Battery (BMP41-BATT), (1) Power Cord, (1) Product CD, (1) Printed Quick Start Guide and Driver CD, (1) USB Cord, (1) Utility Strap (BMP-STRAP-1), AC Adapter/Battery Charger (M-AC-143110), Free Brady WorkStation Basic Design Suite Download
Warranty	2 Years

Compliance

UNSPSC 	45101520
--	----------