## Specifications



## Eaton E49S71AP7

E49 IEC Limit Switch, Side Rotary, 1x Normally Open (NO) Contact/1x Normally Closed (NC) Contact, 5A continuous@240VAC and 24VDC, Screw Terminals, M20 conduit entry

General specifications	
PRODUCT NAME	Eaton E49 IEC mechanical limit switch
CATALOG NUMBER	E49S71AP7
UPC	782113742144
PRODUCT LENGTH/DEPTH	4.25 in
PRODUCT HEIGHT	1.92 in
PRODUCT WIDTH	1.22 in
PRODUCT WEIGHT	0.2 lb
WARRANTY	1 year
COMPLIANCES	RoHS Compliant
CERTIFICATIONS	UL Listed CSA Certified CE UKCA
GLOBAL CATALOG	E49S71AP7



Product specifications	
CONTACT RATING	10A at 240 Vac, 1.5A at 30 Vdc
ENCLOSURE MATERIAL	Plastic
ACTUATOR	Side rotary
CONNECTION	Screw terminal
CONTACT CONFIGURATION	1 NO-1 NC
SERIES	E49
OPERATING TEMPERATURE - MAX	176 °F
OPERATING TEMPERATURE - MIN	-22 °F
ENVIRONMENTAL RATING	NEMA 4, NEMA 4X, NEMA 6P, NEMA 13, IP65
MAXIMUM AC CURRENT	10 A continuous
MAXIMUM DC CURRENT	1.5 A at 24Vdc
MOUNTING METHOD	Miniature DIN rail

Resources	
CATALOGS	Sensing Solutions, Limit Switches, Volume 8, Tab 2
SPECIFICATIONS AND DATASHEETS	<u>Eaton Specification Sheet -</u> <u>E49S71AP7</u>

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



**Eaton Corporation plc** 

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.









