

Specifications



Photo is representative



Eaton EFSC3190

Eaton Crouse-Hinds series EFS pushbutton control station, With pushbuttons, With two 1" hubs, Feraloy iron alloy, Two circuit universal, 2, 2, Single-gang, 2, Through feed, 1"

General specifications

PRODUCT NAME	Eaton Crouse-Hinds series EFS pushbutton control station
CATALOG NUMBER	EFSC3190
UPC	782274296302
PRODUCT LENGTH/DEPTH	3.5 in
PRODUCT HEIGHT	5.91 in
PRODUCT WIDTH	5.25 in
PRODUCT WEIGHT	7.65 lb

Certifications and compliances

AREA CLASSIFICATION	Hazardous/Classified Locations
STANDARDS TYPE	NEC/CEC
NEC HAZARDOUS RATING	Class I, Division 1 Class I, Division 2 Class II, Division 1 Class II, Division 2 Class III
NEMA RATING	3 7 9

Product specifications

ENCLOSURE TYPE	With pushbuttons
NUMBER OF GANGS	Single-gang
NUMBER OF PUSHBUTTONS	2
NUMBER OF DEVICES	2
NORMAL POSITION	Two circuit universal
STYLE	Through feed
TRADE SIZE	1"
NUMBER OF CIRCUITS	2
HUB STYLE	With two 1" hubs
MATERIAL	Feraloy iron alloy

Resources

3D MODELS	SP3D Design Package - EDS and EFS Explosionproof Control Stations
CATALOGS	EFS explosionproof control stations for group B applications - catalog page
CERTIFICATION REPORTS	EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification
INSTALLATION INSTRUCTIONS	IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - EFSC3190

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights Reserved.

Follow us on social media to get the latest product and support information.

