

| Boatside Products

Weatherproof Covers

Heavy duty vinyl construction, use with female connector for superior seal

Female Connectors

Ribbed nylon construction, color coded terminal pockets and screws

Power Inlets

Styled to complement any boat, Marinco® power inlets are simple to install and feature a protective rear safety enclosure that provides safe, reliable strain relief

103RN



305CRCN



303SSEL-B



301EL-B



304EL-B



7715CRN



6360CRN



6371EL-B




6351EL-B



6343EL-B



7715CRN



6364CRN



6373EL-B



6353EL-B



6344EL-B



PH6624



TV6592



TV6574



TV6444



For more information visit us at: marinco.com



Inlets

Marinco® Power Inlets are the industry standard. Offered in three styles, they all feature robust construction and corrosion-resistant materials for long life in the harsh marine environment. Each has technical features that make them easy to install and a pleasure to use for the marine professional or the casual recreational boater.

Stainless Steel

Marinco® stainless steel inlets are solid cast marine grade 316 stainless steel and include a heavy duty cap strap for strength and durability.



Contoured


Marinco® contoured inlets feature UV stabilized glass-filled polyester construction for long-lasting strength.



Standard

Marinco® standard inlets feature UV stabilized glass-filled polyester construction for long-lasting strength.





- ❶ Easy Lock™—Marinco's exclusive Easy Lock™ System has been designed to make hook-up quick and easy. Just connect the cordset (with an Easy Lock™ locking ring installed) to the inlet and turn the locking ring less than a quarter turn. The tabs on the locking ring lock into the inlet for a positive watertight hook-up while eliminating any chance of cross threading. The locking ring features lock locators positioned at 180° to improve finger grip during attachment.

Easy Lock™ inlets have a threaded boss that will accept threaded cordsets as well. The Easy Lock™ system is a standard feature on some Marinco® 30 amp and 50 amp inlets and cordsets.

- ❷ The covers on all Marinco® inlets are designed to stay hinged open when the cover is lifted up. This allows the boater to connect their shore power cord while the cover remains open and out of the way. A soft touch unlocks it for closing.
- ❸ Blades are nickel plated brass for maximum corrosion resistance.
- ❹ Interior hardware is marine-grade stainless steel.

Rear Enclosure

- Made of flame-resistant UL94V0 plastic.
- All rear enclosures are glass-filled polyester for strength.
- Integral strain relief complies with ABYC requirements.
- Multiple positions allow for maximum installation flexibility.





**30
AMP
125V**

Stainless Steel Power Inlet

- Cast 316 stainless steel

Item # **303SSEL-B**

OEM # 303SSEL-B.OEM



**30
AMP
125V**

Countour Chrome Power Inlet

- Chrome finish cover

Item # **304EL-BCR**

OEM # 304EL-BCR.OEM



**30
AMP
125V**

Contour Power Inlet

- Stainless steel trim

Item # **304EL-B**

OEM # 304EL-B.OEM

Item # **304ELCB** cap & bezel



**30
AMP
125V**

Contour Power Inlet

- Without stainless steel trim

Item # **304EL-B.NT** white

Item # **199136** black



**30
AMP
125V**

Power Inlet

- Stainless steel trim

Item # **301EL-B**

OEM # 301EL-B.OEM

Item # **301EL-B.GRAY** white

Item # **301ELCB** gray cap & bezel



**30
AMP
125V**

Power Inlet

- ABYC shore power warning label on cap

Item # **301EL-B.W/L**



**30
AMP
125V**

Power Inlet

- Stainless steel trim
- Hole at rear enclosure

Item # **301EL-B.FR**



**30
AMP
125V**

Breaker Inlet

- Includes cap & bezel and breaker plate
- Breaker not included

Item # **3050BI**



**30
AMP
125V**

Stainless Steel Power Outlet

- Female 30A 125V configuration

Item # **303SSO**

Connect: 50 Amp 125V/250V Inlets

NEMA
SS-2



50A
125/250
Locking

Meets or Exceeds
ABYC
Standards



MARINE
UL LISTED



**50
AMP**
125/250V

Stainless Steel Power Inlet

Item # **6373EL-B**
OEM # 6373EL-B.OEM



**50
AMP**
125/250V

Stainless Steel Power Inlet

- Without rear safety enclosure

Item # **6373EL**
OEM # 6373EL.OEM



**50
AMP**
125/250V

Countour Chrome Power Inlet

- Chrome finish cover

Item # **6344EL-BCR**
OEM # 6344EL-BCR.OEM



**50
AMP**
125/250V

Contour Power Inlet

- Stainless steel trim

Item # **6344EL-B**
OEM # 6344EL-B.OEM



**50
AMP**
125/250V

Contour Power Inlet

- Without stainless steel trim

Item # **6344EL-B.NT**



**50
AMP**
125/250V

Power Inlet

- Stainless steel trim

Item # **6353EL-B**
OEM # 6353EL-B.OEM

Item # **6353ELCB** Cap & Bezel



**50
AMP**
125/250V

Power Inlet

- Stainless steel trim
- Black

OEM # 6353EL-B.BLACK.OEM



**50
AMP**
125/250V

Power Inlet

- Stainless steel trim
- Gray

Item # **6353EL-B.GRAY**



**50
AMP**
125/250V

Power Inlet

- Stainless steel trim
- Without rear safety enclosure

Item # **6353EL**

There are two categories of 50A devices: 50A 125V (50A 3-wire) and 50A 125/250V (50A 4-wire). The 4-wire devices have two "hot" legs, each carrying 50A 125V. These two categories are not interchangeable. A 3-wire plug must never be altered to insert into a 4-wire connector or receptacle.

16 Amp/230V, 50Hz Locking



Stainless Steel Inlet

- 316 stainless steel
- Easy Lock™ system
- Soft touch cap design
- Rear safety enclosure with strain relief

Item # 303SSEL-BXPK
OEM # 303SSEL-BX



Standard Inlet

- Easy Lock™ system
- Glass-filled polyester
- Watertight
- Rear safety enclosure with strain relief

Item # 301EL-BXPK
OEM # 301EL-BX



Contour Inlet

- Easy Lock™ system
- Glass-filled polyester
- Watertight
- Rear safety enclosure with strain relief

OEM # 304EL-BX.NT
OEM # 301EL-BX stainless steel trim



Female Connector

- Corrosion resistant contacts and terminals
- Use with cover 103RN and cap 199109

Item # 305CRCXNPK
OEM # 305CRCXN



Weatherproof Cover w/ Threaded Ring

- Use with 305CRCXN

Item # 103RNXPK
OEM # 103RNX



Connector Kit

- Includes female connector, weatherproof cover with threaded ring and watertight cap

Item # 199114



Locking Shore Power Cordset

- H07BQ-F 3G 2,50 mm² harmonized cable
- IEC 60309 plug 2P+E [6H], 250V/50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

Item # 25MSPPXP 25 meters
Item # 20MSPPXP 20 meters
Item # 15MSPPXP 15 meters
Item # 10MSPPXP 10 meters
Item # 1MSPPXP 1 meters



Locking Shore Power Cordset

- Blunt cut
- H07BQ-F 3G 2,50 mm² harmonized cable
- IEC 60309 plug 2P+E [6H], 250V/50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

Item # 25MSPPX 25 meters
Item # 20MSPPX 20 meters
Item # 15MSPPX 15 meters
Item # 10MSPPX 10 meters
Item # 1MSPPX 1 meters



Locking Shore Power Cordset

- Male end blunt cut
- 12/3 (3.3 mm²) cable 16A/220V 50Hz
- Watertight connector sealing cap for CE compliance
- NEMA L5-30 moulded connector with LED power indicator light

Item # 50SPPX 50 ft
Item # 25SPPX 25 ft