

## Zack marker strip - ZB 8 CUS - 0825011

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Zack marker strip, Can be ordered: Strip, white, Labeled according to customer specifications, Mounting type: Snap into tall marker groove, For terminal block width: 8.2 mm, Lettering field: 10.5 x 8.15 mm

The illustration shows  
versions ZB 8 - UNPRINTED,  
-LGS:CONSEC.NOS, -  
QR:CONSEC.NOS and CUS

### Why buy this product

- ☒ Labeling service: Phoenix Contact can custom-label all zack marker strip markers according to your requirements
- ☒ The ZB zack marker strip system is a marking solution for modular terminal blocks and electronics modules with tall marker grooves



### Key commercial data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| GTIN                                 | <br>4 046356 357531 |
| Weight per Piece (excluding packing) | 1.52 g                                                                                                  |
| Custom tariff number                 | 39269097                                                                                                |
| Country of origin                    | Germany                                                                                                 |

### Technical data

#### Dimensions

|           |      |
|-----------|------|
| Width (a) | 8 mm |
|-----------|------|

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 100 °C |
|---------------------------------|-------------------|

#### General

|                                         |                                |
|-----------------------------------------|--------------------------------|
| Color                                   | white                          |
| Components                              | free from silicone and halogen |
| Inflammability class according to UL 94 | V2                             |
| Material                                | PA                             |
| Wipe resistance                         | DIN EN 61010-1 (VDE 0411-1)    |
| Number of individual labels             | 10                             |

# Zack marker strip - ZB 8 CUS - 0825011

## Technical data

### General

|                                     |    |
|-------------------------------------|----|
| Number of individual labels per row | 10 |
| Number of marker strips             | 10 |

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 24190218 |
| eCl@ss 4.1 | 24190218 |
| eCl@ss 5.0 | 27141137 |
| eCl@ss 5.1 | 27141137 |
| eCl@ss 6.0 | 27141137 |
| eCl@ss 7.0 | 27141137 |
| eCl@ss 8.0 | 27141137 |

### ETIM


|          |          |
|----------|----------|
| ETIM 2.0 | EC000761 |
| ETIM 3.0 | EC000761 |
| ETIM 4.0 | EC000761 |
| ETIM 5.0 | EC000761 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211811 |
| UNSPSC 7.0901 | 39121410 |
| UNSPSC 11     | 39121410 |
| UNSPSC 12.01  | 39121410 |
| UNSPSC 13.2   | 39121410 |

## Drawings

### Schematic diagram



① Horizontal

## Zack marker strip - ZB 8 CUS - 0825011

② Vertical

---

© Phoenix Contact 2013 - all rights reserved  
<http://www.phoenixcontact.com>