

SACC-M12FSB-5CON-PG 7

Order No.: 1453960

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1453960>

Bus system connector, female, straight, 5-pos., M12, B-coded, screw connection, plastic knurl, cable screw connection Pg9

Commercial data

EAN	 4 046356 565202
Note	Made-to-order
sales group	D121
Pack	1 Pcs.
Customs tariff	85366990
Gross weight in pieces	0.0163 KG
Net weight per piece	0.0163 KG

Product notes

WEEE/RoHS-compliant since:
02/11/2010



[http://
www.download.phoenixcontact.com](http://www.download.phoenixcontact.com)
Please note that the data given
here has been taken from the
online catalog. For comprehensive
information and data, please refer
to the user documentation. The
General Terms and Conditions of
Use apply to Internet downloads.

Technical data**Dimensions**

External diameter	4 mm ... 6 mm
-------------------	---------------

Ambient conditions

Degree of protection	IP67
----------------------	------

General

Rated current at 40°C	4 A
Rated voltage	60 V
Number of positions	5
Contact resistance	≤ 8 mΩ
Insulation resistance	≥ 100 MΩ
Coding	B - inverse
Status display	No
Surge voltage category	II
Pollution degree	3
Connection method	Screw connection
Conductor cross section	0.25 mm² ... 0.75 mm²
AWG conductor cross section	24 ... 18

Material

Inflammability class according to UL 94	V0
Contact material	CuZn
Contact surface material	CuSnZn
Contact carrier material	PA 66
Material of grip body	PBT
Material, knurls	Plastic
Sealing material	NBR

Certificates / Approvals



Certification

cULus Recognized, GOST

Certifications applied for:

Certification Ex:

Address

PHOENIX CONTACT Deutschland GmbH
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2014 Phoenix Contact
Technical modifications reserved;