

HC-HS 2-CP - Coding profile



1586280

<https://www.phoenixcontact.com/pc/products/1586280>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Coding profile, for coding HC-HS 2-D7-E...S, 4 coding profiles per strip (40 strips per unit pack)

Commercial Data

Item number	1586280
Packing unit	50 pc
Minimum order quantity	1 pc
Product Key	BF7ABZ
Catalog Page	Page 656 (C-2-2019)
GTIN	4046356410236
Weight per Piece (including packing)	0.48 g
Weight per Piece (excluding packing)	0.48 g
Customs tariff number	39269097
Country of origin	DE

HC-HS 2-CP - Coding profile

1586280

<https://www.phoenixcontact.com/pc/products/1586280>



Technical Data

Product properties

Product type	Coding element
--------------	----------------

Mounting

Assembly instructions	4 profiles per strip; 40 strips per unit pack
-----------------------	---

Material specifications

Color	red
Material	PA
Flammability rating according to UL 94	V0

HC-HS 2-CP - Coding profile

1586280

<https://www.phoenixcontact.com/pc/products/1586280>



Classifications

ECLASS

ECLASS-10.0.1	27440203
ECLASS-9.0	27440203
ECLASS-11.0	27440203
ECLASS-12.0	27440203

ETIM

ETIM 8.0	EC002311
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

HC-HS 2-CP - Coding profile



1586280

<https://www.phoenixcontact.com/pc/products/1586280>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com