

# Spacer - ME DH36 NS 35

2909895

<https://www.phoenixcontact.com/pc/products/2909895>



Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.

Spacers, for protection of the input or output contacts for DIN rail NS 35, width [B] 36 mm



## Your advantages

- Easy installation

## Commercial Data

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item number                          | 2909895                        |
| Packing unit                         | 50 pc                          |
| Minimum order quantity               | 1 pc                           |
| Note                                 | Made to Order (non-returnable) |
| Product Key                          | ACHACZ                         |
| Catalog Page                         | Page 692 (C-1-2013)            |
| GTIN                                 | 4017918166885                  |
| Weight per Piece (including packing) | 13.146 g                       |
| Weight per Piece (excluding packing) | 13.146 g                       |
| Customs tariff number                | 39269097                       |
| Country of origin                    | DE                             |

## Technical Data

### Notes

|                       |                                                             |
|-----------------------|-------------------------------------------------------------|
| Assembly instruction: | Refer to the data sheet for the range in the download area. |
|-----------------------|-------------------------------------------------------------|

### Product properties

|                              |                   |
|------------------------------|-------------------|
| Product type                 | Mounting material |
| Housing type                 | DIN rail housing  |
| Ventilation openings present | no                |
| Housing series               | ME                |

### Material specifications

|                                        |              |
|----------------------------------------|--------------|
| Color                                  | green (6021) |
| Flammability rating according to UL 94 | V0           |
| Surface characteristics                | untreated    |
| Housing material                       | Polyamide    |

### Environmental and real-life conditions

#### Ambient conditions

|                                         |                                                    |
|-----------------------------------------|----------------------------------------------------|
| Max. IP code to attain                  | IP20                                               |
| Ambient temperature (operation)         | -40 °C ... 105 °C (depending on power dissipation) |
| Ambient temperature (storage/transport) | -40 °C ... 55 °C                                   |
| Ambient temperature (assembly)          | -5 °C ... 100 °C                                   |
| Relative humidity (storage/transport)   | 80 %                                               |

# Spacer - ME DH36 NS 35

2909895

<https://www.phoenixcontact.com/pc/products/2909895>



## Approvals



**UL Recognized**

Approval ID: FILE E 240868

# Spacer - ME DH36 NS 35

2909895

<https://www.phoenixcontact.com/pc/products/2909895>



## Classifications

### ECLASS

|               |          |
|---------------|----------|
| ECLASS-9.0    | 27182702 |
| ECLASS-10.0.1 | 27182702 |
| ECLASS-11.0   | 27182702 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC001031 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# Spacer - ME DH36 NS 35

2909895  
<https://www.phoenixcontact.com/pc/products/2909895>



## Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG  
Flachsmarktstraße 8  
D-32825 Blomberg  
+49 (0) 5235-3 00  
[info@phoenixcontact.com](mailto:info@phoenixcontact.com)