

Range box - AI-TWIN SORTI BOX GY



3202999

<https://www.phoenixcontact.com/pc/products/3202999>

Please be informed that the data shown in this PDF document is generated from our Online Catalog. Please find the complete data in the user documentation. Our General Terms of Use for Downloads are valid.



Sorti-box, equipped with TWIN ferrules in accordance with DIN 46228-4, CSA-certified, 20 pcs. of AI-TWIN 2x4-12 GY, 10 pcs. each of AI-TWIN 2x6-14 YE, AI-TWIN 2x10-14 RD

Your advantages

- Color coding and the transparent cover facilitate fast access to the required ferrules
- The practical assortment boxes are designed to keep your workshop tidy
- Using the integrated euro-clip, they can be hung up on perforated board walls, for example, to save space

Commercial Data

Item number	3202999
Packing unit	1 pc
Minimum order quantity	1 pc
Product Key	BH3416
Catalog Page	Page 489 (C-3-2019)
GTIN	4017918947125
Weight per Piece (including packing)	100.42 g
Weight per Piece (excluding packing)	100.42 g
Customs tariff number	85369010
Country of origin	DE

Range box - AI-TWIN SORTI BOX GY



3202999

<https://www.phoenixcontact.com/pc/products/3202999>

Set consists of

Ferrule

Ferrule - AI-TWIN 2X 4 -12 GY - 3201000

<https://www.phoenixcontact.com/pc/products/3201000>



Ferrule, sleeve length: 12 mm, length: 23 mm, color: gray

Ferrule

Ferrule - AI-TWIN 2X 6 -14 YE - 3201013

<https://www.phoenixcontact.com/pc/products/3201013>



Ferrule, sleeve length: 14 mm, length: 25 mm, color: yellow

Range box - AI-TWIN SORTI BOX GY

3202999

<https://www.phoenixcontact.com/pc/products/3202999>



Ferrule

Ferrule - AI-TWIN 2X10 -14 RD - 3201026

<https://www.phoenixcontact.com/pc/products/3201026>

Ferrule, sleeve length: 14 mm, length: 26 mm, color: red



Range box - AI-TWIN SORTI BOX GY



3202999

<https://www.phoenixcontact.com/pc/products/3202999>

Technical Data

Product properties

Product type	Assortment box
--------------	----------------

Material specifications

Color	gray
Material	CU-DHP
Flammability rating according to UL 94	HB
Coating	tin-plated (galvanic)
Components	free from silicone and halogen

Range box - AI-TWIN SORTI BOX GY



3202999

<https://www.phoenixcontact.com/pc/products/3202999>

Classifications

ECLASS

ECLASS-9.0	27400218
ECLASS-10.0.1	27400218
ECLASS-11.0	27400218

ETIM

ETIM 8.0	EC000524
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

Range box - AI-TWIN SORTI BOX GY



3202999

<https://www.phoenixcontact.com/pc/products/3202999>

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com