



KLM

Order No.: 1004306

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1004306>

Terminal strip markers, for strip marking, snap onto end bracket E/UK
or CLIPFIX 35, lettering field size: 25 x 6 mm

Commercial data	
EAN	 4 017918 012007
sales group	B108
Pack	100 Pcs.
Customs tariff	39269097
Gross weight in pieces	0.00109 KG
Net weight per piece	0.00109 KG
Catalog page information	Page 500 (C-5-2013)

Product notes

WEEE/RoHS-compliant since:
01/01/2003



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data	
Dimensions	
Length (b)	28 mm
Width (a)	8 mm
Ambient conditions	
Ambient temperature (operation)	-40 °C ... 80 °C

General

Color	transparent
Base element material	SAN
Components	free from silicone and halogen
Inflammability class according to UL 94	HB
Material	ABS

Certificates / Approvals

Certification

Certifications applied for:

Certification Ex:

Accessories

Item	Designation	Description
------	-------------	-------------

Marking

0808105	ESL 26X 6	Insert strip, Sheet, white, Unlabeled, Can be labeled with: Office printing systems, Plotter, Perforated, Mounting type: Insert, Lettering field: 26 x 6 mm
0829435	US-EMP (25X6)	Snap-in markers, Card, white, Unlabeled, Can be labeled with: THERMOMARK CARD PLUS, THERMOMARK CARD, Mounting type: Snapped into marker carrier, Lettering field: 26 x 6 mm

KLM Order No.: 1004306

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=1004306>

Address

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 00
Fax +49 5235 3 41200
<http://www.phoenixcontact.com>



© 2013 Phoenix Contact
Technical modifications reserved;