




Energy & Power > Power Systems Connectors > Wedge Connectors



Product Availability: **Americas**
Installation Technology: **Energised Installation, Wedge**
Voltage Class: **≤ 500 kV**

Features

Product Type Features

Power Component Options	Hot Stick Accessories
Installation Technology	Energised Installation, Wedge

Configuration Features

Visual Inspection	Yes
-------------------	-----

Electrical Characteristics

Voltage Class	≤ 500 kV
---------------	----------

Body Features

Compatible Conductor Material	Copper
-------------------------------	--------

Dimensions

Compatible Conductor Range - Tap (Copper)	2/0 – 350 AWG/kcmil
Compatible Conductor Cross-Section Range - Tap (Copper)	67.4 – 177 mm²

Usage Conditions

Operating Temperature Range	0 – 175 °C[32 – 347 °F]
-----------------------------	-------------------------

Operation/Application

Power Component Application Type	Overhead
----------------------------------	----------

Product Availability

Product Availability	Americas
----------------------	----------

Other

--	--



Color Cartridge Required	Blue
--------------------------	------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JUNE 2024 (241) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 1443413-1
HAND TOOL, SMALL HEAD WHITE



TE Part # 69338-5
CARTRIDGE ASSY, AMPACT WHITE

Also in the Series | AMPACT Copper TAP




Wedge Connectors(63)

Customers Also Bought



TE Part #52943
TERMINAL,PIDG SPR SPD 12-10 10



TE Part #229969-2
COVER, DUST, RCPT, RED, CHAMP



TE Part #552285-1
ASSY, PLUG, 64 POS, B SLOT



TE Part #552315-1
ASSY, RCPT, 64 POS, B SLOT



TE Part #5-1393122-7
KHAU-17D12-24=KH



TE Part #5229911-1
SCREW,PAN HD,"CHAMP
PACKAGING

Documents

Product Drawings
AMPACT CU TAP 350-2/0
English

Datasheets & Catalog Pages
AMPACT COPPER TAPS
English

Product Specifications
Product Specification
English
Tap, AMPACT, Copper
English
Product Specification
English

Agency Approvals
UL Report



English

UL Report

English