

Specification Sheet

Part Number: 151-03253



Separates and secures bundles avoiding abrasion.

Designed to handle both convoluted tubing and bundles not covered in convoluted tubing.

Come in a variety of sizes and colors to be easily identified.

HDCM2 Clamp Bundle Separator, Two Hole, PA66HIRGF15, Black, 500/pkg

Article Number	151-03253
----------------	-----------

Type	HDCM2A
------	--------

Color	Black (BK)
-------	------------

Quantity Per	pack
--------------	------

Product Description	HC Clamps separate multiple bundles and secure them to brackets or frame rails. Each mount has two pawls for easy pre-installation on a threaded fastener prior to securing with a mechanical fastener. HC Clamps have ribs that make them ideal for convoluted tubing, but they can also be used to separate separate bundles that aren't protected with convoluted tubing.
---------------------	--

Short Description	HDCM2 Clamp Bundle Separator, Two Hole, PA66HIRGF15, Black, 500/pkg
-------------------	---

Global Part Name	HDCM2A-PA66GF15-BK
------------------	--------------------

Length L (Imperial)	2.72
---------------------	------

Length L (Metric)	69.1
-------------------	------

Variant	Separators
---------	------------

Width W (Imperial)	1.12
--------------------	------

Width W (Metric)	28.48
------------------	-------

Bundle Diameter Min (Imperial)	0.93
--------------------------------	------

Bundle Diameter Min (Metric)	23.7
------------------------------	------

Bundle Diameter Max (Imperial)	0.93
--------------------------------	------

Bundle Diameter Max (Metric)	23.7
------------------------------	------

Bundle Diameter 1st Loop Max (Imperial)	0.933
---	-------

Bundle Diameter 1st Loop Max (Metric)	23.7
---------------------------------------	------

Bundle Diameter 2nd Loop Max (Imperial)	0.933
---	-------

Bundle Diameter 2nd Loop Max (Metric)	23.7
---------------------------------------	------

Height H (Imperial)	1.34
---------------------	------

Height H (Metric)	34
-------------------	----

Mounting Hole Diameter D (Imperial)	0.32 "
Mounting Hole Diameter D (Metric)	8.2 mm
Material	Polyamide 6.6 glass fiber reinforced (PA66GF15%)
Material Shortcut	PA66GF15
UV Resistant (Yes/No)	No
Use Conditions	For Indoor and Outdoor Use
Operating Temperature	-40°F to +257°F (-40°C to +125°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	500
Package Quantity (Metric)	500
Customs Number	3926909988

