

## **Specification Sheet**

Part Number: MK7P

Improved compressed air supply for faster tensioning piston movement.

Glass fiber-reinforced plastic construction makes tool lightweight yet tough.

Automatic ejection of cut-off cable tie end speeds production.

Three-level preset control to set tool tension.

Optional safety cap prevents tension setting from being changed by accident (important when bundling sensitive materials and maintaining process reliability).

MK7P Pneumatic Tool, Plastic Housing, 1/Pkg

Article Number 110-07101

Type MK7P

Color Black (BK)

Quantity Per pack

Product Description The Mark 7 Pneumatic (MK7P) industrial-grade cable tie application

tool is built to perform in demanding production and manufacturing environments. Heavy duty precision parts ensure repeatability in the tensioning process. The MK7P is ergonomically designed for operator comfort, reducing hand, arm and wrist fatigue. It consistently maintains the correct tension and provides a flush, safe cut-off with no sharp

edges.

Short Description MK7P Pneumatic Tool, Plastic Housing, 1/Pkg

$\sim$ 1 1	<b>D</b> (	
Global	Part	Name

MK7P-PA66GF30-BK

Length L (Metric)

220

Width W (Metric)

40

Cable Ties

T18 thru T50 Series CTT20 thru CTT60

Cycle Time

4 strokes per second

Height H (Metric)

170

**Tension Setting Tools** 

Adjustable

Cable Tie Width Max (Imperial)

0.18

**Power Supply** 

Dry or lubricated air

**Tension Force** 

60-170

Material

Polyamide 6.6, glass fiber reinforced (PA66GF30%)

**Material Shortcut** 

PA66GF30

UV Resistant (Yes/No)

No

**Use Conditions** 

For Indoor and Outdoor Use

Reach Compliant (Article 33)

No

ROHS Compliant	Yes
Package Quantity (Imperial)	1
Package Quantity (Metric)	1
Customs Number	8467195090

7930 N. Faulkner Road, Milwaukee, WI 53224

Phone: (800) 537-1512 | Email: corp@htamericas.com

 $\hbox{@\,}2025$  HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions