


Data Sheet | Item Number: 210-296
Aluminum carrier rail; 15 x 5.5 mm; 1 mm thick; 2 m long; unslotted; similar to EN 60715; silver-colored
<https://www.wago.com/210-296>



Color:  silver-colored



Dimensions in mm

Technical data	
Main product function	Mounting accessories

Physical data	
Width	2000 mm / 78.74 inches
Height	5.5 mm / 0.217 inches
Depth	15 mm / 0.591 inches

Material Data	
Color	silver-colored
Fire load	0 MJ
Weight	110 g

Commercial data	
Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-40-06-02
eCl@ss 9.0	27-40-06-02
ETIM 8.0	EC001285
ETIM 7.0	EC001285
PU (SPU)	10 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332272261
Customs tariff number	76042990900



Downloads

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 210-296

Download icon

Documentation

Bid Text

210-296	19.02.2019	xml 2.65 KB	Download icon
210-296	31.08.2017	doc 23.50 KB	Download icon

CAD/CAE-Data

CAD data

2D/3D Models 210-296

Download icon

CAE data

EPLAN Data Portal 210-296

Download icon

WSCAD Universe 210-296

Download icon

ZUKEN Portal 210-296

Download icon

1 Compatible Products

1.1 Optional Accessories

1.1.1 Installation

1.1.1.1 Mounting accessories

Item No.: 249-101
Screwless end stop; 6 mm wide; for WMB markers; gray

1.1.2 Marking



1.1.2.1 Label



Item No.: 210-808
Labels; for Smart Printer; 9.5 x 25 mm;
white

Item No.: 210-708
Labels; for TP printers; 9.5 x 25 mm; white

Installation Notes

DIN-Head	Item No.	Cable Size (mm²)	Acc. to IEC 60364-5-52
DIN 16 x 5.5 (Alu)			
1 mm black shielded	210-111	57	10A5
unshielded	210-296	57	10A5
DIN 16 x 5.5 (Al)			
1 mm black shielded	210-296	57	10A5

Current applies to cable of 1 meter length