






Color: ■ gray



Electrical data	
Nominal operating voltage	AC 24 V
Operating voltage	≤35 VAC
Nominal current	1 A
Switch-on capacity	
Physical data	
Width	15 mm / 0.591 inches
Height from upper-edge of DIN-rail	82.5 mm / 3.25 inches
Depth	52 mm / 2.047 inches
Mechanical data	
Mounting type	Pluggable module for receptacle terminal blocks
Housing design	Plug for carrier terminal blocks



Material data	
Color	gray
Fire load	0.336 MJ
Weight	21.6 g

Environmental requirements	
Ambient temperature (operation)	-25 ... +40 °C
Relative humidity	5 ... 95 % (no condensation permissible)
Operating altitude (max.)	2000 m

Commercial data	
Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-04-07-01
eCl@ss 9.0	27-04-07-01
ETIM 8.0	EC002540
ETIM 7.0	EC002540
PU (SPU)	15 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454549848
Customs tariff number	85369010000

Environmental Product Compliance	
CAS-No.	7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a)
SCIP notification number (Bulgaria)	0eeb444a-f734-44df-b87e-e101d818615a
SCIP notification number (Czech Republic)	2f85f016-c0bd-4538-b224-c47eda8ae1b4

Downloads	
Environmental Product Compliance	
Compliance Search	
Environmental Product Compliance 286-830	

Documentation			
Bid Text		Instruction Leaflet	
286-830	19.02.2019	xml 3.02 KB	
286-830	02.04.2015	doc 24.00 KB	
		pdf 1246.19 KB	



CAD/CAE-Data	
CAE data	
WSCAD Universe 286-830	

1 Compatible Products
1.1 Optional Accessories
1.1.1 Marking
1.1.1.1 Marker



Item No.: 209-701 WSB marking card; as card; not stretcha- ble; plain; snap-on type; white

1.1.2 Terminal blocks
1.1.2.1 Terminal block for pluggable modules



Item No.: 280-619 Terminal block for pluggable modules; 6- pole; with 2-conductor terminal blocks; with orange separator; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray



Item No.: 280-763 Terminal block for pluggable modules; 6- pole; with 4-conductor terminal blocks; with marker carrier; with orange separa- tor; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray
--



Item No.: 280-609 Terminal block for pluggable modules; 6- pole; with 4-conductor terminal blocks; with orange separator; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm ² ; CAGE CLAMP®; 2,50 mm ² ; gray
