


Data sheet | Item number: 870-101

1-conductor/1-pin double deck receptacle terminal block; Through/through terminal block; L/L; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®





870-101



RoHS
Compliant

BOMcheck.net

Color:



Carrier terminal block

Item description

Safety information 1:

Max. insulation diameter: 4.4 mm

Data

Electrical data

Ratings per IEC/EN 60664-1

Rated voltage (III / 3)	500 V
Rated impulse voltage (III / 3)	6 kV
Rated current	16 A

Connection data

Connection technology	CAGE CLAMP®
Actuation type	Open Tool Slot
Connectable conductor materials	Copper
Solid conductor	0.08 ... 2.5 mm ² / 28 ... 12 AWG
Fine-stranded conductor	0.08 ... 4 mm ² / 28 ... 12 AWG
Strip length	6 ... 7 mm / 0.24 ... 0.28 inch
Total number of connection points	2
Total number of potentials	2
Number of levels	2
Type of wiring	Front-entry wiring

Geometrical Data

Width	5 mm / 0.197 inch
Height from upper-edge of DIN-35 rail	40 mm / 1.575 inch
Depth	70 mm / 2.756 inch

Mechanical data

Design	horizontal
Type of mounting	DIN-35 rail
Potential marking	L/L
Marking level	Side marking

Material Data

Color	gray
Fire load	0.163 MJ
Weight	9.106 g

Commercial data

Country of origin	DE
GTIN	4045454004446
Customs Tariff No.	85366990990

Approvals / Certificates

Country specific Approvals

Logo	Approval	Additional Approval Text	Certificate name
	CCA DEKRA Certification B.V.	EN 60947	2189801.01
	CCA DEKRA Certification B.V.	EN 60947	NTR NL 7468

Ship Approvals

Logo	Approval	Additional Approval Text	Certificate name
	ABS American Bureau of Shipping	-	14- HG1293677- PDA
	LR Lloyds Register	EN 60947	91/20112 (E9)

UL-Approvals

Logo	Approval	Additional Approval Text	Certificate name
	cURus UL International Germany GmbH	UL 1059	20160928- E45172

Compatible products

Coding



Item no.: 769-435

Coding pin; for coding of female plugs; for carrier terminal blocks / male connectors

769-435

assembling



Item no.: 209-106

Mounting carrier; for isolated mounting on DIN 35 rails

209-106

ferrule



Item no.: 216-121

Ferrule; Sleeve for 0.5 mm² / AWG 22; uninsulated; electro-tin plated

216-121



Item no.: 216-122

Ferrule; Sleeve for 0.75 mm² / AWG 20; uninsulated; electro-tin plated

216-122



Item no.: 216-123

Ferrule; Sleeve for 1 mm² / AWG 18; uninsulated; electro-tin plated

216-123



Item no.: 216-124

Ferrule; Sleeve for 1.5 mm² / AWG 16; uninsulated; electro-tin plated

216-124



Item no.: 216-131

Ferrule; Sleeve for 0.25 mm² / AWG 24; uninsulated; electro-tin plated

216-131



Item no.: 216-132

Ferrule; Sleeve for 0.34 mm² / AWG 24; uninsulated; electro-tin plated

216-132



Item no.: 216-221

Ferrule; Sleeve for 0.5 mm² / 20 AWG; insulated; electro-tin plated

216-221



Item no.: 216-222

Ferrule; Sleeve for 0.75 mm² / 18 AWG; insulated; electro-tin plated

216-222



Item no.: 216-223

Ferrule; Sleeve for 1 mm² / AWG 18; insulated; electro-tin plated

216-223



Item no.: 216-224

Ferrule; Sleeve for 1.5 mm² / AWG 16; insulated; electro-tin plated

216-224

Item no.: 216-321

Ferrule; Sleeve for 0.25 mm² / AWG 24; insulated; electro-tin plated

216-321



Item no.: 216-322

Ferrule; Sleeve for 0.34 mm² / 22 AWG; insulated; electro-tin plated

216-322

Marking accessories



Item no.: 2009-115

WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type

2009-115

	Item no.: 2009-115/000-002 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-006 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-007 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-012 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-017 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-023 WMB-Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-115/000-024 WMB-Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-115
	Item no.: 2009-145 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-002 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-005 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-006 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-007 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-012 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-023 Mini-WSB Inline; for smartPRINTER; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145
	Item no.: 2009-145/000-024 Mini-WSB Inline; for Smart Printer; on reel; stretchable 5 - 5.2 mm; plain; snap-on type	2009-145



Item no.: 2009-198
Adaptor

2009-198



Item no.: 248-501
Miniature WSB Quick marking system; plain; Marker width 5 mm; 10 strips with 10 markers per card

248-501



Item no.: 248-501/000-002
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-002

248-501



Item no.: 248-501/000-005
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-005

248-501



Item no.: 248-501/000-006
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-006

248-501



Item no.: 248-501/000-007
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-007

248-501



Item no.: 248-501/000-012
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-012

248-501



Item no.: 248-501/000-017
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-017

248-501



Item no.: 248-501/000-023
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-023

248-501



Item no.: 248-501/000-024
Mini-WSB marking card; as card; not stretchable; plain; snap-on type

/000-024

248-501



Item no.: 793-501
WMB marking card; as card; not stretchable; plain; snap-on type

793-501



Item no.: 793-501/000-002
WMB marking card; as card; not stretchable; plain; snap-on type

/000-002

793-501



Item no.: 793-501/000-005
WMB marking card; as card; not stretchable; plain; snap-on type

/000-005

793-501



Item no.: 793-501/000-006
WMB marking card; as card; not stretchable; plain; snap-on type

/000-006

793-501



Item no.: 793-501/000-007
WMB marking card; as card; not stretchable; plain; snap-on type

/000-007

793-501

**Item no.: 793-501/000-012**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-012

**Item no.: 793-501/000-017**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-017

**Item no.: 793-501/000-023**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-023

**Item no.: 793-501/000-024**

WMB marking card; as card; not stretchable; plain; snap-on type

793-501

/000-024

**Item no.: 793-5501**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

**Item no.: 793-5501/000-002**

WMB marking card; as card; for terminal block width 5 - 17.5 mm; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-002

**Item no.: 793-5501/000-005**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-005

**Item no.: 793-5501/000-006**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-006

**Item no.: 793-5501/000-007**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-007

**Item no.: 793-5501/000-012**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-012

**Item no.: 793-5501/000-017**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-017

**Item no.: 793-5501/000-023**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-023

**Item no.: 793-5501/000-024**

WMB marking card; as card; stretchable 5 - 5.2 mm; plain; snap-on type

793-5501

/000-024

General accessories**Item no.: 769-438**

Pin cover; with marker slot for miniature WSB

769-438

**Item no.: 769-439**

Pin cover; with marker slot for miniature WSB

769-439

	Item no.: 769-501 Start module for 1-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole		769-501
	Item no.: 769-501/000-006 Start module for 1-conductor female connector; 4 mm ² ; 1-pole	/000-006	769-501
	Item no.: 769-501/000-016 Start module for 1-conductor female connector; with integrated end plate; 4 mm ² ; 1-pole	/000-016	769-501
	Item no.: 769-502 Center module for 1-conductor female connector; 4 mm ² ; 1-pole		769-502
	Item no.: 769-502/000-006 Center module for 1-conductor female connector; 4 mm ² ; 1-pole	/000-006	769-502
	Item no.: 769-502/000-016 Center module for 1-conductor female connector; 4 mm ² ; 1-pole	/000-016	769-502
	Item no.: 769-503 End module for 1-conductor female connector; 4 mm ² ; 1-pole		769-503
	Item no.: 769-503/000-006 End module for 1-conductor female connector; 4 mm ² ; 1-pole	/000-006	769-503
	Item no.: 769-503/000-016 End module for 1-conductor female connector; 4 mm ² ; 1-pole	/000-016	769-503
	Item no.: 769-512 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole		769-512
	Item no.: 769-512/000-006 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	/000-006	769-512
	Item no.: 769-512/000-016 Start module for 1-conductor female connector; angled; 4 mm ² ; 1-pole	/000-016	769-512
	Item no.: 769-513 Center module for 1-conductor female connector; angled; 4 mm ² ; 1-pole		769-513
	Item no.: 769-513/000-006 1-conductor center module; angled; codable; 1-pole	/000-006	769-513
	Item no.: 769-513/000-016 1-conductor center module; angled; codable; 1-pole	/000-016	769-513
	Item no.: 769-515 1-conductor end module; angled; codable; 1-pole		769-515



Item no.: 769-515/000-006
1-conductor end module; angled; codable; 1-pole

769-515
/000-006



Item no.: 769-515/000-016
1-conductor end module; angled; codable; 1-pole

769-515
/000-016



Item no.: 870-182
Adaptor

870-182



Item no.: 870-183
Adaptor

870-183



Item no.: 870-184
Adaptor

870-184



Item no.: 870-425
Tap-off module; with anti-rotation protection; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar

870-425



Item no.: 870-426
Tap-off module; modular; suitable for 870 Series terminal blocks with jumper slots in the current bar

870-426



Item no.: 870-427
Spacer module; modular; bridging commoned terminal blocks

870-427

Jumper



Item no.: 210-103
Wire commoning chain; insulated; 50 connections

210-103



Item no.: 709-110
Wire commoning chain; insulated; 4 connections; 3 x 110 mm

709-110



Item no.: 709-111
Wire commoning chain; insulated; 3 connections; 2 x 120 mm

709-111



Item no.: 709-112
Wire commoning chain; insulated; 3 connections; 2 x 170 mm

709-112



Item no.: 870-402
Push-in type jumper bar; insulated; 2-way; Nominal current 18 A

870-402



Item no.: 870-403
Push-in type jumper bar; insulated; 3-way; Nominal current 18 A

870-403

Item no.: 870-404
Push-in type jumper bar; insulated; 4-way; Nominal current 18 A

870-404



Item no.: 870-405
Push-in type jumper bar; insulated; 5-way; Nominal current 18 A

870-405

Item no.: 870-405/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-405
/011-000



Item no.: 870-406
Push-in type jumper bar; insulated; 6-way; Nominal current 18 A

870-406



Item no.: 870-407
Push-in type jumper bar; insulated; 7-way; Nominal current 18 A

870-407

Item no.: 870-407/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-407

/011-000



Item no.: 870-408
Push-in type jumper bar; insulated; 8-way; Nominal current 18 A

870-408



Item no.: 870-409
Push-in type jumper bar; insulated; 9-way; Nominal current 18 A

870-409

Item no.: 870-409/011-000
Ready-made push-in type jumper bar; insulated; 3-way (1-3-5); Nominal current 18 A

870-409

/011-000

Item no.: 870-410
Push-in type jumper bar; insulated; 10-way; Nominal current 18 A

870-410



Item no.: 870-433
Push-in type jumper bar; insulated; from 1 to 3; Nominal current 18 A

870-433



Item no.: 870-434
Push-in type jumper bar; insulated; from 1 to 4; Nominal current 18 A

870-434



Item no.: 870-435
Push-in type jumper bar; insulated; from 1 to 5; Nominal current 18 A

870-435

Item no.: 870-440
Push-in type jumper bar; insulated; from 1 to 10; Nominal current 18 A

870-440

Protective Warning Marker



Item no.: 280-405
Protective warning marker; with high-voltage symbol, black; for 5 terminal blocks

280-405

End plate



Item no.: 870-118
End and intermediate plate; 1 mm thick

870-118



Item no.: 870-119
End and intermediate plate; 1 mm thick


870-119

Carrier rail



Item no.: 210-112
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 25 mm

210-112



Item no.: 210-113
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; according to EN 60715

210-113



Item no.: 210-114
Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; similar to EN 60715

210-114



Item no.: 210-115
Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; according to EN 60715; "Hole width 18 mm

210-115



Item no.: 210-118
Steel carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715

210-118

	Item no.: 210-196 Aluminum carrier rail; 35 x 8.2 mm; 1.6 mm thick; 2 m long; unslotted; similar to EN 60715	210-196
	Item no.: 210-197 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; similar to EN 60715	210-197
	Item no.: 210-198 Copper carrier rail; 35 x 15 mm; 2.3 mm thick; 2 m long; unslotted; according to EN 60715	210-198
	Item no.: 210-504 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; slotted; galvanized; according to EN 60715	210-504
	Item no.: 210-505 Steel carrier rail; 35 x 7.5 mm; 1 mm thick; 2 m long; unslotted; galvanized; according to EN 60715	210-505
	Item no.: 210-506 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; unslotted; galvanized; similar to EN 60715	210-506
	Item no.: 210-508 Steel carrier rail; 35 x 15 mm; 1.5 mm thick; 2 m long; slotted; galvanized; similar to EN 60715	210-508
Insulation stop		
	Item no.: 280-470 Insulation stop; 0.08 - 0.2 mm ² "s" (0.14 mm ² "f-st"); 5 pieces/strip	280-470
	Item no.: 280-471 Insulation stop; 0.25 - 0.5 mm ² ; 5 pieces/strip	280-471
	Item no.: 280-472 Insulation stop; 0.75 - 1 mm ² ; 5 pieces/strip	280-472
Female plug		
	Item no.: 769-101 1-conductor female plug; 4 mm ² ; 1-pole	769-101
	Item no.: 769-101/000-006 1-conductor female plug; 4 mm ² ; 1-pole	769-101 /000-006
	Item no.: 769-101/000-016 1-conductor female plug; 4 mm ² ; 1-pole	769-101 /000-016
	Item no.: 769-101/022-000 1-conductor female plug; angled; 4 mm ² ; 1-pole	769-101 /022-000
	Item no.: 769-101/022-016 1-conductor female plug; angled; 4 mm ² ; 1-pole	769-101 /022-016
	Item no.: 769-102 1-conductor female plug; 4 mm ² ; 2-pole	769-102
	Item no.: 769-102/000-006 1-conductor female plug; 4 mm ² ; 2-pole	769-102 /000-006

**Item no.: 769-102/000-036**1-conductor female plug; 4 mm²; 2-pole

/000-036

769-102

**Item no.: 769-102/000-037**1-conductor female plug; 4 mm²; 2-pole

/000-037

769-102

**Item no.: 769-102/022-000**1-conductor female plug; angled; 4 mm²; 2-pole

/022-000

769-102

**Item no.: 769-103**1-conductor female plug; 4 mm²; 3-pole

769-103

**Item no.: 769-103/000-006**1-conductor female plug; 4 mm²; 3-pole

/000-006

769-103

**Item no.: 769-103/000-036**1-conductor female plug; 4 mm²; 3-pole

/000-036

769-103

**Item no.: 769-103/000-037**1-conductor female plug; 4 mm²; 3-pole

/000-037

769-103

**Item no.: 769-103/000-038**1-conductor female plug; 4 mm²; 3-pole

/000-038

769-103

**Item no.: 769-103/000-039**1-conductor female plug; 4 mm²; 3-pole

/000-039

769-103

**Item no.: 769-103/022-000**1-conductor female plug; angled; 4 mm²; 3-pole

/022-000

769-103

**Item no.: 769-104**1-conductor female plug; 4 mm²; 4-pole

769-104

**Item no.: 769-104/000-006**1-conductor female plug; 4 mm²; 4-pole

/000-006

769-104

**Item no.: 769-104/000-036**1-conductor female plug; 4 mm²; 4-pole

/000-036

769-104

**Item no.: 769-104/000-037**1-conductor female plug; 4 mm²; 4-pole

/000-037

769-104

**Item no.: 769-104/000-038**1-conductor female plug; 4 mm²; 4-pole

/000-038

769-104

**Item no.: 769-104/000-039**1-conductor female plug; 4 mm²; 4-pole

769-104

/000-039

**Item no.: 769-104/022-000**1-conductor female plug; angled; 4 mm²; 4-pole

769-104

/022-000

**Item no.: 769-105**1-conductor female plug; 4 mm²; 5-pole

769-105

**Item no.: 769-105/000-006**1-conductor female plug; 4 mm²; 5-pole

769-105

/000-006

**Item no.: 769-105/000-036**1-conductor female plug; 4 mm²; 5-pole

769-105

/000-036

**Item no.: 769-105/000-037**1-conductor female plug; 4 mm²; 5-pole

769-105

/000-037

**Item no.: 769-105/000-038**1-conductor female plug; 4 mm²; 5-pole

769-105

/000-038

**Item no.: 769-105/000-039**1-conductor female plug; 4 mm²; 5-pole

769-105

/000-039

**Item no.: 769-105/022-000**1-conductor female plug; angled; 4 mm²; 5-pole

769-105

/022-000

**Item no.: 769-106**1-conductor female plug; 4 mm²; 6-pole

769-106

**Item no.: 769-106/000-006**1-conductor female plug; 4 mm²; 6-pole

769-106

/000-006

**Item no.: 769-106/000-036**1-conductor female plug; 4 mm²; 6-pole

769-106

/000-036

**Item no.: 769-106/000-037**1-conductor female plug; 4 mm²; 6-pole

769-106

/000-037

**Item no.: 769-106/000-038**1-conductor female plug; 4 mm²; 6-pole

769-106

/000-038

**Item no.: 769-106/000-039**1-conductor female plug; 4 mm²; 6-pole

769-106

/000-039



Item no.: 769-106/022-000
1-conductor female plug; angled; 4 mm²; 6-pole

/022-000

769-106



Item no.: 769-107
1-conductor female plug; 4 mm²; 7-pole

769-107



Item no.: 769-107/000-006
1-conductor female plug; 4 mm²; 7-pole

/000-006

769-107



Item no.: 769-107/000-036
1-conductor female plug; 4 mm²; 7-pole

/000-036

769-107



Item no.: 769-107/000-037
1-conductor female plug; 4 mm²; 7-pole

/000-037

769-107



Item no.: 769-107/000-038
1-conductor female plug; 4 mm²; 7-pole

/000-038

769-107



Item no.: 769-107/000-039
1-conductor female plug; 4 mm²; 7-pole

/000-039

769-107



Item no.: 769-107/022-000
1-conductor female plug; angled; 4 mm²; 7-pole

/022-000

769-107



Item no.: 769-108
1-conductor female plug; 4 mm²; 8-pole

769-108



Item no.: 769-108/000-006
1-conductor female plug; 4 mm²; 8-pole

/000-006

769-108



Item no.: 769-108/000-036
1-conductor female plug; 4 mm²; 8-pole

/000-036

769-108



Item no.: 769-108/000-037
1-conductor female plug; 4 mm²; 8-pole

/000-037

769-108



Item no.: 769-108/000-038
1-conductor female plug; 4 mm²; 8-pole

/000-038

769-108



Item no.: 769-108/000-039
1-conductor female plug; 4 mm²; 8-pole

/000-039

769-108



Item no.: 769-108/022-000
1-conductor female plug; angled; 4 mm²; 8-pole

/022-000

769-108

Item no.: 769-109



1-conductor female plug; 4 mm²; 9-pole

769-109

**Item no.: 769-109/000-006**

1-conductor female plug; 4 mm²; 9-pole

/000-006

769-109

**Item no.: 769-109/000-036**

1-conductor female plug; 4 mm²; 9-pole

/000-036

769-109

**Item no.: 769-109/000-037**

1-conductor female plug; 4 mm²; 9-pole

/000-037

769-109

**Item no.: 769-109/000-038**

1-conductor female plug; 4 mm²; 9-pole

/000-038

769-109

**Item no.: 769-109/000-039**

1-conductor female plug; 4 mm²; 9-pole

/000-039

769-109

**Item no.: 769-109/022-000**

1-conductor female plug; angled; 4 mm²; 9-pole

/022-000

769-109

**Item no.: 769-110**

1-conductor female plug; 4 mm²; 10-pole

769-110

**Item no.: 769-110/000-006**

1-conductor female plug; 4 mm²; 10-pole

/000-006

769-110

**Item no.: 769-110/000-036**

1-conductor female plug; 4 mm²; 10-pole

/000-036

769-110

**Item no.: 769-110/000-037**

1-conductor female plug; 4 mm²; 10-pole

/000-037

769-110

**Item no.: 769-110/000-038**

1-conductor female plug; 4 mm²; 10-pole

/000-038

769-110

**Item no.: 769-110/000-039**

1-conductor female plug; 4 mm²; 10-pole

/000-039

769-110

**Item no.: 769-110/022-000**

1-conductor female plug; angled; 4 mm²; 10-pole

/022-000

769-110

**Item no.: 769-111**

1-conductor female plug; 4 mm²; 11-pole

769-111



Item no.: 769-111/000-006
1-conductor female plug; 4 mm²; 11-pole

769-111
/000-006



Item no.: 769-111/000-036
1-conductor female plug; 4 mm²; 11-pole

769-111
/000-036



Item no.: 769-111/000-037
1-conductor female plug; 4 mm²; 11-pole

769-111
/000-037



Item no.: 769-111/000-038
1-conductor female plug; 4 mm²; 11-pole

769-111
/000-038



Item no.: 769-111/000-039
1-conductor female plug; 4 mm²; 11-pole

769-111
/000-039



Item no.: 769-111/022-000
1-conductor female plug; angled; 4 mm²; 11-pole

769-111
/022-000



Item no.: 769-112
1-conductor female plug; 4 mm²; 12-pole

769-112



Item no.: 769-112/000-006
1-conductor female plug; 4 mm²; 12-pole

769-112
/000-006



Item no.: 769-112/000-036
1-conductor female plug; 4 mm²; 12-pole

769-112
/000-036



Item no.: 769-112/000-037
1-conductor female plug; 4 mm²; 12-pole

769-112
/000-037



Item no.: 769-112/000-038
1-conductor female plug; 4 mm²; 12-pole

769-112
/000-038



Item no.: 769-112/000-039
1-conductor female plug; 4 mm²; 12-pole

769-112
/000-039



Item no.: 769-112/022-000
1-conductor female plug; angled; 4 mm²; 12-pole

769-112
/022-000



Item no.: 769-113
1-conductor female plug; 4 mm²; 13-pole

769-113



Item no.: 769-113/000-036
1-conductor female plug; 4 mm²; 13-pole

769-113
/000-036

	Item no.: 769-113/000-037 1-conductor female plug; 4 mm ² ; 13-pole	/000-037	769-113
	Item no.: 769-113/000-038 1-conductor female plug; 4 mm ² ; 13-pole	/000-038	769-113
	Item no.: 769-113/000-039 1-conductor female plug; 4 mm ² ; 13-pole	/000-039	769-113
	Item no.: 769-113/022-000 1-conductor female plug; angled; 4 mm ² ; 13-pole	/022-000	769-113
	Item no.: 769-114 1-conductor female plug; 4 mm ² ; 14-pole		769-114
	Item no.: 769-114/000-006 1-conductor female plug; 4 mm ² ; 14-pole	/000-006	769-114
	Item no.: 769-114/000-036 1-conductor female plug; 4 mm ² ; 14-pole	/000-036	769-114
	Item no.: 769-114/000-037 1-conductor female plug; 4 mm ² ; 14-pole	/000-037	769-114
	Item no.: 769-114/000-038 1-conductor female plug; 4 mm ² ; 14-pole	/000-038	769-114
	Item no.: 769-114/000-039 1-conductor female plug; 4 mm ² ; 14-pole	/000-039	769-114
	Item no.: 769-114/022-000 1-conductor female plug; angled; 4 mm ² ; 14-pole	/022-000	769-114
	Item no.: 769-115 1-conductor female plug; 4 mm ² ; 15-pole		769-115
	Item no.: 769-115/000-036 1-conductor female plug; 4 mm ² ; 15-pole	/000-036	769-115
	Item no.: 769-115/000-037 1-conductor female plug; 4 mm ² ; 15-pole	/000-037	769-115
	Item no.: 769-115/000-038 1-conductor female plug; 4 mm ² ; 15-pole	/000-038	769-115



	Item no.: 769-115/000-039 1-conductor female plug; 4 mm²; 15-pole	769-115 <u>/000-039</u>
	Item no.: 769-115/022-000 1-conductor female plug; angled; 4 mm²; 15-pole	769-115 <u>/022-000</u>
tools		
	Item no.: 210-720 Operating tool with partially insulated shaft; Type 2, blade (3.5 x 0.5) mm	210-720

Downloads

Documentation

Bid Text		
870-101	doc 25.1 kB	Download
Additional Information		
	pdf 2.1 MB	Download

CAD/CAE - Smart Data

CAD data

3D Download 870-101	URL	Download
---------------------	-----	----------

Product family

X-COM
Learn more about the product family.

Show all products from the family

Subject to changes.