

BOARD-TO-BOARD HEADERS & RECEPTACLES



✓ Active

TE CONNECTIVITY (TE)

PLUG ASS'Y(V) 40P 1.27FHBB

CHAMP | .050 CHAMP Series I

5917631-1

TE Internal Number: 5917631-1

EU RoHS Compliant EU ELV Compliant

Connector Style Plug

Number of Positions 40

Centerline (Pitch) 1.27 mm [.05 in]

Packaging Method Box

Contact Mating Area Plating Material Gold



PRODUCT DRAWING



→ 3D PDF

DOCUMENTATION

Product Drawings

1.27FHBB PLUG (V) ASS'Y PB-FREE

PDF (TIFF AVAILABLE)

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model 3D_IGS.ZIP **English Customer View Model** 3D_STP.ZIP **English FEATURES** Please review product documents or contact us for the latest agency approval information. Please Note: Use the Product Drawing for all design activity. **Product Type Features Connector Style** Plug Connector & Contact Terminates To Printed Circuit Board Series FH (Free Height), Free Height (FH) **PCB Mounting Orientation** Vertical **Boss** Without **Product Type** Connector Sealed Bottom With **Configuration Features** Stackable No **Number of Positions** 40 Number of Rows 2 Solder Peg Without **Body Features** Color Black **Contact Features Solder Tail Contact Plating Material** Tin **Contact Mating Area Plating Material** Gold Contact Mating Area Plating Thickness (µm) .3 **Contact Base Material** Copper Alloy **Contact Type** Socket **Termination Features Termination Method to PC Board** Through Hole **Termination Post Length** 3.1 mm [.122 in] Mechanical Attachment **PCB Mount Retention** Without

Housing Features

PCB Mount Alignment Without

Centerline (Pitch) 1.27 mm [.05 in]	
Housing Material Thermoplastic	
Housing Color Black	
Dimensions	
Height 7 mm [.2751 in]	
Tail Length 3.1 mm [.12183 in]	
Usage Conditions	
Housing Material Temperature Standard	
Operation/Application	
Pick and Place Cover Without	
For Use With Receptacle Assembly	
Industry Standards	
UL Flammability Rating UL 94V-0	
OL Hallinability Rating OL 744-0	
Packaging Features	
Packaging Method Box	
Packaging Quantity 130	
PRODUCT COMPLIANCE	+
	'
Statement of Compliance	
Statement of Compliance	
PDF	