

## **BOARD-TO-BOARD HEADERS & RECEPTACLES**



✓ Active

TE CONNECTIVITY (TE)

REC ASS'Y 80P 1.27FHBB

CHAMP | .050 CHAMP Series I

5917630-3

TE Internal Number: 5917630-3

**EU RoHS Compliant** EU ELV Compliant

Connector Style Receptacle

**Number of Positions** 80

Centerline (Pitch) 1.27 mm [.05 in]

Stack Height 10 mm [.394 in]

**Packaging Method** Box



**PRODUCT DRAWING** 



**→** 3D PDF

## **DOCUMENTATION**

**Product Drawings** 

1.27FHBB PLUG ASS'Y (V) H=10 PB-FREE

PDF (TIFF AVAILABLE)

**English** 

**CAD Files** 

**3D PDF** 

PDF

3D

**Customer View Model** 

2D\_DXF.ZIP

**English** 

## Customer View Model 3D\_IGS.ZIP English Customer View Model 3D\_STP.ZIP English FEATURES

Please review product documents or contact us for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

**Product Type Features** 

Connector Style Receptacle
Connector & Contact Terminates To Printed Circuit Board
Series FH (Free Height), Free Height (FH)
PCB Mounting Orientation Vertical
Boss Without
Product Type Connector
Sealed Bottom With

Configuration Features

Stackable Yes
Number of Positions 80
Number of Rows 2

**Body Features** 

Color Black

**Contact Features** 

Solder Tail Contact Plating Material Tin
Contact Mating Area Plating Material Gold
Contact Mating Area Plating Thickness (µm) .3
Contact Base Material Copper Alloy

**Termination Features** 

**Termination Method to PC Board** Through Hole **Termination Post Length** 3.1 mm [ .122 in ]

Mechanical Attachment

PCB Mount Retention Without PCB Mount Alignment Without

**Housing Features** 

Centerline (Pitch) 1.27 mm [.05 in]
Housing Material Thermoplastic
Housing Color Black

Dimensions	
Stack Height 10 mm [.394 in]	
Height 7.5 mm [.29475 in ]	
Tail Length 3.1 mm [ .12183 in ]	
Usage Conditions	
Housing Material Temperature Standard	
Operation/Application	
Pick and Place Cover Without	
For Use With Plug	
Industry Standards	
UL Flammability Rating UL 94V-0	
Packaging Features	
Packaging Method Box	
Packaging Quantity 70	
PRODUCT COMPLIANCE	
PRODUCT COMPLIANCE	
Statement of Compliance	
Statement of Compliance	
PDF	