



+ TERMINALS & SPLICES
RINGS & SPADES



✓ Active

TE CONNECTIVITY (TE)
H3930ET/R4000
AMP | TERMINAL , Terminator

1-1627169-2
TE Internal Number: 1-1627169-2
Alias ID: H3930ET

EU RoHS Compliant
EU ELV Compliant

Terminal Type Ring Tongue
Stud Diameter 3.4 mm [.134 in]
Tongue Thickness .4826 mm [.019 in]
Wire Size (AWG) 20 – 15
Wire Size (mm²) .5 – 1.5

↓ **PRODUCT DRAWING**
English

DOCUMENTATION

Product Drawings
Terminal, Ring Tongue
PDF
English

Product Specifications
Product Specification
Crimping Extruded Ring Terminals
PDF
English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

- Sealable** No
- Barrel Type** Open Barrel
- Wire/Cable Type** Regular Wire
- Insulated** No
- Insulated Wire Support** Yes
- Support Style** Insulation Support
- Barrel Style** Standard
- Shape Code** RING-029

Configuration Features

- Number of Holes** 1
- Terminal Angle** Straight

Body Features

- Plating Material** Brass, Pre-Tin
- Weight per Piece** .492 g [.0173 oz]
- Inspection Slot** No

Contact Features

- Terminal Type** Ring Tongue
- Terminal Orientation** Straight

Dimensions

- Stud Diameter** 3.4 mm [.134 in]
- Tongue Thickness** .4826 mm [.019 in]
- Wire Size (AWG)** 20 – 15
- Wire Size (mm²)** .5 – 1.5
- Wire Insulation Diameter** 2.2 – 3.2 mm [.086 – .125 in]
- Material Thickness** .5 mm [.0197 in]
- Overall Length** 17.4752 mm [.688 in]

Operation/Application

- Heavy Duty** No

Industry Standards

- Government Qualified** No

Packaging Features

- Packaging Method** Reel
- Packaging Quantity** 1

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
