



+ TERMINALS & SPLICES
RINGS & SPADES



✓ Active

TE CONNECTIVITY (TE)
SOLIST NICK 4
SOLISTRAND

132081-1
TE Internal Number: 132081-1
Alias ID: AMP-0-0132081-1, CH3088-000

EU RoHS Compliant
EU ELV Compliant
Terminal Type Ring Tongue
Stud Diameter 5.26 mm [.207 in]
Tongue Thickness 1.78 mm [.07 in]
Wire Size (AWG) 4
Wire Size (mm²) 21

↓ **PRODUCT DRAWING**
French

DOCUMENTATION

Product Drawings
SOLISTRAND PLAGE RECTANGULAIRE
PDF (TIFF AVAILABLE)
French

FEATURES

Please review product documents or [contact us](#) for the latest agency approval information.
Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealable No
Barrel Type Closed Barrel
Wire/Cable Type Regular Wire
Insulated No
Insulated Wire Support No
Support Style Insulation Support
Stud Size M5
Barrel Style Standard
Shape Code RING-084
Wire/Cable Composition Stranded

Configuration Features

Number of Holes 1
Terminal Angle 30°

Body Features

Plating Material Copper, Nickel
Weight per Piece (g) 8.1
Insulation Type Post-Insulated
Inspection Slot No

Contact Features

Terminal Type Ring Tongue
Terminal Orientation Straight

Dimensions

Stud Diameter 5.26 mm [.207 in]
Tongue Thickness 1.78 mm [.07 in]
Wire Size (AWG) 4
Wire Size (mm²) 21
Wire Size (CMA) 33100 – 52600
Overall Length (mm) 30.8
Barrel Inside Diameter (Min) (mm) 11.8

Usage Conditions

High Temperature Rating 343 °C [650 °F]

Operation/Application

Heavy Duty No

Industry Standards

Government Qualified No

Packaging Features

Packaging Method Package
Packaging Quantity 25

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF
