



+ TERMINALS & SPLICES

AUTOMOTIVE, TRUCK, BUS, & OFF-ROAD TERMINALS



✓ Active

TE CONNECTIVITY (TE)
2.8MM RECP,SEAL,20AWG
1.5/2.8 Connector System , 2.8mm Connector System

1326032-2
TE Internal Number: 1326032-2

EU RoHS Compliant
EU ELV Compliant

Terminal & Splice Style Receptacle

Mating Tab Width 2.8 mm [.11 in]

Mating Tab Thickness .8 mm [.031 in]

Terminal Transmits 0 – 24 A (Low Power)

Wire Size (AWG) 20

↓ **PRODUCT DRAWING**
English

↓ **3D PDF**

DOCUMENTATION

Product Drawings

2.8mm RECEPTACLE, SEALED
PDF
English

CAD Files

3D PDF
PDF
3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

Product Specifications

Application Specification

2.8-Mm Terminal System (Sealed And Unsealed)

PDF

English

FEATURES



Please review product documents or [contact us](#) for the latest agency approval information.

Please Note: Use the Product Drawing for all design activity.

Product Type Features

Sealable Yes

Receptacle Style 180°

Body Features

Seal Type Single Wire Seal (SWS)

Contact Features

Crimp Type F-Crimp

Typical Current Rating (A) 10

Terminal & Splice Style Receptacle

Mating Tab Width 2.8 mm [.11 in]

Mating Tab Thickness .8 mm [.031 in]

Interface Plating Tin (Sn)

Contact Termination Area Plating Material Tin (Sn)

Termination Features

Termination Method Crimp

Dimensions

Wire Size (AWG) 20

Wire Size (mm²) .5

Wire Size Search (AWG) 20

Wire Size Search (mm²) .5

Wire Insulation Diameter 1.4 – 1.85 mm [.055 – .073 in]

Packaging Features

Packaging Quantity 3000

Packaging Method Package

Other

Terminal Transmits 0 – 24 A (Low Power)

PRODUCT COMPLIANCE



Statement of Compliance

Statement of Compliance

PDF