


COMBO JACKS



✓ Active

TE CONNECTIVITY (TE)

RJ45 OVER USB W/ 6 PNL-GND & HTD G/F

Modular Jacks & Plugs | A-RJ45

5-1775855-1

TE Internal Number: 5-1775855-1

EU RoHS Compliant

EU ELV Compliant

LED Without

Number of Positions 4

Connector & Contact Terminates To Printed Circuit Board



PRODUCT DRAWING



♣ 3D PDF

DOCUMENTATION

Product Drawings

Modular Jack RJ45 Stacked Over USB Conn. Dip Type

PDF

English

CAD Files

Customer View Model

2D_DXF.ZIP

English

3D PDF

PDF

3D

Customer View Model

3D_IGS.ZIP

English	
Customer View Model	
3D_STP.ZIP	
English	
Product Environmental Compliance	
Product Environmental Compliance TE Material Declaration	
MD_5-1775855-1_010820172346_dmtec PDF	
English	
English	
FEATURES	+
	'
Please review product documents or contact us for the latest agency approval information.	
Please Note: Use the Product Drawing for all design activity.	
Product Type Features	
LED Without	
Connector & Contact Terminates To Printed Circuit Board	
Product Type Connector	
Size Standard Comparted Styles Inch	
Connector Style Jack PCB Mounting Orientation Right Angle	
The street and the st	
Configuration Features	
Number of Positions 4	
Panel Ground With	
Panel Ground Type Spring Finger	
Panel Ground Location Right/Left Number of Ports 1	
Number of Ports	
Body Features	
Inverted Jack Face Yes	
Shell Plating Material Nickel	
Color Black	
Contact Features	
Contact Base Material Brass, Phosphor Bronze	
Termination Features	
Termination Method Solder	
Contact Termination Type Through Hole	
Mechanical Attachment	

Locating Posts Without	
Locking Feature Without	
PCB Mount Retention Type Kinked Legs, Straight Leg Mounting Location Top	
Mounting Location 10p	
Housing Foatures	
Housing Features	
Housing Color Black	
Dimensions	
Tail Length 2.8 mm [.11 in]	
PCB Thickness (Recommended) 1.6 mm [.063 in]	
Operation/Application	
Industrial USB Connector No	
Industry Standards	
USB-IF Test ID Number (TID) Not Submitted For Testing	
UL Flammability Rating UL 94V-0	
Packaging Features	
Packaging Method Box & Tray, Tray	
Packaging Quantity 50	
Other	
Comment RJ45 over USB	
PRODUCT COMPLIANCE	+
Statement of Compliance	
Statement of Compliance	
PDF	