


RINGS & SPADES



✓ Active

TE CONNECTIVITY (TE)

TERMINAL R 90 DEG PG 6 1/4

PLASTI-GRIP | PLASTI-GRIP

54754-1

TE Internal Number: 54754-1

EU RoHS Compliant EU ELV Compliant

Terminal Type Ring Tongue

Stud Diameter 6.73 mm [.265 in]

Tongue Thickness .78 mm [.031 in]

Wire Size (AWG) 6

Wire Size (mm²) 10.54 – 16.77



PRODUCT DRAWING

English



★ 3D PDF

DOCUMENTATION Product Drawings TERMINAL, RING TONGUE-BENT 90 DEG PLASTI-GRIP, WIRE SIZE: 6 AWG PDF

English

CAD Files

Customer View Model

3D_IGS.ZIP

English

Customer View Model

3D_STP.ZIP

English

2D_DXF.ZIP English	
3D PDF	
PDF	
English	
Product Specifications	
Application Specification	
PLASTI GRIP Terminals And Splices	
PDF English	
English	
Product Environmental Compliance	
TE Material Declaration	
MD_54754-1_07172013134_dmtec	
PDF English	
Instruction Sheets	
Instruction Sheet (U.S.)	
PLASTI-GRIP Pressure Type Straight And 90-Degree Bent Terminals (Use Tooling For AMPLI-BOND Connectors)	
PDF	
English	
Agency Approvals	
UL Report	
PLASTI-GRIP 8 AWG TO 2/0 AWG	
PDF For all also	
English Control of the Control of th	
FEATURES	+
Please review product documents or contact us for the latest agency approval information.	
Please Note: Use the Product Drawing for all design activity.	
Product Type Features Payrel Type Closed Bayrel	
Barrel Type Closed Barrel Wire/Cable Type Regular Wire	
Insulated Yes	
Insulated Wire Support Yes Support Style Insulation Support	
Stud Size M6	
Shape Code RING-046	
Configuration Features	
Terminal Angle 90°	

Customer View Model

Electrical Characteristics	
Voltage (Max) (V) 600	
Body Features	
Plating Material Copper, Tin Insulation Material PVC	
Contact Features	
Terminal Type Ring Tongue	
Dimensions	
Stud Diameter 6.73 mm [.265 in]	
Tongue Thickness .78 mm [.031 in]	
Wire Size (AWG) 6	
Wire Size (mm²) 10.54 – 16.77 Wire Insulation Diameter (Max) 11.07 mm [.436 in]	
Wire Size (CMA) 20800 – 33100	
Operation/Application	
Heavy Duty No	
Industry Standards	
Government Qualified No	
Packaging Features	
Packaging Method Loose Piece	
Packaging Quantity 100	
Other	
Barrel Color Blue	
PRODUCT COMPLIANCE	+
Statement of Compliance	
Statement of Compliance	
PDF	