

+ RELAYS, CONTACTORS & SWITCHES

PUSHBUTTON SWITCHES



✓ Active

TE CONNECTIVITY (TE)

AV19 SPL 5A POWER LED GREEN 24V

Alcoswitch | Alcoswitch AV

AV1911P624Q04

TE Internal Number: 3-2213766-5

EU RoHS Compliant EU ELV Compliant

Configuration (Pole-Throw) Single Pole - Double Throw

Number of Actuators Single

Actuator Profile Flush

Bushing Style Threaded

Illuminated Yes



PRODUCT DRAWING

English



♣ 3D PDF

DOCUMENTATION

Product Drawings

ANTI-VANDAL SWITCH 19mm POWER LOGO LED

English

CAD Files

3D PDF

PDF

3D

Customer View Model

2D_DXF.ZIP

English

Customer View Model

3D_IGS.ZIP
English
Customer View Model
3D_STP.ZIP
English Control of the Control of th
Catalog Pages/Data Sheets
ALCOSWITCH Anti-Vandal Switch Flyer
PDF
English
Agency Approvals
UL Report
Anti Vandal Switches
PDF
English
FEATURES +
Please review product documents or contact us for the latest agency approval information.
Please Note: Use the Product Drawing for all design activity.
Product Type Features
Illuminated Yes
Actuator Style Round Broduct Type Switch
Product Type Switch Switch Type Pushbutton
Dust Proof Yes
Configuration Features
Configuration (Pole-Throw) Single Pole - Double Throw
Number of Actuators Single
Snap Action Without
Support Bracket Without Tactile No
Operating Function Push-On/Push-Off
ESD Grounding Terminal Without
Detent Style Audible
Electrical Characteristics
Voltage Rating (VAC) 250
Pady Fastures
Body Features Actuator Profile Flush
Actuator Profile Flush Bushing Style Threaded
Case Material PBT

Contact Features		
Contact Current Rating (A) 5 Contact Plating Silver		
Termination Features		
Termination Type Wire Lugs		
Mechanical Attachment		
Mounting Type Panel		
Mounting Angle Vertical		
Housing Features		
Process Sealed Yes		
Dimensions		
Bushing Length (in) 19		
Statement of Compliance		
Statement of Compliance Statement of Compliance PDF		