





[Printers and Scanners](#) / [Desktop Printers, Labels and Accessories](#) / [Bradyprinter PR Plus Printer, Labels and Accessories](#) / [Bradyprinter PR Plus Printer Labels](#) /

3" Core Series WorkHorse Polyester Labels



3" Core Series WorkHorse Polyester Labels

Part Number:

THT-14-488-10

Label/Tape Size:

0.2 in H x 0.65 in W

Material:

Polyester

For Use with Printer:

BBP®81 Label Printer, BRADY IP® Series
Label Printer, BradyPrinter i7100,
BRADYPRINTER PR Plus Series Label Printer

Material Number:

B-488

Color:

White

Quantity per Roll:

10000

ADD TO CART

1



Add To Favorites

OVERVIEW

High Performance Polyester (B-488) withstands numerous solvents and variable temperatures when applied to various surfaces including Stainless Steel and Polypropylene.

- Matte white polyester material has a permanent acrylic adhesive and is thermal transfer printable
- Ideal for general and bar code labeling on flat, smooth surfaces
- RoHS compliant to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC; UL approved; CSA accepted
- Service temperature of -40 to 320° F (-40 to 160° C)

SPECIFICATIONS

Material Number	B-488
Catalog Page #	148

Dimensions	0.2 in H x 0.65 in W
UOM	Roll of 10000 Labels
Finish	Matte
Label/Tape Size	0.2 in H x 0.65 in W
Maximum Service Temperature °F	293 °F
Minimum Service Temperature °F	-40 °F
Printable Area Dimensions	0.2 in H x 0.65 in W
Printable Area Height	0.2 in
Printable Area Width	0.65 in
Product Number	29894
UPC	662820298946
Quantity per Roll	10000
Quantity per Row	4
Secondary Label Included	Secondary Label is Not Included
Thickness	0.0036 in
Trade Name	WorkHorse®
Adhesive Type	Acrylic
Applications	Asset Tracking, Barcode Labeling, Circuit Board ID - Through Hole Top, Component & Equipment ID, General & Industrial ID, Rating Plates
Color	White
For Use with Printer	BBP®81 Label Printer, BRADY IP® Series Label Printer, BradyPrinter i7100, BRADYPRINTER PR Plus Series Label Printer
Label/Media Format	Roll
Material	Polyester
Print Technology	Thermal Transfer
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Shape	Rectangle
Suggested Ribbon Series	R4300, R6200

Solutions

Floor Marking Guide
GHS Label Compliance
Lockout Tagout Compliance
Arc Flash Labeling Requirements
Cable and Wire Label Options
Product and Barcode Labeling
Brand Protection Solutions

Services

Lockout Tagout Services
Arc Flash Services
Confined Space Services
Visual Workplace Services
Hazcom GHS Services
Software Programming & Integration
Label Template & File Conversion
Printer Use & Training
Printer Preventative Maintenance
Toll and Custom Coating
Authentication & Tracking Services

Help

Contact Us
Knowledge Center
Printer Drivers & Firmware
Brady Software Updates
Safety Data Sheets
Technical Data Sheets
WEEE-RoHS Compliance
Product Certification
Printer Registration

Resources

Find a Distributor
Printer Selection Tool
Label Selection Tool
Digital Catalog
Request a Catalog
Interactive Facility Map

Corporate

About
Careers
Investors
Privacy Policy
Terms and Conditions
Terms of Use
ISO Certification

Brady Sites
Distributor Portal
International Sites
Safety Services
Software and Protection Solutions


Resources

Press Releases
Request a Catalog
Find a Distributor
Log Out

Contact

6555 W. Good Hope Rd.
Milwaukee, WI 53223
Phone: 888-250-3082
Hours: 7am-6pm CT
Monday - Thursday;
Friday 7am-5pm CT

Brady (NYSE:BRC) is a manufacturer of complete solutions that identify and protect people, products and places. Brady's products help customers increase safety, security, productivity and performance and include high-performance labels, signs, safety devices, printing systems and software.



2018 Brady Worldwide, Inc.