

[Search Only Products](#) /

DATAB Series Self-Laminating Vinyl Labels



DATAB Series Self-Laminating Vinyl Labels

Part Number:

DAT-8-292-1

Material:

Vinyl

Dimensions:

3.187 in H x 1.9 in W

Color:

Clear/White

UOM:

Pack of 1000 Labels

ADD TO CART

1

PEOPLE ALSO VIEWED

OVERVIEW

Self-Laminating Vinyl (B-292) is a matte vinyl with a clear overlamine to protect graphics against oil, water, and mild solvents.

- Vinyl labels feature clear "trailer" that wraps to protect printed text
- Flexible, self-extinguishing material conforms to most surfaces
- Operating temperature of -40°F to 150°F (-40°C to 65.5°C)
- RoHS Compliant; and UL Recognized when printed with Brady Series R2000, R5000, and R7300 ribbons

SPECIFICATIONS

Material Number	B-292
Dimensions	3.187 in H x 1.9 in W
UOM	Pack of 1000 Labels
Horizontal Repeat	2 in
Label/Tape Size	3.187 in H x 1.9 in W
Maximum Service Temperature °F	158 °F
Maximum Wire Diameter	0.78 in
Minimum Service Temperature °F	-40 °F
Minimum Wire Diameter	0.39 in
Overlamine Included	Overlamine Included
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.75 in H x 1.9 in W
Printable Area Height	0.75 in
Printable Area Width	1.9 in
Product Number	28407
UPC	662820284079
Quantity per Roll	1000
Quantity per Row	4
Thickness	0.004 in
Trade Name	DATAB®
Vertical Repeat	3.5 in
Web Width	9.5 in
Adhesive Type	Permanent Acrylic

Applications	Cable & Wire Marking, Panel Labeling
Color	Clear/White
For Use with Printer	Dot Matrix Printers
Header	No Header
Label/Media Format	Roll
Material	Vinyl
Material Properties	Self-Extinguishing, Self-Laminating
Print Technology	Dot Matrix
Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
Shape	Rectangle
Suggested Ribbon Series	R2000, R5000

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)
[Brand Protection Solutions](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Visual Workplace Services](#)
[Hazcom GHS Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)



Brady
(NYSE:BRC)
 is a
 manufacturer
 of complete
 solutions
 that
 identify and
 protect
 people,
 products
 and places.
 Brady's
 products
 help
 customers
 increase

Contact
6555
W.
Good
Hope
Rd.
Milwaukee
WI
53223
Phone:
888-
250-
3082
Hours:
7am-
6pm
CST

About
Corporation
Privacy
Policy
Terms
and
Conditions
Terms
of Use
ISO
Certificates

Other
Brady
Sites
Distributor
Portal
International
Sites
Safety
Services
&
Software
Smart
ID
Brand
Protection



2017 Brady Worldwide, Inc.

**safety,
security,
productivity
and
performance
and include
high-
performance
labels,
signs, safety
devices,
printing
systems
and
software.**

**Monday
-
Friday**