

[Labels](#) / [Printer Labels and Ribbons](#) / [Portable Printer Labels](#) / [TLS PC Link Thermal Transfer Printer Labels](#) /

BMP61 BMP71 TLS 2200 MetaLabel Metallized Matte Polyester Labels



BMP61 BMP71 TLS 2200 MetaLabel Metallized Matte Polyester Labels

Part Number:

PTL-17-486

Label/Tape Size:

0.5 in H x 1 in W

Material:

Metallized Polyester

For Use with Printer:

BMP®61 Labeling System, BMP®71 Label
Printer, TLS 2200® Thermal Labeling
System, TLS-PC LINK™ Thermal Labeling
System

Color:

Light Gray

Material Number:

B-486

ADD TO CART

1

PEOPLE ALSO VIEWED

OVERVIEW

Ultra Aggressive Metallized Polyester (B-486) is ideal for rating/serial plates that use barcodes, alphanumerics, graphic symbols and logos and require nameplate-like quality.

- Matte, light gray material has a permanent rubber-based adhesive and is thermal transfer printable
- Designed for high adhesion to textured metals, powder coated surfaces and low energy plastics
- RoHS compliant to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC; UL approved; CSA accepted
- Service temperature of -40 to 248° F (-40 to 120° C)

SPECIFICATIONS

Material Number	B-486
Dimensions	0.5 in H x 1 in W
UOM	Roll of 500 Labels
Finish	Matte
Label/Tape Size	0.5 in H x 1 in W
Maximum Service Temperature °F	248 °F
Minimum Service Temperature °F	-40 °F
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.5 in H x 1 in W
Printable Area Height	0.5 in
Printable Area Width	1 in
Product Number	18728
UPC	662820187288
Quantity per Roll	500
Quantity per Row	1
Secondary Label Included	Secondary Label is Not Included
Thickness	0.0053 in
Trade Name	BMP®61 BMP®71 TLS 2200® TLS-PC Link™ MetaLabel™

Adhesive Type	Rubber
Applications	Asset Tracking, General & Industrial ID, Rating Plates
Color	Light Gray
For Use with Printer	BMP®61 Labeling System, BMP®71 Label Printer, TLS 2200® Thermal Labeling System, TLS-PC LINK™ Thermal Labeling System
Header	No Header
Label/Media Format	Roll
Language	No Text
Material	Metallized Polyester
Material Properties	Metallized
Print Technology	Thermal Transfer
Resistance Properties	Chemical-Resistant, Corrosion-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Shape	Rectangle
Suggested Ribbon Series	R4300, R6200

Solutions

[Floor Marking Guide](#)
[GHS Label Compliance](#)
[Lockout Tagout Compliance](#)
[Arc Flash Labeling Requirements](#)
[Cable and Wire Label Options](#)
[Product and Barcode Labeling](#)
[Brand Protection Solutions](#)

Services

[Lockout Tagout Services](#)
[Arc Flash Services](#)
[Confined Space Services](#)
[Visual Workplace Services](#)
[Hazcom GHS Services](#)
[Software Programming & Integration](#)
[Label Template & File Conversion](#)
[Printer Use & Training](#)
[Printer Preventative Maintenance](#)
[Toll and Custom Coating](#)
[Authentication & Tracking Services](#)

Help

[Contact Us](#)
[Knowledge Center](#)
[Printer Drivers & Firmware](#)
[Brady Software Updates](#)
[Safety Data Sheets](#)
[Technical Data Sheets](#)
[WEEE-RoHS Compliance](#)
[Product Certification](#)
[Printer Registration](#)

Resources

[Find a Distributor](#)
[Printer Selection Tool](#)
[Label Selection Tool](#)
[Digital Catalog](#)
[Request a Catalog](#)



Brady
(NYSE:BRC)
is a
manufacturer
of complete
solutions
that
identify and
protect
people,
products
and places.
Brady's
products
help
customers
increase
safety,
security,
productivity
and
performance
and include
high-
performance
labels,
signs, safety
devices,
printing
systems
and
software.

Contact
6555
W.
Good
Hope
Rd.
Milwaukee
WI
53223
Phone:
888-
250-
3082
Hours:
7am-
6pm
CST
Monday
-
Thursday;
Friday
7am-
5pm
CST

About
Corporation
Privacy
Policy
Terms
and
Conditions
Terms
of Use
ISO
Certificates

Other
Brady
Sites
Distributor
Portal
International
Sites
Safety
Services
&
Software
Smart
ID
Brand
Protection



© 2018 Brady Worldwide, Inc.