


Datasheet

Item No. 56.535.9255.0

Earth terminal WKI 35 SL/ 35 /V0

Ground DIN rail terminal block with screw connection for mounting on TS 35, nominal cross section 35 mm², width 16 mm, color green/yellow



Item No.	56.535.9255.0
EAN	4015573571075
order unit	20 Piece(s)

Approvals



Technical data

General

Nominal cross section	35 mm ²
Colour	Green/yellow
Number of levels	1
Number of clamp positions per level	2
Width/grid dimension	16 mm
Insulating housing	PA666
Inflammability class of insulation material acc. with UL94	V0
Mounting method	DIN rail (top hat rail) 35/7.5 mm
Terminal blocks for electrical installations	Yes

Technical data

Rated impulse voltage	6 kV
Pollution degree	3
Closing plate required	No
Length	58 mm
Type of insulation material	Thermoplastic

Connection Data

Connection type 1	Screw connection
Connection type 2	Screw connection
Minimum cross section fine stranded	16 mm ²
Maximum cross section fine stranded	35 mm ²
Minimum cross section stranded	16 mm ²

Maximum cross section stranded	50 mm ²
Wire strip length	13 mm
Torque conductor mounting	2 Nm
Torque rail mounting	2

Technical Data UL/CSA

Cross section UL	10-2 AWG
Cross section CSA	10-2 AWG

Accessories

Item. No.	Typ:	Description:
04.325.8753.8	Warning cover COVER ADI 35/1 GELB	Cover with warning symbol for DIN rail terminal blocks type WKI ...
98.300.0000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, unslotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1000.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.300.1900.0	Mounting rail 35x27x7,5EN60715 2000MM	Mounting rail TS 35, slotted, size 7,5 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.360.0004.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel, hot galvanized
98.370.0000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.370.1000.0	Mounting rail 35x27x15(EN60715)2000MM	Mounting rail TS 35, slotted, size 15 mm, length 2 m, material steel. galv. zinc-plated and dichromated
98.380.0000.0	Mounting rail 35x24x15 EN60715 2000MM	Mounting rail TS 35, unslotted, size 15 mm, length 2 m, material E copper

Drawings

