

Datasheet

Art.No. 71.353.2435.1

Hood BAS GOT GG 24 M32 A1

revos BASIC size 24 hood with threaded collar M32, lateral cable entry, single locking lever



Art.No.	71.353.2435.1
EAN	4015573651692
Order unit	1 pieces

Approvals



Technical data

General

Housing material	Aluminium
Colour	Grey
Surface	With powder coating
Degree of protection (IP)	Other
UV resistant	Yes
Inflammability class of insulation material acc. with UL94	Other
Operating temperature range min.	-40 °C
Operating temperature range max.	120 °C

Model

DIN-size	24
Model	male
Locking mechanism	Single locking lever
Cable entry	Sideways
Type of cable	Thread
With cable screw gland	No
Thread size M	32
Thread size PG	
Hinged lid	No
EMC-version	No

Classification

ECLASS 8.1	27440202
------------	----------

ETIM 6.0	EC000437
ETIM 5.0	EC000437
ETIM 4.0	EC000437
ETIM 3.0	EC000437

Drawings

Varianten/ Variants

71.350.3 2435.5	BAS 60T 66 24 M25 A5	M32 A5	KabelverschraubungskV, IP65 /Cable gland ICB, IP65
71.350.3 2435.4	BAS 60T 66 24 M25 A4	M32 A4	KV mit Zugentlastung, IP65 /CG with strain relief, IP65
71.350.3 2435.3	BAS 60T 66 24 M25 A3 <th>M32 A3</th> <th>KV mit Zugentlastung und Knirschschutz, IP65 /CG with strain relief and bend support, IP65</th>	M32 A3	KV mit Zugentlastung und Knirschschutz, IP65 /CG with strain relief and bend support, IP65
71.350.3 2435.2	BAS 60T 66 24 M25 A2 <th>M32 A2</th> <th>Zwischenstück /Bushing</th>	M32 A2	Zwischenstück /Bushing
71.350.3 2435.1	BAS 60T 66 24 M25 A1 <th>M32 A1</th> <th>Gewindebohrung /Thread hole</th>	M32 A1	Gewindebohrung /Thread hole
71.350.3 2435.0	BAS 60T 66 24 M25 A0 <th>M32 A0</th> <th>KabelverschraubungskV, IP65 /Cable gland ICB, IP65</th>	M32 A0	KabelverschraubungskV, IP65 /Cable gland ICB, IP65
Bestellnummer /Order number		Typ /Type	Varianten /Variants

Weitere Daten siehe KATALOG oder eKatalog.
Additional data see CATALOG or eCatalog.
www.wieland-electric.com
eshop.wieland-electric.com

GEHAUSEOBerteil
 Hauptgröße 24-Kabelabgang 5x(11)11-112-112
 Housing size 24-cable out let 5x11-112-112