WARD'S MARINE ELECTRIC

Ward's Marine Electric shorepower cable sets are made from only the best high quality material. These cord sets provide power with the accuracy and dependability Ward's is known for. With design features such as locking connections and pin/sleeve plugs, our cable sets are safe, reliable, and powerful. All WME cable is High Potential tested for insulation strength with a 5 milliamp default current setting.



Item Number	Length in Ft.	Price
	50A 120/240V Ship to Shore Cable Sets	
Cable yellow unless indicted*		
SPC50-25	25	\$698.50
SPC50-50	50	\$1,000.00
SPC50-50-White*	50	\$1,000.00
SPC50-75	75	\$1,415.00
SPC50-100	100	\$1,680.00

FEATURES

- Safe
- Reliable
- Dependable
- Rugged and Durable

HUBBELL

Item Number	Description	Price
	200A 600V AC 250V DC Ship to Shore Devices	
4 Pole 5 Wire, 50-400) Hz.	
M5200BS1R	Gray metallic watertight shorepower inlet with wing nut secured lid	\$1,730.75
M5200CS1	Gray/Yellow metallic watertight connector body with locking ring, for making plug/connector body interface on extension cords or adaptors	\$1,799.75
M5200CSIR	Gray/Yellow metallic watertight connector body with locking ring, cord range is #1AWG-250 MCM	\$1,742.13
M5200PSI	Gray/Yellow metallic watertight plug with locking ring, cord grip #1AWG- 250 MCM	\$1,357.00
M5200RS1	Gray metallic dockside receptacle with wing nut secured lid	\$1,328.25

^{**}Call for IP ratings

- UL & CSA approved
- Variety of Style/Material
- Dependable
- Twist locking feature for safety
- Pin & sleeve configuration
- Long Lasting

Images are representative of products listed and may not be actual product.

Shorepower

HUBBELL

(Continued)

Item Number	Description	Price
	100 Amp 125/250V Ship to Shore Devices	
3 Pole 4 Wire, Yello	w Zytel® plastic (unless noted*)	
M4100B12R*	Gray Nylon Shorepower Inlet with cover, mounting holes 4.88" on center and rear portion has 3.94" diameter	\$708.38
M4100C12	Connector body for mating plug to connector interface on extension cords or adaptors, Cord grip range 1-1.94" Note: Cannot be mated to the shorepower inlet.	\$795.50
M4100C12R	Reverse Service Connector body, Cord grip range 1-1.94" Note: Device mates with shorepower inlet only.	\$758.50
M4100P12	Plug with watertight gasketed locking ring, Cord grip range is 1-1.94"	\$123.50
M4100R12*	Dockside receptacle with gasketed, spring loaded cover, mounting holes are 4.88" on center	\$156.50



Item Number	Pole	Wire	Length in Ft.	Туре	Price
		1	00 Amp ¹	125/250V Ship to Shore Cable Set	
#2 AWG, 105°	C, STOW	/ Cable			
CS75IT4	2	3	75	No Neutral, with 3Pole/4Wire 100 Amp plug and connector body, use with isolation transformer	\$4,432.50
CS100IT4	2	3	100	Same as CS75IT4 except for length	\$4,952.00
CW100IT4	2	3	100	One-ended (male only) power supply cable, 3Pole/4Wire plug, use with isolation transformer and cable winch system	\$3,480.38
CW125IT4	3	3	125	No Neutral, with 3Pole/4Wire 100 Amp plug and connector body, use with isolation transformer and cable winch system	\$3,977.50
CS50EXT4	3	4	50	Extension Cord for shorepower cable set	\$4,432.50
CS754	3	4	75	Shorepower with 4Pole/5Wire 100A 120/208V Plug and connector body, use with isolation transformer	\$4,783.75
CW754	3	4	75	One-ended (male only) power supply cable, 3Pole/4Wire plug	\$3,493.75
CS1004	3	4	100	Same as CW754 except for length	\$5,309.88



Shorepower

HUBBELL

(Continued)

CS100IT5

CW100IT5

CW125IT5

100

100

125

Item Number	Descrip	otion		Price	
	100 A	mp, Three	Phase, 120/208V AC Ship to Shore Devices		
4 Pole 5 Wire, Ye	llow Zytal® pl	lastic (unless r	noted*)		
M5100B9R*		Gray Nylon Shorepower inlet with gasketed, spring loaded cover, mounting holes 4.88" on center and rear portion 3.94" diameter			
M5100C9R		Watertight connector body with gasketed locking ring, Cord grip range is 1-1.94" Note: This device mates with shorepower inlet only.			
M5100C9			body for making plug to connector interface on extension cords of 1-1.94" Note: Cannot be mated to the shorepower inlet.	\$860.38	
M5100P9	Waterti	ght plug with g	asketed locking ring, Cord grip range 1-1.94"	\$782.88	
M5100R9*		•	receptacle with gasketed, spring loaded cover, .88" on center	\$810.50	
Item Number	Descrip			Price	
4 Pole 5 Wire, Ye		-	Phase, 277/480V AC Ship to Shore Devices		
M5100B7R*				¢007.50	
M5100B/K		•	ver inlet with gasketed, spring loaded cover, mounting holes ear portion 3.94" diameter	\$806.50	
M5100C7R	,	_	body with gasketed locking ring, Cord grip range is 1-1.94" ates with shorepower inlet only.	\$862.63	
M5100P7	Waterti	ght plug with g	asketed locking ring, Cord grip range 1-1.94"	\$862.63	
M5100R7		de receptacle v n center	with gasketed, spring loaded cover, mounting holes	\$782.88	
Item Number	Pole Wire	Length in Ft.	Type	Price	
		_	p 120/208V Ship to Shore Cable Set		
#2 AWG, 105°C,	STOW Cable	ivo Alli	7 120, 2007 Ship to Shore Cable Set		
CS50EXT5	4 5	50	Extension Cord for shorepower cable set	\$4,783.75	
CS75IT5	3 4	75	Shorepower with 4Pole/5Wire 100A 120/208V Plug and connector body, use with isolation transformer	\$4,860.88	











\$5,485.38

\$3,937.25

\$4,567.38

No Neutral, one-ended (male only) power supply cable, 4Pole/5Wire

plug for use with isolation transformer & a cable winch system

Same as CS75IT5 except for length

Same as CW100IT5 except for length

Shorepower

HUBBELL

(Continued)

Item Number	Description	Price
	15A 125V AC Twist Lock Devices	
2 Pole 3 Wire		
HBL47CM00	Heat resistant duplex receptacle	\$69.38
HBL47CM20C	Insulgrip plug with detachable cord grip range of .3069"	\$22.38
HBL47CM29C	Insulgrip connector with detachable cord grip range of .3069"	\$39.38







HBL47CM20C

HBL47CM29C

Item Number	Description	Price
2 Pole 3 Wire (ye	15A 125V AC Straight Blade Devices ellow unless noted*)	
HBL52CM62	Corrosion resistant duplex receptacle	\$36.50
HBL52CM66C	Insulgrip plug with detachable cord grip range of .2372"	\$19.38
HBL52CM69C	Insulgrip connector with detachable cord grip range of .2372"	\$33.63
HBL61CM64*	Compact panel mount inlet with gasketed spring-loaded lift cover for weatherproofing front and neoprene boot for rear weatherproofing	\$56.38
HBL61CM65*	Compact panel mount outlet with gasketed spring-loaded lift cover for weatherproofing front and neoprene boot for rear weatherproofing	\$57.25





Item Number Description Price **20A 125V AC Twist Lock Devices** 2 Pole 3 Wire HBL23CM10 Single receptacle with Rynite body, IP20 stability \$38.00

Insulgrip plug with a cord grip range of .36-.93", IP20 stability



HBL23CM11

Images are representative of products listed and may not be actual product.

HBL23CM11

\$28.88

Shorepower

HUBBELL

(Continued)

Item Number	Description	Price
2 Pole 3 Wire	20A 125V AC Straight Blade Devices	
HBL53CM61	Single receptacle with Rynite body	\$34.62
HBL53CM62	Duplex receptacle with Rynite body	\$48.13
HBL53CM66	Insulgrip plug with detachable cord grip range of .2372"	\$28.88
HBL53CM69C	Insulgrip connector body with cord grip range of .2372"	\$47.13





Item Number	Description	Price
	30A 125V AC Twist Lock Devices	
2 Pole 3 Wire		
HBL26CM10	Single receptacle with Rynite body	\$49.00
HBL26CM11	Insulgrip plug with cord grip range .3693"	\$35.50
HBL26CM13	Insulgrip connector body with cord grip range of .3693"	\$70.75
HBL303INT	Replacement interior inlet for 60CM61 & HBL303SS shorepower inlets	\$54.25
HBL303NM	Stylized UV resistant non-metallic shorepower inlet with white Centrex	\$81.00
	cover, mounting holes 2.38" on center and match existing mounting pattern	ns
HBL303SS	Traditional stainless steel shorepower inlet with self closing weather tight screw on cover, mounting holes 2.38" on center	\$151.25
HBL303SSO	Traditional stainless steel power outlet with self closing weather tight screw on cover, mounting holes 2.38" on center	\$234.00

Item Number	Description	Price
	30A 28V DC Fishing Reel Devices	
HBL328DCC	Locking connector body with rear dust seal	\$68.13
HBL328DCP	Locking plug with rear dust seal	\$34.25
HBL328DCR	Locking single receptacle with abuse resistant face, can be mounted in box and used with weatherproof plate	\$41.50





HBL328DCP

HBL328DCC

Shorepower

HUBBELL

(Continued)

Color	Length in Ft.	Price
	power Cable Set	
	25	\$118.50
		\$151.13
White	50	\$152.13
Description		Price
50A 125V Twis	t Lock Devices	
	• .	\$242.63
		\$135.38
		\$120.00
ingle receptacle with heat resist	tant thermoset base	\$146.50
Description		Price
50A 125/250V Tv	vist Lock Devices	
eplacement interior for 63CM7	4 & HBL504SS power inlets	\$107.88
veather proof when sealed, ther	rmoset interior, mounting holes 2.38"	\$143.13
		\$182.75
-	_	\$245.63
		\$132.88
		\$117.25
Single receptacle with a heat res	istant thermoset base	\$150.13
0 1		
Length	Color	Price
50A 125/250V Sho		Price
	repower Cable Set	Price \$1,185.38
	30A 125V Shore Wire, PVC Jacket Yellow Yellow White Soa 125V Twis raditional stainless steel self close astened, mounting holes 2.38" of the combination metal and rubber combination metal in the combination metal in the combination metal in the combination metallic shorepower weather proof when sealed, there is the combination of the combination metal in the combination of the comb	30A 125V Shorepower Cable Set Wire, PVC Jacket Yellow 25 Yellow 50 White 50 White 50 Pescription 50A 125V Twist Lock Devices raditional stainless steel self closing shorepower inlet weather tight when estened, mounting holes 2.38" on center and rear has 2.17" diameter lickel plated brass connector body, heat resistant thermoset interior and combination metal and rubber cord grip range .44-1.14" lickel plated brass plug, heat resistant thermoset interior and combination metal and rubber cord grip range .44-1.14" lickel plated brass plug heat resistant thermoset interior and combination metal and rubber cord grip range .44-1.14" lickel plated brass plug heat resistant thermoset base Pescription 50A 125/250V Twist Lock Devices Replacement interior for 63CM74 & HBL504SS power inlets Religious divine sealed, thermoset interior, mounting holes 2.38" on center match existing patterns Religious divine sealed, thermoset interior, mounting holes 2.38" on center match, thermoset interior, mounting holes 2.38" on center





M03. HBL61CM08





HBL503SS & HBL504SS

HBL63CM69 & HBL63CM70





HBL63CM60 & HBL63CM64

HBL63CM61 & HBL63CM65









HBL61CM52 & HBL61CM52LED

HBL61CM52W

Shorepower

HUBBELL

(Continued)

Item Number	Description	Price
100 Amp	Boxes/Covers/Replacement Parts	
BB100-2W	15 angle cast aluminum back box, gray with 2.00" NPT	\$201.88
BB100N	15 angle non-metallic back box, thermoplastic, UV protected, 1.5" NPT	\$161.63
CA100	Replacement lift cover assembly; includes cover, arm, and assembly tool	\$72.88
DTM-1001	Kord Kap®	\$27.33
FW60/100	15° angle section cast aluminum back box for inlets and receptacles, gray 1.5" NPT	\$309.75
LR100	Replacement locking ring only	\$31.88
50 Amps		
DTM-5002	Kord Kap®	\$24.88
HBL77CM15	Yellow Seal-Tite® cover for connector bodies	\$43.50
HBL77CM15W	White Seal-Tite® cover for connector bodies	\$43.50
HBL77CM16	Yellow Seal-Tite® cover for plugs	\$27.25
HBL77CM16W	White Seal-Tite® cover for plugs	\$27.25
HBL77CM17	Yellow Seal-Tite® cover for weatherproofing connector bodies on extension cords or adaptors	\$27.75
30 Amps		
HBL60CM31	Yellow Seal-Tite® cover for weatherproofing plugs Note: Fits Insulgrip devices only.	\$18.25
HBL60CM32	Yellow Seal-Tite® cover for weatherproofing connector bodies on extension cords or adaptors Note: Fits Insulgrip devices only.	\$20.00
HBL60CM33	Yellow Seal-Tite® cover for weatherproofing connector bodies when used on shorepower inlets or outlets Note: Fits Insulgrip devices only.	\$26.38
HBL60CM83	Yellow fiberglass FD (deep) weatherproof box with two 3/8" IPS molded knockouts	\$51.25
HBL60CM84	Yellow fiberglass FD (deep) weatherproof box with two 1" IPS molded knockouts	\$57.50
HBL6080	Black phenolic FD (deep) weatherproof box with two 3/4" IPS molded knockouts	\$34.75
HBL6080OS	Black phenolic FS (shallow) weatherproof box with two 3/4" IPS molded knockouts	\$31.25



Shorepower

HUBBELL

(Continued)

Item Number	Description	Price
Cover Plates		
CWP26CR	Gray PVC weatherproof lift cover for ground fault receptacles	\$37.00
CWP26CRW	White PVC weatherproof lift cover for ground fault receptacles	\$37.00
HBL52CM21	Yellow Valox ® spring-loaded lift cover for mounting on	\$53.38
	FS/FD weatherproof boxes	
HBL52CM22	Yellow Valox ® spring-loaded lift cover for mounting on standard boxes	\$53.38
HBL60CM17	Yellow Seal-Tite® cover for weatherproofing straight blade insulgrip	\$17.75
	plugs, when used with receptacles and connector bodies	
HBL74CM23WO	Yellow Valox® spring-loaded lift cover for weatherproofing single straight blade receptacles, for mounting to FS/FD weatherproof boxes	\$61.25
HBL77CM74WO	Yellow Valox® spring-loaded lift cover for weatherproofing 50A	\$66.00
	receptacles, for mounting to FS/FD weatherproof boxes	
HBL74CM25WOA	Yellow Valox® spring-loaded lift cover for weatherproofing HBL26CM10, for mounting to FS/FD weatherproof boxes	\$61.25







HBL60CM17





HBL77CM74WO


HBL74CM23WO

Shorepower

MARINCO

- UL & CSA Listed
- Easy Lock System
- LED Power Indicators
- · Super Flexible Cord Sets
- Durable

Item Number	Description	Price
	30A 125V	
303SSEL-B	Stainless steel easy lock power inlet with waterproof cap and 8-way right angle rear safety enclosure	\$117.78
305CRR	Yellow reinforced corrosion resistant nylon locking receptacle	\$41.93



Item Number	Description	Price
50 Amps	Accessories	
7715CRN	Yellow weatherproof cover with threaded ring to use with female connectors	\$36.23
7715ELN	Yellow weatherproof cover with easy lock ring to use with female connectors	\$36.23
7717N	Yellow weatherproof cover for use with male plugs	\$26.83
30 Amps		
103RN	Yellow weatherproof cover with threaded ring	\$22.73



303SSEL-B









Shorepower

WARD'S MARINE ELECTRIC



200 Amp

PARSYS-EXT-200 \$8,047.20 Paralleling Adaptor Dual 100A This portable adaptor will permit the safe connection of your 200 ampere 120/240 VAC single phase shorepower cord to two compatible 100 ampere 120/240 VAC shorepower dock receptacles. A state of the art safety circuit protects from short circuits and shock hazards while easy to understand instructions ensure simple and straightforward operation.

If the two dock receptacles are supplied from the same utility power source [and can be safely interconnected] the adaptor will automatically check the phase relationship, correct phasing when needed, and make a safe parallel connection. In the case of incompatible power sources [where safe parallel connection is not possible] the adaptor will connect your 200 ampere shorepower cord to a single 100 ampere power source only, which will permit the operation of limited onboard loads.

100 Amp

PARSYS2-EXT-100 \$6,395.00

This portable adaptor will permit the safe connection of your 100 ampere 120/240 VAC single phase shorepower cord to two compatible 50 ampere 120/240 VAC shorepower dock receptacles. A state of the art safety circuit protects from short circuits and shock hazards while easy to understand instructions ensure simple and straightforward operation.

If the two dock receptacles are supplied from the same utility power source [and can be safely interconnected] the adaptor will automatically check the phase relationship, correct phasing when needed, and make a safe parallel connection. In the case of incompatible power sources [where safe parallel connection is not possible] the adaptor will connect your 100 ampere shorepower cord to a single 50 ampere power source only, which will permit the operation of limited onboard loads.



50 Amp

64CM100 \$2.251.70

This portable adaptor permits the safe connection of one or two 50 ampere 120/240 VAC shorepower cords to a single 100 ampere 120/240 VAC shorepower pedestal. Dedicated 50 ampere circuit breakers protect each of the 50 ampere shorepower systems separately. Ask our sales department about our special order unit that permits connection of your 50 ampere cords to a 100 ampere three phase power source, if certain safety conditions are met.



50 Amp

50/50RVS \$398.50 50A 220V Phase Rev Adaptor (SM Y)

30/50-250 \$365.00 30A Male to 50A Connector This adaptor can be used in conjunction with the Charles Marine Products "Smart-Y" adaptor or any 50 ampere to 100 ampere paralleling adaptor that is not equipped with the automatic phase correction feature. The adaptor will reverse the phasing of the 50 ampere 120/240 VAC shorepower source. This adaptor is not necessary with the WME PARSYS2-EXT-100 and its unique automatic phase correction feature.

Adaptors

Shorepower

HUBBELL

HBL64CM56

HBL64CM54

FEATURES

- Agency Approved
- Call for IP Ratings
- Yellow or White Material
- Internal Logic Sense
- Fully Molded
- Crimped Terminations

Item Number	Description	Price
	100 Amp	
HBL61CM100	100A (Boat), 50A (Dock), 125/250V, 3 Pole, 4 Wire	\$1,962.50
YQ100PLUS	100A (Boat), 50A (Dock), 125/250V, 2 Pole	\$5,437.50





Item Number	Description	Price
	50 Amp	
HBL61CM72	50A, 125V, 2 Pole, 3 Wire (Boat), 50A, 125/250V, 3 Pole, 4 Wire (Dock) Twist Lock	\$300.00
HBL64CM55	(2) 30A, 125V, 2 Pole, 3 Wire (Boat) 50A, 125/250V, 3 Pole, 4 Wire (Dock), Twist Lock	\$666.13
YQ230	50A, 125/250V (Boat), (2) 30A, 125V (Boat) 3 Pole Y Adaptor	\$912.50





Item Number	Description	Price
	30 Amp	
HBL31CM28	30A Twist Lock (Boat), 15A Straight Blade (Dock), 125V, 2 Pole 3 Wire	\$68.12
HBL61CM22	30A (Boat), 15A (Dock), 125V, 2 Pole, 3 Wire, Twist Lock	\$95.63
HBL61CM55	30A (Boat), 50A (Dock), 125V, 2 Pole, 3 Wire, Twist Lock	\$205.25
HBL61CM71	30A, 125V, 2 Pole, 3 Wire (Boat), 50A, 125/250V, 3 Pole, 4 Wire (Dock), Twist Lock	\$249.50

(2) 30A, 125V, 2 Pole, 3 Wire, Twist Lock (Both Sides)

3 Pole, 4 Wire, Twist Lock

(2) 30A, 125V 2 Pole, 3 Wire, Twist Lock (Boat), 50A, 125/250V,



HBL64CM54

HBL64CM56

\$354.38

\$378.00

Shorepower

MARINCO





Item Number	Description	Price
	30 Amp	
153AY	(2) 50A, 125V Locking with Collar (Boat), 50A, 125/250, Locking (Dock)	\$297.18
157AY	(2) 30A, Locking with Collar (Boat), 30A Locking (Dock) 125V	\$267.63
Item Number	Description	Price
	50 Amp	
165AY	(2) 50A, Locking with Collar (Boat), 50A Locking (Dock) 125/250V	\$637.18

FEATURES

- · Agency Approved
- Marine Grade Parts
- Durable
- · Yellow or White
- · Stainless Steel components
- Contoured plastic

CHARLES MARINE INDUSTRIES



93-SHOREBOOST-A

Item Number	Description	Price
93-SHOREBOOST-A	Portable shore boost device (See also Transformers, Boost Equipment)	\$2888.89

FEATURES

- UL Listed
- Nickel Plated Contacts
- · Water-tight, Waterproof Seal
- Corrosion resistant thermoplastic vinyl

A-SEA







Item Number	KVA	Price
	1 to 1 Phase	
AC12	12	\$18,370.00
AC15	15	\$20,740.00
AC18	18	\$23,910.00
AC24	24	\$35,790.00
AC30	30	\$43,200.00
	1/3 to 1 Phase	
AC30-1	30	\$43,570.00
AC30-3	30	\$43,570.00
AC36	36	\$45,180.00
AC36-1	36	\$45,550.00
AC36-3	36	\$45,550.00
AC50-1/2	50	\$60,050.00
	1/3 to 3 Phase	
AC50-3/2	50	\$60,050.00
AC75L-3/2	75	\$79,480.00
	3 to 3 Phase	
AC75-3	75	\$75,800.00
	Hi Frequency Converter	
AC50HF-1	50, 1 to 1 Phase	\$64,210.00
AC50HF-3	50, 1/3 to 3 Phase	\$64,210.00
1 to 1 Phase	Line Voltage Regulator	
		A
LVR12	12	\$6,995.00
LVR15	15	\$8,290.00

FEATURES

- Drip proof, stainless steel enclosures
- Sophisticated monitoring systems
- Safety features
- Front panel display and access

WARD'S MARINE ELECTRIC



BB208/230-100 \$3,410.00

BB208/230-50 \$1,750.00

These Portable Boost Transformers are safe, powerful, and can protect your 115/230 VAC equipment from many harmful low dock voltage conditions. Both the 100 ampere and 50 ampere versions are equipped with durable carrying handles and can be conveniently set next to your dockside power pedestal. When connected, a static 10% voltage boost is delivered to provide safer and more effective power to your boat. There are no manual overrides on these units, so the voltage will be boosted 10% regardless of input voltage. Not suitable for marinas where erratic voltage fluctuations occur.

FEATURES

- Non-adjustable
- 10% Boost
- ABYC Compliant
- Portable
- Durable
- Useful for 115/230 VAC Shorepower Systems
- Suitable for 200-220 volt dock power sources

CHARLES MARINE INDUSTRIES



Item Number	Description	Price	
***See also Transformers, Boosting Transformers for Specifications			
93-ISOBOOST50-A	50 Amp Isolation Boosting Transformer	\$5,637.36	
93-ISOBOOST100	100 Amp Isolation Boosting Transformer	\$13,437.15	
93-SMARTBOOST-A	Smart Boost Isolation Boosting Transformer	\$2,444.40	
93-SHOREBOOST-A	Portable Isolation Boosting Transformer	\$2,888.89	
Accessories			
93-SMTBREMOTE-A	Remote for Smart Boost Transformer	\$248.89	

FEATURES

- · Agency Approved
- LED Indicators
- Fully Automatic with Manual 1:1 override
- Rugged High Quality Construction
- 13% AC boost to any existing 50A straight transformer when dockside drops below 210V AC

GLENDINNING

Item Number	Volts	Price
	Cable Master CM-7	
4020	12	\$998.00
4022	24	\$1,028.00
	Cable Master CM-8	
4090	12	\$2,395.00
4091	24	\$2,395.00

Item Number	Description	Price	
Extension and Angling Kits			
04066	90° angling assembly kit	\$174.00	
04065	180° angling assembly kit	\$290.40	
42007	3" x 36" PVC tube for horizontal or vertical extension kit	\$21.60	
50004G	Pipe extension plate	\$6.90	
50005	Connector link	\$11.52	
Mounting Brackets			
50006G	Overhead mounting bracket	\$25.20	
50408	Power Unit to Container 17" high, can be used on any cable master container	\$93.60	

Item Number	Diameter in "	Height in "	Capacity in '	Price
	Cal	ole Storage Contain	er	
Styrene container ca	pacity using 6/4 cable (*conta	ins 100 Amp cable)		
85424	18	18	55-60	\$82.80
85421	20	15	70-75	\$96.00
85420	20	18	70-75	\$82.80
85425	22	22	100-110	\$115.20
85480*	29	35	100	\$198.00

- Completely Automatic
- No Slip Rings Needed
- Adjustable Cable Size
- Power Extension/Retraction
- Multiple Safety Features



CABLEMASTER

Shorepower

GLENDINNING

(Continued)

Item Number	Description	Price
	Replacement Parts	
04155	Radio remote control (12V DC and two transmitters)	\$339.60
04099	24/32 volt CM-8 motor	\$315.00
04035	12 volt CM-7 motor	\$117.60
04036	24/32 volt CM-7 motor	\$117.60
WP053	Large cluster gear	\$108.00
04147	Four button white remote control	\$105.84
04153	Remote noise filter	\$86.40
50420	Hawse pipe cap for use with CM-7	\$75.00
WP010	Pivot gear assembly	\$73.50
50413	White gloss bezel, to be used with hawse pipe cap and hinge	\$69.60
50421	Hawse pipe hinge for use with CM-7	\$58.50
04830	2 Foot in-limit switch assembly	\$41.04
85429	Out-limit collar for use with CM-8	\$27.30
85417	Out-limit collar for use with CM-7	\$26.26
90001	In-limit switch	\$19.80
04824	Out-limit micro switch assembly	\$16.50
51420	Stripper bolt (for roller)	\$14.76
87405	Chassis gasket for CM-8	\$12.00
81407	Power switch name plate	\$8.40
85413	Flat roller	\$8.40
87404	Chassis gasket for CM-7	\$7.50
90002	Boot for in-limit switch (90001)	\$5.49
85414	Lip roller for use with CM-7	\$5.32
51442	Guide roller bushing for use with CM-7	\$3.00
70449	Guide roller bolt for use with CM-7	\$1.58
72412	Guide roller washer for use with CM-7	\$0.38
	Hose Master	
05550-16-E	16' Hose capacity edge mount style	\$166.80
	Hose Master Parts	
99582-DK	Chrome shower sprayer	\$54.00
99582-REC	Recessed shower sprayer	\$50.40
99586-1	Chrome thru deck hull fitting	\$34.80
99593-DW	Deckwash sprayer with hose adaptor	\$21.60
60512	Pair of side brackets	\$11.20
60510	U-Bracket	\$9.60

TDI

Item Number	Description	Price
	Cord Reel	
CM50D01	Reel unit only sold without cable	\$841.50
CM50D02	Reel unit with cable	\$1,240.00
	Parts and Accessories	
H20002	Hawse pipe cap and cord stop for 50Amp kit	\$215.90
CM2021	On/off switch kit	\$28.05



50 AMP REEL

HYPOWER

Item Number	Description	Price
PH15B11F7H4J4	(2) 50A, 125/250V, Phone, TV, Light with Photo Cell	\$539.00
PH15B20F8H5J4	(1) 30A, (1)50A, 125/250V, Phone, TV, Light with Photo Cell	\$560.00
PH15B9F8H5J4	(2) 30A Phone, TV, Light with Photo Cell	\$582.00

FEATURES

- Compact less than square foot footprint for space efficiency
- · Fine strand tin plated
- · Corrosion resistant wiring
- PanelSnap Panels
- 360° Internal Mounting System
- Many Optional Colors, Lenses, and Additional Options
- · Factory wired
- Impact resistant non conductive polycarbonate housing



POWER PORT

INTERNATIONAL DOCK PRODUCTS

Item Number	Description	Price
SPC-21-2T-600	Pile Mount: (1)50A, (1)30A, 20 GFI Twist Lock	\$853.51
SPC-36-3A-300	Slim Line: (1)50A, (1)30A, (1)20 GFI, TV, Phone, Light, Hose Holder	\$1,206.22
SPC-36-3A-536	Slim Line: (2) 50A (1)20A GFI, Phone, TV, Light with Photo Cell	\$1,217.00
SPB-45-4A-240	Standard Line: 100A, (2) 50A, (1) 20 GFI	\$2508.36

- Agency Approved
- Can hold up to 4 receptacles
- Extruded aluminum and welded base construction
- Isolated Sections
- Individual Circuit Breakers
- White Powder Coat Finish
- Compact



SPC SERIES

WARD'S MARINE ELECTRIC

Item Number	Length in Ft.	Price
	Phone Cable Sets	
Yellow Cord		
PHONE-100	100	\$220.00
PHONE-125	125	\$232.00



MARINCO

Item Number	Description	Price
	Adaptors	
PH6600	Phone Adaptor (Male) for PH6599	\$99.80
PH6601	Phone Adaptor (Female) for Locking Inlets to Modular	\$90.45



Item Number	Description	Price
Fittings		
PH6592TV-SS	Stainless Steel Phone/TV Inlet	\$172.85



Item Number	Description	Price
	Cable Sets	
PHTV6599	Yellow Phone/TV Combo 50'	\$415.03
PHTV6599W	White Phone/TV Combo 50'	\$415.03
	,	***



Cable and TV Devices

Shorepower

HUBBELL

Item Number	Description	Price
	Fittings	
HBLPHTVSS	Traditional Style Stainless Steel Phone/TV Connector	\$145.63
PH6597TV	Black Polycarbonate Phone/TV Outlet	\$50.00
PH6595	Black Polycarbonate Inlet for Phone Connector	\$35.00
PH6624	Black Locking Type Connector Phone/TV	\$25.63
PH6625	Black Locking Plug for Phone Cable Sets	\$22.13
PH7440	Yellow Seal Tite® Cover for Connector to Inlets	\$12.63



Item Number	Description	Price
	Phone Cable Sets	
PH6599	Yellow, 3 Conductor, 16 AWG, SJTO, 50'	\$200.63
PH6599W	White, 3 Conductor, 16 AWG, SJTO, 50'	\$200.63



PH7440

PH6625

Item Number	Description	Price
	TV Cable Sets	
TV99	Yellow, 75 OHM, Male Plugs includes adaptor, 50'	\$106.50
TV99W	White, 75 OHM, Male Plugs includes adaptor, 50'	\$106.50



TV99 & TV99W

Smart Plugs

Shorepower







BM30S

SMART PLUGS

Item Number	Description		
	30 Amp Boatside		
125 Volt			
B30ASSY	Female plug and inlet connector combo kit	\$225.00	
BF30	Female plug to be used with inlet BM30S \$75		
BM30S	Inlet with stainless steel cover installs into standard 2-1/2" inlet cutouts \$15		

FEATURES

- Agency Approved
- LED Indicators
- Fully Automatic with Manual 1:1 override
- Rugged High Quality Construction
- 13% AC boost to any existing 50A straight transformer when dockside drops below 210V AC



Item Number	Description	Price
	30 Amp Dockside	
125 Volt		
DF30	Outlet for installation into a dock pedestal or power source can be used with cord set C3050	\$45.00

- Agency Approved
- LED Indicators
- Fully Automatic with Manual 1:1 override
- Rugged High Quality Construction
- 13% AC boost to any existing 50A straight transformer when dockside drops below 210V AC



SMART PLUGS

Item Number	Туре	Length in Ft.	Price
	30 Amp Cord S	Set	
C30501	Smart Plug to Smart Plug	50	\$125.00
C30503	Smart Plug female to L5-30 male	50	\$125.00
C30251	Smart Plug to Smart Plug	25	\$100.00
C30253	Smart Plug female to L5-30 male	25	\$100.00



FEATURES

- Agency Approved
- LED Indicators
- Fully Automatic with Manual 1:1 override
- Rugged High Quality Construction
- 13% AC boost to any existing 50A straight transformer when dockside drops below 210V AC



Item Number	Price	
	30 Amp Adaptors	
A3033	Smart plug male to L5-30 male pigtail	\$45.00

- Agency Approved
- LED Indicators
- Fully Automatic with Manual 1:1 override
- Rugged High Quality Construction
- 13% AC boost to any existing 50A straight transformer when dockside drops below 210V AC

Hubbell Marine Electrical Products



Molded Straight Adapters

Connector Body (Female End)		Catalog Number	Plug (N	/lale End)
15A 125V, 2P 3W Straight Blade w/GFCI protection	□ Pw	HBL105GF	10	30A 125V, 2P 3W Twist-Lock®
30A 125V, 2P 3W Twist-Lock®		HBL61CM22 HBL61CM22W	₩ 	15A 125V, 2P 3W Straight Blade (lock type)
30A 125V, 2P 3W Twist-Lock		HBL61CM25	(V) 1°	20A 125V, 2P 3W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM54	w	15A 125V, 2P 3W Straight Blade
30A 125V, 2P 3W Twist-Lock		HBL61CM55	(5 1 W)	50A 125V, 2P 3W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM56	10	30A 125V, 2P 3W Twist-Lock
50A 125/250V, 3P 4W Twist-Lock	(A) (A)	HBL61CM59	X I W	50A 125/250V, 3P 4W Crow Foot
30A 125V, 2P 3W Twist-Lock		HBL61CM71		50A 125/250V, 3P 4W Twist-Lock
50A 125V, 2P 3W Twist-Lock		HBL61CM72		50A 125/250V, 3P 4W Twist-Lock
100A 125/250V, 3P 4W Pin&Sleeve	e 💽	HBL61CM100		50A 125/250V, 3P 4W Twist-Lock



30-Series

Connector Body (Female End)		Catalog Number	Plug (Male End)
30A, 125V Twist-Lock		HBL104A	15A, 125V Straight Blade
15 or 20A, 125V Straight Blade	OG DG	HBL105A	30A, 125V Twist-Lock

Molded "Y" Adapters

Connector Body (Female End)	Catalog Number	Plug (Male End)
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM54	50A 125/250V, 3P 4W Twist-Lock
(2) 50A 125V, 2P 3W Twist-Lock	HBL64CM55	50A 125/250V, 3P 4W Twist-Lock
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM56	30A 125V, 2P 3W Twist-Lock
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM57	50A 125V, 2P 3W Twist-Lock
(2) 30A 125V, 2P 3W Twist-Lock	HBL64CM59	50A 125/250V, 3P 4W Crow Foot



One Piece Adapters

Connector Body (Female End)		Catalog Number	Plug (Male End)
30A 125V, 2P 3W Twist-Lock		HBL31CM28	15A 125V, 2P 3W Straight Blade
15 or 20A 125V, 2P 3W Straight Blade		HBL31CM29	30A 125V, 2P 3W Twist-Lock
20A 125V, 2P 3W Twist-Lock		HBL21CM28	15A 125V, 2P 3W Straight Blade
15 or 20A 125V, 2P 3W Straight Blade	[] Jw	HBL21CM29	20A 125V, 2P 3W Twist-Lock



Adapter Selection Guide





YQ230

Permits use of one 50 Amp 125/250 Volt cord set with two 30 Amp 125 Volt dockside receptacles that are on separate circuits.



YQ100PLUS Now two adapters in one

Permits use of one 100 Amp 125/250 Volt cord set with two 50 Amp 125/250 Volt dockside receptacles that are on the same circuit; or with a single 50 Amp 125/250 Volt outlet, if only one such receptacle is available.

What separates Hubbell's shore power cable sets and adapters from the rest?

UL Listed. (Cable sets only.)

Available in 25, 35 and 50 foot lengths.

Jute fillers inside jacket for maximum cable flexibility. Hubbell cable coils neater, lighter, lays flatter.

Molded flexneck adds life to cable set by helping to prevent right-angle cable damage and pullout.

Strain relief bull ring protects against stress and strain on the conductors caused by boat movement, crew traffic and rough handling.

Molded design totally encased in solid PVC material, for superior waterproofing and durability.

Exclusive copper crimp barrel termination provides protection against internal overheating and burnout compared to brass crimps. These copper crimps are the same type used by power companies. The result: tighter connections, better conductivity and longer life.

Locking ring assures proper alignment of connector to inlet for complete contact and waterproofing. Prevents accidental disengagement.

Hubbell Marine Electrical Products

Boatside

30A **125V AC** 2-Pole 3-Wire











HBL303SS

HBL26CM13

HBL60CM33W

50A **125V AC** 2-Pole 3-Wire









HBL503NM

HBL503SS

HBL63CM60

HBL77CM15 HBL77CM15W

50A 125/250V AC 3-Pole 4-Wire









HBL504SS

HBL63CM64

HBL77CM15 HBL77CM15W

100A 125/250V AC 3-Pole4-Wire








M4100B12R

M4100C12R

100A 3ØY 4-Pole 5-Wire





M5100B9R M5100B7R

M5100C9R M5100C7R

200A 600V AC/250V DC 4-Pole 5-Wire







M5200CS1R

Portable Telephone Cable TV











HBLPHTVSS HBLPHTVNM

PH6624 PH7440

Ship-To-Shore Selector Chart



Ship-To-Shore



YC310250 - 280' (85.3m) Yellow cable only. WC310280 - 280' (85.3m) White cable only.

HBL61CM08 & HBL61CM08LED - 50' (15.2m)
HBL61CM05 & HBL61CM05LED - 35' (10.7m)
HBL61CM03 & HBL61CM03LED - 25' (7.6m)
HBL61CM03W & HBL61CM03WLED - 50' (15.2m)
HBL61CM03W & HBL61CM03WLED - 25' (7.6m)



HBL60CM31 HBL60CM31W



HBL26CM11



HBL26CM10



Dockside

HBL74CM25WOA HBL74CM25WOAW



YC306250 - 250' (76.2m) Yellow cable only.

HBL61CM53 & HBL61CM53LED - 50' (15.2m) HBL61CM43 & HBL61CM43LED - 25' (7.6m) HBL61CM53W & HBL61CM53WLED - 50' (15.2m)



HBL77CM16 HBL77CM16W



HBL63CM61



HBL63CM70



HBL77CM74WO



YC406250 - 250' (76.2m) Yellow cable only.

HBL61CM52 & HBL61CM52LED - 50' (15.2m)
HBL61CM42 & HBL61CM42LED - 25' (7.6m)
HBL61CM52W & HBL61CM52WLED - 50' (15.2m)
HBL61CM42W & HBL61CM42WLED - 25' (7.6m)





HBL63CM65



HBL63CM69



HBL77CM74WO



CS1004 - 100' (30.4m) 4-Wire CS754 - 75' (22.8m) 4-Wire CS100IT4 - 100' (30.4m) 3-Wire CS754IT4 - 75' (22.8m) 3-Wire

CW125IT4 - 125' (38.0m) One-ended cable set for winches. CW100IT4 - 100' (30.4m) One-ended cable set for winches. CW754 - 75' (22.8m) One-ended cable set for winches.

CS50EXT4 - 50' (15.2m) Extension cord.



M4100P12



M4100C12



M4100R12



CS100IT5 - 100' (30.4m) 4-Wire CS75IT5 - 75' (22.8m) 4-Wire

CW125IT5 - 125' (38.0m) One-ended cable set for winches. CW100IT5 - 100' (30.4m) One-ended cable set for winches. CS50EXT5 - 50' (15.2m) Extension cord.



M5100P9 M5100P7



M5100C9 M5100C7



M5100R9 M5100R7



M5200PS1



M5200CS1




M5200RS1



PH6630 - 250' (76.2m) Yellow cable only. PH6599 - 50' (15.2m)

PH6598 - 25' (7.6m) PH6599W - 50' (15.2m) PH6598W - 25' (7.6m)





PH7440



PH6625



PH6597TV



www.hubbell-marine.com