



[Products](#) > TightSight™ Clamp Meter, 1000A AC/DC w/TRMS

TIGHTSIGHT™ CLAMP METER, 1000A AC/DC W/TRMS

SKU 61-775

TightSight™ Clamp Meter, 1000A AC/DC w/TRMS

[Be the first to review this product](#)



To give you the best possible experience, this site uses cookies. By continuing to use this site you are giving consent for cookies to be used.



Details

- TightSight™ second display
- Tapered jaws with hook tip
- True RMS current and voltage
- AC/DC voltage
- Audible continuity
- High frequency rejection*
- Peak hold
- Max/min hold
- Data hold
- Selectable audible and visual alerts when potentially hazardous voltages are detected at the probe terminals
- Selectable auto power off
- Backlit display
- Low battery indicator
- Reads accurately on noisy electrical circuits

Problem: Have you ever had to measure the circuit current in a confined, dimly lit and hard to reach location?

Solution: IDEAL TightSight™ Clamp Meter! This meter allows the user to safely and easily view current measurement with the exclusive second TightSight® display.

Safety

- Patented TightSight™ display lets you easily take readings while keeping your head at a safe distance from the panel — no more need to twist the meter or risk pulling on an energized conductor
- Easy to read backlit display with large numbers and icons so you can always see the correct reading

To give you the best possible experience, this site uses cookies. By continuing to use this site you are giving consent for cookies to be used.



- Selectable audible and visual alerts when potential hazardous voltages are detected at the probe terminals



Electronic overload protection on all



- Test leads supplied are compliant to IEC61010-031 compliant

Productivity

- Read and record while clamped instead of holding the reading, unclamping, moving and recording
- Hook tip for easier wire separation and tapered jaws for reaching into tight spaces
- Help troubleshoot with min and max value readings over a period, i.e. nuisance tripping and power supply fluctuations
- True RMS provides accurate readings of non-sinusoidal load currents
- Broad current range from 0 to 1000 amps (61-770 series) covers multiple applications
- Large jaw diameter for cables up to 2" (51mm) in diameter (770 series only)

Value

- Includes carrying case and test leads with alligator clips
- Full AC/DC capabilities: the TightSight™ is equally adaptable for both AC and DC current measurement requirements – such as solar, public transportation, and battery backup applications
- Calibration services available
- 2-year warranty

More Information

Reviews



To give you the best possible experience, this site uses cookies. By continuing to use this site you are giving consent for cookies to be used.



#TheElectriciansChampion



[Careers](#)

[IDEAL National Championship](#)

[Privacy Policy](#) | [Slavery Human Trafficking Statement](#) | [Legal Notice](#) | [Supplier Code of Conduct](#) | [Accessibility Policy](#)

A DIVISION OF



IDEAL INDUSTRIES, INC.

IDEAL INDUSTRIES (CANADA), CORP. | 33 Fuller Road, Ajax, Ontario L1S 2E1, Canada

©2019 IDEAL INDUSTRIES, INC. ALL RIGHTS RESERVED.



To give you the best possible experience, this site uses cookies. By continuing to use this site you are giving consent for cookies to be used.