

1413121110987654321

4000012662

POSITION OF COLOUR STRIPE (see note 3)

A REF.

2.50 REF PITCH

13.50 +0.05 -0.10

1.94

1.0

POSITION KEYS

B ±0.20

"h" "g" "f" "e" "d" "c" "b" "a"

0.55 ±0.05 OPTIONAL

7.25

3.33

4.75

3.00

1.25

5.25

1.83

1.86 REF

5.05

50 x 9.17 = 458.5 REF

9.18 REF

14.72 REF

SHIPPING ARRANGEMENT

OPTIONAL POLARISING RIB

OPEN END WALLS WITH ZEUS OPTION.

OPEN END WALLS OPTION.

NOTES:

1. REFER TO PRODUCT SPECIFICATION: PS-99020-0040.

2. MATERIAL: HOUSING -POLYAMIDE 6 (PA6)
UL94-V2. COLOUR NATURAL.
TERMINAL: PHOSPHOR BRONZE 0.30 REF. THICK - PLATING
HOT TIN DIP.

3. COLOUR STRIPE IS OPTIONAL. AVAILABLE IN THE FOLLOWING
COLOURS: RED, GREEN, BLUE, ORANGE, BROWN & YELLOW.
(BLACK SIGNIFIES CUSTOMER SPECIFIC CONFIGURATION).

4. REFER TO PACKAGING SPEC (PK-90871-001)

5. REFER TO APPLICATION SPEC (AS-99033-0008)


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED NEW P/N'S		molex				
mm	4:1			APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL				
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 605960		PRODUCT CUSTOMER DRAWING				
ANGULAR TOL	± 0.5 °	DRWN: TCLEARY 2018/10/15		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
4 PLACES	±	CHK'D: CFISHER01 2018/10/15		934660001		PSD	000	AC1
3 PLACES	± 0.05	APPR: BRUTTLE 2018/10/22						
2 PLACES	± 0.1	INITIAL REVISION:						
1 PLACE	± 0.2	DRWN: CFISHER01 2016/01/11						
0 PLACES	±	APPR: MSHANAHAN 2016/02/09						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER		SHEET NUMBER
			A2-SIZE	93466	SEE SHEETS 5-11	GENERAL MARKET		1 OF 11

DOCUMENT STATUS	P1	RELEASE DATE	2018/10/22	11:40:40
-----------------	----	--------------	------------	----------



1413121110987654321

CCT	A	B
2	2.5	7.375
3	5	9.875
4	7.5	12.375
5	10	14.875
6	12.5	17.375
7	15	19.875
8	17.5	22.375
9	20	24.875
10	22.5	27.375
11	25	29.875
12	27.5	32.375
13	30	34.875
14	32.5	37.375
15	35	39.875
16	37.5	42.375
17	40	44.875
18	42.5	47.375
19	45	49.875
20	47.5	52.375




OPEN END WALL OPTION

FIRST END WALL	LAST END WALL
OPEN	OPEN






- PCB LAYOUT CCTCONNECTOR (WITH OPTIONAL POSITIONAL RIB SLOT BETWEEN CCT 1 & 2)
- RECOMMENDED PCB THICKNESS 1.5 ± 0.14






END WALL OPTION A

FIRST END WALL	LAST END WALL
HALF	CLOSED





END WALL OPTION B

FIRST END WALL	LAST END WALL
CLOSED	HALF



END WALL OPTION C

FIRST END WALL	LAST END WALL
OPEN	CLOSED



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED NEW P/N'S		
mm	4:1			
GENERAL TOLERANCES (UNLESS SPECIFIED)				
ANGULAR TOL	± 0.5°			
4 PLACES	±			
3 PLACES	± 0.05			
2 PLACES	± 0.1			
1 PLACE	± 0.2			
0 PLACES	±			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES
			A2-SIZE	93466


EC NO: 605960			
DRWN: TCLEARY	2018/10/15		
CHK'D: CFISHER01	2018/10/15		
APPR: BRUTTLE	2018/10/22		
INITIAL REVISION:			
DRWN: CFISHER01	2016/01/11		
APPR: MSHANAHAN	2016/02/09		

DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
934660001	PSD	000	AC1
MATERIAL NUMBER		CUSTOMER	SHEET NUMBER
SEE SHEETS 5-11		GENERAL MARKET	2 OF 11

molex




APPLI-MATE 2.5 FEMALE
G.W.T. 750 AND 850 VERSION GF MATERIAL

PRODUCT CUSTOMER DRAWING






END WALL OPTION D

FIRST END WALL	LAST END WALL
CLOSED	OPEN






END WALL OPTION E

FIRST END WALL	LAST END WALL
CLOSED	CLOSED





END WALL OPTION F

FIRST END WALL	LAST END WALL
NARROW	OPEN




END WALL OPTION G

FIRST END WALL	LAST END WALL
NARROW FLUSH	OPEN





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS mm		SCALE 1:1		CURRENT REV DESC: ADDED NEW P/N'S			molex								
GENERAL TOLERANCES (UNLESS SPECIFIED)							APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL								
ANGULAR TOL ± 0.5 °															
4 PLACES		±													
3 PLACES		± 0.05					PRODUCT CUSTOMER DRAWING								
2 PLACES		± 0.1													
1 PLACE		± 0.2													
0 PLACES		±													
EC NO: 605960				DRWN: TCLEARY		2018/10/15		DOCUMENT NUMBER 934660001		DOC TYPE PSD	DOC PART 000	REVISION AC1			
CHK'D: CFISHER01				2018/10/15											
APPR: BRUTTLE				2018/10/22											
INITIAL REVISION:															
DRWN: CFISHER01				2016/01/11											
APPR: MSHANAHAN				2016/02/09											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
								A2-SIZE		93466		SEE SHEETS 5-11		GENERAL MARKET	



END WALL OPTION H

FIRST END WALL	LAST END WALL
NARROW FLUSH	NARROW FLUSH



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED NEW P/N'S		molex			
mm	1:1						
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22		APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL			
ANGULAR TOL	± 0.5 °						
4 PLACES	±						
3 PLACES	± 0.05						
2 PLACES	± 0.1						
1 PLACE	± 0.2	INITIAL REVISION: DRWN: CFISHER01 2016/01/11 APPR: MSHANAHAN 2016/02/09		PRODUCT CUSTOMER DRAWING			
0 PLACES	±						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER
			A2-SIZE	93466	SEE SHEETS 5-11	GENERAL MARKET	4 OF 11

DOCUMENT STATUS	P1	RELEASE DATE	2018/10/22	11:40:40
-----------------	----	--------------	------------	----------

4

13

12

11

10

9

8

7

6

5

4

3

2

1

A

B

C

D

E

F

G

H

</

14	13	12	11	10	9	8	7	6	5	4	3	2	1
3 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE					
93466-0025	93464-0003	NONE	b c		OPEN	OPEN	NONE	NONE					
93466-0026	93464-0003	NONE	c d		OPEN	OPEN	NONE	NONE					
93466-0027	93464-0103	NONE	NONE		OPEN	OPEN	1&2	NONE					
93466-0028	93464-0003	NONE	a d		OPEN	OPEN	NONE	NONE					
93466-0029	94006-0003 ZEUS	NONE	a d		OPEN	OPEN	NONE	NONE					
93466-0030	94006-0103 ZEUS	NONE	NONE		OPEN	OPEN	1&2	NONE					
93466-0031	94006-0203 ZEUS	NONE	NONE		OPEN	OPEN	2&3	NONE					
93466-0032	94006-0023 ZEUS	NONE	NONE		CLOSED	CLOSED	NONE	NONE					
93466-0033	94006-0003 ZEUS	NONE	a c		OPEN	OPEN	NONE	NONE					
93466-0035	94006-0003 ZEUS	NONE	ALL		OPEN	OPEN	NONE	NONE					
93466-0036	94006-0003 ZEUS	NONE	b d		OPEN	OPEN	NONE	NONE					
93466-0037	94006-0003 ZEUS	NONE	b c		OPEN	OPEN	NONE	NONE					
93466-0039	94006-0003 ZEUS	NONE	a b		OPEN	OPEN	NONE	NONE					
93466-0040	94006-0003 ZEUS	NONE	c d		OPEN	OPEN	NONE	NONE					
93466-0041	93464-0203	NONE	a b d		OPEN	OPEN	2&3	NONE					
93466-0042	93464-0203	NONE	a b c d		OPEN	OPEN	2&3	NONE					
93466-0043	93464-0203	NONE	c		OPEN	OPEN	2&3	BLUE					
93466-0044	93464-0203	NONE	b c d		OPEN	OPEN	2&3	NONE					
93466-0045	93464-0103	NONE	b c		OPEN	OPEN	1&2	NONE					
93466-0046	94006-0203 ZEUS	NONE	c		OPEN	OPEN	2&3	NONE					
93466-0047	94006-0023 ZEUS	NONE	NONE		CLOSED	CLOSED	NONE	ORANGE					
93466-0048	94006-0103 ZEUS	NONE	ALL		OPEN	OPEN	1&2	NONE					
93466-0049	94006-0003 ZEUS	NONE	a		OPEN	OPEN	NONE	NONE					

14

13

12

11

10

9

8

7

6

5

4

3

2

1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW P/N'S				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22				APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL							
ANGULAR TOL		± 0.5 °													
4 PLACES		±													
3 PLACES		± 0.05													
2 PLACES		± 0.1													
1 PLACE		± 0.2		INITIAL REVISION: DRWN: CFISHER01 2016/01/11 APPR: MSHANAHAN 2016/02/09				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES		±						934660001		PSD	000	AC1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		93466		SEE SHEETS 5-11		GENERAL MARKET		6 OF 11	

14

13

12

11

10

9

8

7

6

5

4

3

2

1

4 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE					
93466-0501	93464-0004	NONE	NONE		OPEN	OPEN	NONE	NONE					
93466-0502	93464-0004	NONE	b		OPEN	OPEN	NONE	NONE					
93466-0503	93464-0004	NONE	b c		OPEN	OPEN	NONE	NONE					
93466-0504	93464-0004	NONE	d e		OPEN	OPEN	NONE	NONE					
93466-0505	93464-0104	NONE	a b d e		OPEN	OPEN	BETWEEN CCT 1&2	NONE					
93466-0506	93464-0064	NONE	NONE		CLOSED	OPEN	NONE	NONE					
93466-0507	93464-0044	NONE	b		OPEN	CLOSED	NONE	NONE					
93466-0508	93464-0084	NONE	NONE		NARROW	OPEN	NONE	NONE					
93466-0510	93464-0004	NONE	a c		OPEN	OPEN	NONE	NONE					
93466-0511	93464-0204	NONE	NONE		OPEN	OPEN	BETWEEN CCT 2&3	NONE					
93466-0512	93464-0304	NONE	b c		OPEN	OPEN	BETWEEN CCT 3&4	NONE					
93466-0513	93464-0104	CCT 1	a c e		OPEN	OPEN	BETWEEN CCT 1&2	NONE					
93466-0514	93464-0304	CCT 2,4	NONE		OPEN	OPEN	BETWEEN CCT 3&4	NONE					
93466-0515	93464-0304	NONE	NONE		OPEN	OPEN	BETWEEN CCT 3&4	NONE					
93466-0516	93464-9901	NONE	NONE		NARROW FLUSH	OPEN	NONE	NONE					
93466-0517	93464-0304	NONE	NONE		OPEN	OPEN	BETWEEN CCT 3&4	RED					
93466-0518	93464-0204	NONE	NONE		OPEN	OPEN	BETWEEN CCT 2&3	BLUE					
93466-0519	93464-0104	NONE	NONE		OPEN	OPEN	BETWEEN CCT 1&2	NONE					
93466-0520	93464-0004	CCT 3	a b e		OPEN	OPEN	NONE	RED					
93466-0521	93464-0104	NONE	a e		OPEN	OPEN	BETWEEN CCT 1&2	NONE					
93466-0522	93464-0104	NONE	a e		OPEN	OPEN	BETWEEN CCT 1&2	BLACK					
93466-0523	93464-0304	NONE	a e		OPEN	OPEN	BETWEEN CCT 3&4	NONE					
93466-0524	93464-0144	NONE	a c		OPEN	CLOSED	BETWEEN CCT1&2	NONE					
93466-0525	93464-0264	NONE	NONE		CLOSED	OPEN	BETWEEN CCT 2&3	NONE					

14

13

12

11

10

9

8

7

6

5

4

3

2

1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW P/N'S				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22				APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL							
ANGULAR TOL		± 0.5 °													
4 PLACES		±													
3 PLACES		± 0.05													
2 PLACES		± 0.1													
1 PLACE		± 0.2		INITIAL REVISION: DRWN: CFISHER01 2016/01/11 APPR: MSHANAHAN 2016/02/09				DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION			
0 PLACES		±						934660001		PSD	000	AC1			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
						A2-SIZE		93466		SEE SHEETS 5-11		GENERAL MARKET		6 OF 11	

14

13

12

11

10

9

8

7

6

5

4

3

2

1

DOCUMENT STATUS	P1	RELEASE DATE	2018/10/22	11:40:40									
-----------------	----	--------------	------------	----------	--	--	--	--	--	--	--	--	--

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4

3

2

1

14

13

12

11

10

9

8

7

6

5

4
























3

2

1

14</

	14	13	12	11	10	9	8	7	6	5	4	3	2	1	
H	4 CIRCUIT														H
	PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE						
	93466-0526	93464-0144	NONE	a e		OPEN	CLOSED	BETWEEN CCT 1&2	NONE						
	93466-0527	93464-0344	NONE	b c		OPEN	CLOSED	BETWEEN CCT 3&4	NONE						
	93466-0528	93464-0164	NONE	a b d e		CLOSED	OPEN	BETWEEN CCT1&2	NONE						
G	93466-0529	93464-0144	NONE	d e		OPEN	CLOSED	BETWEEN CCT1&2	NONE						
	93466-0530	93464-0264	NONE	b c d		CLOSED	OPEN	BETWEEN CCT2&3	NONE						
	93466-0531	93464-0264	NONE	a e		CLOSED	OPEN	BETWEEN CCT2&3	NONE						
	93466-0532	93464-0004	NONE	b c d		OPEN	OPEN	NONE	NONE						
F	93466-0533	93464-0004	NONE	a e		OPEN	OPEN	NONE	NONE						
	93466-0534	93464-0004	NONE	a c e		OPEN	OPEN	NONE	NONE						
	93466-0535	94006-0004 ZEUS	NONE	NONE		OPEN	OPEN	NONE	NONE						
	93466-0536	94006-0024 ZEUS	NONE	NONE		CLOSED	CLOSED	NONE	NONE						
E	93466-0537	93464-0004	CCT 2	NONE		OPEN	OPEN	NONE	NONE						
	93466-0538	94006-0004 ZEUS	NONE	b c d		OPEN	OPEN	NONE	NONE						
	93466-0539	94006-0004 ZEUS	NONE	a e		OPEN	OPEN	NONE	NONE						
	93466-0540	94006-0004 ZEUS	NONE	a c e		OPEN	OPEN	NONE	NONE						
	93466-0541	94006-0004 ZEUS	NONE	b d e		OPEN	OPEN	NONE	NONE						
D	93466-0542	94006-0004 ZEUS	NONE	a b d		OPEN	OPEN	NONE	NONE						
	93466-0543	93464-0064	NONE	b		CLOSED	OPEN	NONE	NONE						
	93466-0544	94006-0064 ZEUS	NONE	b		CLOSED	OPEN	NONE	NONE						
	93466-0545	93464-0104	NONE	b c d		OPEN	OPEN	BETWEEN CCT1&2	NONE						
C	93466-0546	93464-0304	NONE	b c d		OPEN	OPEN	BETWEEN CCT3&4	NONE						
	93466-0547	94006-0004 ZEUS	NONE	a b c d e		OPEN	OPEN	NONE	NONE						
	93466-0548	94006-0304 ZEUS	NONE	b c d		OPEN	OPEN	BETWEEN CCT3&4	NONE						
	93466-0549	94006-0304 ZEUS	NONE	b c e		OPEN	OPEN	BETWEEN CCT3&4	NONE						
	93466-0553	94006-0044 ZEUS	NONE	NONE		OPEN	CLOSED	NONE	NONE						
B	93466-0554	94006-0004 ZEUS	NONE	b d											

14	13	12	11	10	9	8	7	6	5	4	3	2	1
5 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE					
93466-1027	94006-0005 ZEUS	NONE	a c e		OPEN	OPEN	NONE	NONE					
93466-1028	94006-0005 ZEUS	NONE	a c f		OPEN	OPEN	NONE	NONE					
93466-1030	94006-0405 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT 4&5	NONE					
93466-1032	94006-0105 ZEUS	4	NONE		OPEN	OPEN	BETWEEN CCT 1&2	GREEN					
93466-1033	94006-0205 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT 2&3	NONE					
93466-1034	94006-0005 ZEUS	NONE	c		OPEN	OPEN	NONE	NONE					
93466-1035	94006-0005 ZEUS	NONE	e		OPEN	OPEN	NONE	NONE					
93466-1036	94006-0105	NONE	NONE		OPEN	OPEN	NONE	NONE					
6 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE					
93466-1501	93464-0006	NONE	c d		OPEN	OPEN	NONE	NONE					
93466-1502	93464-0006	NONE	NONE		OPEN	OPEN	NONE	NONE					
93466-1504	93464-0026	CCT 2,5	NONE		CLOSED	CLOSED	NONE	NONE					
93466-1505	93464-0206	NONE	NONE		OPEN	OPEN	BETWEEN CCT 2&3	NONE					
93466-1506	93464-0006	CCT 2,4	NONE		OPEN	OPEN	NONE	NONE					
93466-1507	93464-0006	NONE	c e g		OPEN	OPEN	NONE	NONE					
93466-1508	93464-0006	NONE	d f		OPEN	OPEN	NONE	NONE					
93466-1509	93464-0026	NONE	c d		CLOSED	CLOSED	NONE	NONE					
93466-1510	93464-0006	CCT 2,5	NONE		OPEN	OPEN	NONE	NONE					
93466-1511	93464-0006	NONE	c e		OPEN	OPEN	NONE	NONE					
93466-1512	93464-0006	NONE	e f		OPEN	OPEN	NONE	NONE					
93466-1513	93464-0006	NONE	c e g		OPEN	OPEN	NONE	NONE					
93466-1514	93464-0006	NONE	a f		OPEN	OPEN	NONE	NONE					
93466-1515	93464-0046	CCT 2,5	NONE		OPEN	CLOSED	NONE	NONE					
93466-1516	93464-0046	NONE	c d		OPEN	CLOSED	NONE	NONE					
NOTES													
1. + DENOTES TERMINAL VOIDED POSITION ⊕ DENOTES TERMINAL LOADED POSITION DENOTES POLARIZING RIB POSITION													
2. MOLEX HOUSING NO. FOR REFERENCE ONLY													
DOCUMENT STATUS	P1	RELEASE DATE	2018/10/22	11:40:40									
14	13	12	11	10	9	8	7	6	5	4	3	2	1

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED NEW P/N'S		molex								
mm	1:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22						APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL				
ANGULAR TOL	± 0.5°											
4 PLACES	±											
3 PLACES	± 0.05											
2 PLACES	± 0.1											
1 PLACE	± 0.2	INITIAL REVISION: DRWN: CFISHER01 2016/01/11 APPR: MSHANAHAN 2016/02/09		PRODUCT CUSTOMER DRAWING								
0 PLACES	±											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	SHEET NUMBER					
			A2-SIZE	93466	SEE SHEETS 5-11	GENERAL MARKET	8 OF 11					

DOCUMENT NUMBER

934660001

DOC TYPE















PSD



















DOC PART


000

REVISION

AC1

7 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-2001	93464-0007	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-2022	93464-0207	NONE	NONE		OPEN	OPEN	BETWEEN CCT 2&3	BLUE
93466-2023	93464-0007	CCT 2,3,4,6	NONE		OPEN	OPEN	NONE	NONE
93466-2024	93464-0207	NONE	a b c d		OPEN	OPEN	BETWEEN CCT 2&3	NONE
93466-2025	93464-0247	NONE	NONE		OPEN	CLOSED	BETWEEN CCT 2&3	BLUE
93466-2026	93464-0007	NONE	b c d e f g		OPEN	OPEN	NONE	NONE
93466-2027	93464-0007	NONE	a b d e g h		OPEN	OPEN	NONE	NONE
93466-2028	94006-0007 ZEUS	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-2029	93464-0007	CCT 4	NONE		OPEN	OPEN	NONE	NONE
93466-2030	94006-0007 ZEUS	NONE	b c d e f g		OPEN	OPEN	NONE	NONE
93466-2031	94006-0007 ZEUS	NONE	b c d e g		OPEN	OPEN	NONE	NONE
93466-2032	94006-0007 ZEUS	NONE	a b d e g h		OPEN	OPEN	NONE	NONE
93466-2033	94006-0207 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT2&3	NONE
93466-2034	93464-0007	NONE	a h		OPEN	OPEN	NONE	NONE
93466-2035	94006-0007 ZEUS	NONE	c d e		OPEN	OPEN	NONE	NONE
93466-2036	93464-1807	CCT 4	NONE		OPEN	OPEN	BETWEEN CCT3&4 - 4&5	NONE





8 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-2501	93464-0008	NONE	c h i		OPEN	OPEN	NONE	NONE
93466-2502	93464-0008	CCT 2	NONE		OPEN	OPEN	NONE	NONE
93466-2503	93464-0008	CCT 2,4	NONE		OPEN	OPEN	NONE	NONE
93466-2504	93464-0068	CCT 5,7	NONE		CLOSED	OPEN	NONE	NONE
93466-2505	93464-0108	NONE	NONE		OPEN	OPEN	BETWEEN CCT 1&2	NONE
93466-2506	93464-0308	NONE	NONE		OPEN	OPEN	BETWEEN CCT 3&4	NONE
93466-2507	93464-0008	CCT 5,7	NONE		OPEN	OPEN	NONE	NONE
93466-2508	93464-0088	CCT 5,7	NONE		NARROW	OPEN	NONE	NONE
93466-2509	93464-0008	NONE	b c d h i		OPEN	OPEN	NONE	NONE
93466-2510	93464-0368	NONE	NONE		CLOSED	OPEN	BETWEEN CCT 3&4	NONE
93466-2511	93464-0508	NONE	a b c d		OPEN	OPEN	BETWEEN CCT 5&6	NONE
93466-2512	93464-9905	CCT 5,7	b c d		NARROW FLUSH	OPEN	NONE	NONE
93466-2513	93464-0648	CCT 5,7	b c d		OPEN	CLOSED	BETWEEN CCT 6&7	NONE
93466-2514	94006-0008 ZEUS	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-2515	94006-0608 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT 6&7	NONE
93466-2516	94006-0708 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT 7&8	NONE
93466-2517	94006-0008 ZEUS	NONE	b c d e f g		OPEN	OPEN	NONE	NONE
93466-2518	94006-0008 ZEUS	NONE	a c d e f g i		OPEN	OPEN	NONE	NONE
93466-2519	94006-0008 ZEUS	NONE	a b d e f h i		OPEN	OPEN	NONE	NONE
93466-2520	94006-0008 ZEUS	NONE	c d e f g		OPEN	OPEN	NONE	NONE
93466-2521	94006-0208 ZEUS	NONE	NONE		OPEN	OPEN	BETWEEN CCT2&3	NONE





THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW P/N'S				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22				APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL							
ANGULAR TOL ± 0.5 °															
4 PLACES		±													
3 PLACES		± 0.05													
2 PLACES		± 0.1													
1 PLACE ± 0.2				INITIAL REVISION: DRWN: CFISHER01 2016/01/11 APPR: MSHANAHAN 2016/02/09				DOCUMENT NUMBER 934660001				DOC TYPE PSD	DOC PART 000	REVISION AC1	
0 PLACES ±															
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A2-SIZE		SERIES 93466		MATERIAL NUMBER SEE SHEETS 5-11		CUSTOMER GENERAL MARKET		SHEET NUMBER 9 OF 11	

4	13	12	11	10	9	8	7	6	5	4	3	2	1
9 CIRCUIT													
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE					
93466-3001	93464-0009	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					
93466-3002	93464-0009	CCT 3, 5, 8	NONE	⊕⊕+⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	BLUE					
93466-3003	94006-0009 (ZEUS)	CCT 3, 5, 8	c d e i j	⊕⊕+⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	BLUE					
93466-3004	93464-0369	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	CLOSED	OPEN	BETWEEN CCT 3&4	NONE					
93466-3005	93464-0209	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	BETWEEN CCT 2&3	NONE					
93466-3006	94006-0009 (ZEUS)	NONE	b c d e f g h i	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					
93466-3007	94006-0009 (ZEUS)	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					
93466-3008	94006-0009 (ZEUS)	NONE	a c d e f g h j	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					
93466-3009	94006-0009 (ZEUS)	CCT 3, 5, 8	NONE	⊕⊕+⊕+⊕⊕+⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	BLUE					
93466-3010	93464-0009	NONE	a j	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					
93466-3011	94006-0009 (ZEUS)	NONE	d f g	⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9	OPEN	OPEN	NONE	NONE					





11 CIRCUIT									
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE	
93466-4001	93464-0011	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE	
93466-4002	93464-0511	NONE	a b c d	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	BETWEEN CCT 5&6	NONE	
93466-4003	94006-0011 (ZEUS)	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	NONE	NONE	
93466-4004	94006-0911 (ZEUS)	NONE	b c d e f g h i j k	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11	OPEN	OPEN	BETWEEN CCT 9&10	NONE	

12 CIRCUIT									
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE	
93466-4501	93464-1132	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12	CLOSED	CLOSED	BETWEEN CCT 11&12	NONE	
93466-4502	93464-1632	CCT 9,11	b c d g h i	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12	CLOSED	CLOSED	BETWEEN CCT2&3, 10&11	NONE	
93466-4503	93464-0012	CCT 2,11	NONE	⊕+⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	NONE	
93466-4504	94006-0012	NONE	NONE	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12	OPEN	OPEN	NONE	NONE	

11 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-4001	93464-0011	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-4002	93464-0511	NONE	a b c d		OPEN	OPEN	BETWEEN CCT 5&6	NONE
93466-4003	94006-0011 (ZEUS)	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-4004	94006-0911 (ZEUS)	NONE	b c d e f g h i j k		OPEN	OPEN	BETWEEN CCT 9&10	NONE

12 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-4501	93464-1132	NONE	NONE		CLOSED	CLOSED	BETWEEN CCT 11&12	NONE
93466-4502	93464-1632	CCT 9,11	b c d g h i		CLOSED	CLOSED	BETWEEN CCT2&3, 10&11	NONE
93466-4503	93464-0012	CCT 2,11	NONE		OPEN	OPEN	NONE	NONE
93466-4504	94006-0012 (ZEUS)	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-4505	93464-1632	NONE	b c d g h i		CLOSED	CLOSED	BETWEEN CCT2&3, 10&11	NONE

10 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-3510	93464-0010	CCT 2,6,9	NONE		OPEN	OPEN	NONE	NONE
93466-3501	93464-0010	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-3502	93464-0210	NONE	a j		OPEN	OPEN	BETWEEN CCT 2&3	BLUE
93466-3503	93464-0210	NONE	a b c d		OPEN	OPEN	BETWEEN CCT 2&3	NONE
93466-3504	93464-0010	NONE	b c d e f g h i j		OPEN	OPEN	NONE	NONE
93466-3505	94006-0010 (ZEUS)	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-3506	94006-0110 (ZEUS)	NONE	NONE		OPEN	OPEN	BETWEEN CCT 1&2	NONE
93466-3507	94006-0010 (ZEUS)	NONE	b c d e f g h i j		OPEN	OPEN	NONE	NONE
93466-3508	94006-0010 (ZEUS)	CCT 2,5,7,9	b c d e f g h i j		OPEN	OPEN	NONE	BLUE
93466-3509	94006-0010 (ZEUS)	NONE	c d f g i		OPEN	OPEN	NONE	NONE
93466-3512	94006-0010 (ZEUS)	NONE	c d e f g h i		OPEN	OPEN	NONE	NONE

13 CIRCUIT								
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE
93466-5001	93464-0013	NONE	NONE		OPEN	OPEN	NONE	NONE
93466-5002	93464-0233	NONE	NONE		CLOSED	CLOSED	BETWEEN CCT 2&3	NONE
93466-5003	94006-0053 (ZEUS)	NONE	NONE		OPEN	CLOSED	NONE	NONE
93466-5004	94006-0033 (ZEUS)	NONE	NONE		CLOSED	CLOSED	NONE	NONE

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION														
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW P/N'S			molex							
mm		1:1												
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605960 DRWN: TCLEARY2018/10/15 CHK'D: CFISHER012018/10/15 APPR: BRUTTLE2018/10/22			APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL							
ANGULAR TOL ± 0.5°														
4 PLACES		±												
3 PLACES		± 0.05												
2 PLACES		± 0.1												
1 PLACE		± 0.2		INITIAL REVISION: DRWN: CFISHER012016/01/11 APPR: MSHANAHAN2016/02/09			PRODUCT CUSTOMER DRAWING							
0 PLACES		±												
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION 		DRAWING A2-SIZE		SERIES 93466		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION
										934660001		PSD	000	AC1
MATERIAL NUMBER				CUSTOMER				SHEET NUMBER						
SEE SHEETS 5-11				GENERAL MARKET				10 OF 11						

DOCUMENT STATUS														P1	RELEASE DATE		2018/10/22		11:40:40																MUST REMAIN WITHIN DIMENSIONS						A2-SIZE		93466		SEE SHEETS 5-11		GENERAL MARKET		10 OF 11	
14														13		12		11		10		9		8		7		6		5		4		3		2		1												

13	12	11	10	9	8	7	6	5	4	3	2	1
14 CIRCUIT												
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
93466-5501	93464-0534	NONE	NONE	□□□□□□□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14	CLOSED	CLOSED	BETWEEN CCT 5&6	NONE				
93466-5502	94006-0014 ZEUS	4, 6, 8, 10	a b c d e g h i j l m n o	a b c d e □ g h i j □ l m n o ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14	OPEN	OPEN	NONE	NONE				
15 CIRCUIT												
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
93466-6001	93464-0015	NONE	NONE	□□□□□□□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OPEN	OPEN	NONE	NONE				
93466-6002	94006-0015 ZEUS	2, 4, 6, 8, 10	ALL	⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	OPEN	OPEN	NONE	NONE				
17 CIRCUIT												
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
93466-7001	94006-0037 (ZEUS)	NONE	NONE	□□□□□□□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	CLOSED	CLOSED	NONE	NONE				
20 CIRCUIT												
PART NUMBER	HOUSING USED	TERMINAL VOID POSITION	REMOVED POSITION KEYS	CONFIGURATION	FIRST ENDWALL	LAST ENDWALL	POLARIZING RIB BETWEEN	COLOUR STRIPE				
93466-8501	94006-0380 (ZEUS)	NONE	NONE	□□□□□□□□□□□□□□ ⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕⊕ 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	CLOSED	OPEN	BETWEEN CCT 3&4	NONE				

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION															
DIMENSION UNITS		SCALE		CURRENT REV DESC: ADDED NEW P/N'S				molex							
mm		1:1													
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 605960 DRWN: TCLEARY 2018/10/15 CHK'D: CFISHER01 2018/10/15 APPR: BRUTTLE 2018/10/22				APPLI-MATE 2.5 FEMALE G.W.T. 750 AND 850 VERSION GF MATERIAL							
ANGULAR TOL		± 0.5 °													
4 PLACES		±													
3 PLACES		± 0.05						PRODUCT CUSTOMER DRAWING							
2 PLACES		± 0.1													
1 PLACE		± 0.2													
0 PLACES		±		INITIAL REVISION:				DOCUMENT NUMBER							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				A2-SIZE		93466		SEE SHEETS 5-11		GENERAL MARKET		11 OF 11			