

## Locking element - CES-B24-SFC-M - 0801641

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Metal locking element for size B24 snap frame (CES-B24-SF-PLBK). Transport protection.



RoHS

### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| GTIN                                 | <br>4 046356 674607 |
| GTIN                                 | 4046356674607                                                                                           |
| Weight per Piece (excluding packing) | 110.000 g                                                                                               |
| Custom tariff number                 | 85389099                                                                                                |
| Country of origin                    | Germany                                                                                                 |

### Technical data

#### Dimensions

|        |        |
|--------|--------|
| Length | 146 mm |
| Width  | 57 mm  |
| Height | 17 mm  |

#### Ambient conditions

|                                 |                   |
|---------------------------------|-------------------|
| Ambient temperature (operation) | -40 °C ... 120 °C |
|---------------------------------|-------------------|

#### General

|                           |                                                                                            |
|---------------------------|--------------------------------------------------------------------------------------------|
| Material                  | Steel, galvanized                                                                          |
| Installation instructions | suitable for article 0801647, V/C: 00 (version batch), see printing of the packaging label |

### Environmental Product Compliance


## Locking element - CES-B24-SFC-M - 0801641

### Technical data

#### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings



Dimensional drawing

### Classifications

#### eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 27440192 |
| eCl@ss 4.0    | 27081000 |
| eCl@ss 4.1    | 27081000 |
| eCl@ss 5.0    | 27081000 |
| eCl@ss 5.1    | 27081000 |
| eCl@ss 6.0    | 27261200 |
| eCl@ss 7.0    | 27440201 |
| eCl@ss 8.0    | 27440201 |
| eCl@ss 9.0    | 27440192 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000451 |
| ETIM 4.0 | EC000886 |

## Locking element - CES-B24-SFC-M - 0801641

### Classifications

#### ETIM

|          |          |
|----------|----------|
| ETIM 5.0 | EC002309 |
| ETIM 6.0 | EC002309 |
| ETIM 7.0 | EC002309 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30212109 |
| UNSPSC 7.0901 | 39121708 |
| UNSPSC 11     | 39121708 |
| UNSPSC 12.01  | 39121708 |
| UNSPSC 13.2   | 31261501 |

### Approvals

#### Approvals

---

Approvals

GL

---

Ex Approvals

---

#### Approval details

|    |                                                                                     |                                                                                   |            |
|----|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| GL |  | <a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a> | 1391415 HH |
|----|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|