

Module carrier frame - HC-M-B10-MF-B - 1417399

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Module carrier frame, Size: B10, Type: for the panel mounting side (a, b, c, ...), 4 mm² ... 6 mm², Application: Module carrier frame



Key Commercial Data

Packing unit	1 STK
GTIN	4 055626 112756
GTIN	4055626112756
Weight per Piece (excluding packing)	60.000 g
Custom tariff number	85389099
Country of origin	China

Technical data

Dimensions

Height	36.5 mm
Width	34.4 mm
Length	51 mm

Ambient conditions

Ambient temperature (operation)	-40 °C 125 °C

Mechanical characteristics

Conductor cross section	4 mm ² 6 mm ² (for PE conductor – power side)
	1 mm ² 2.5 mm ² (for PE conductor – control side)
Connection cross section AWG	12 10 (for PE conductor – power side)
	18 14 (for PE conductor – control side)



Module carrier frame - HC-M-B10-MF-B - 1417399

Technical data

Mechanical characteristics

Insertion/withdrawal cycles	≥ 500
-----------------------------	-------

General


Туре	for the panel mounting side (a, b, c,)
Size	B10
Series	HC-M-B
Color	silver
Number of module slots	3
Assembly instructions	HC-MHR-PE16 (1636981) for PE connection extension to 16 mm ² .
Connection	Use wire end protection for PE wires (PE connection screws without wire protection) for housings without lateral connectors, max. thread length of the screw connection 12 mm

Material data

Contact carrier material	Die-cast zinc alloy

Drawings

Dimensional drawing



Classifications

eCl@ss

eCl@ss 5.1	27143424
eCl@ss 6.0	27143424
eCl@ss 8.0	27440206
eCl@ss 9.0	27440206

ETIM

ETIM 5.0	EC002312
ETIM 6.0	EC002312



Module carrier frame - HC-M-B10-MF-B - 1417399

Classifications

UNSPSC

UNSPSC 13.2	31261501
Approvals	
Approvals	
Approvals	
EAC	
Ex Approvals	
Approval details	
EAC [H[7500651.22.01.00246

Accessories

Accessories

Mounting material

Cable lug - HC-M-MHR-PE16 - 1636981



Cable lug for HEAVYCON-MODULAR; PE connection extension to 16 mm², for crimping with crimp pliers

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com