

Patch cable - NBC-R4AC-10G/1,5-94F/R4AC-10G - 1422211

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Patch cable, Ethernet CAT6_A (10 Gbps), 8-position, PUR, water blue RAL 5021, shielded, Plug straight RJ45 / IP20, on Plug straight RJ45 / IP20, Cable length: 1.5 m



Key Commercial Data

Packing unit	1
GTIN	 4 055626 292656
GTIN	4055626292656
Custom tariff number	85444210

Technical data

Dimensions

Length of cable	1.5 m
-----------------	-------

Ambient conditions

Ambient temperature (operation)	-25 °C ... 60 °C (RJ45 connector)
---------------------------------	-----------------------------------

General data

Rated current at 40°C	0.5 A
Rated voltage	48 V
Number of positions	8
Signal type/category	Ethernet CAT6 _A , 10 Gbps
Alternative short product description	Patch cable

Characteristics head 1

Head type	Plug straight RJ45 / IP20
-----------	---------------------------

Patch cable - NBC-R4AC-10G/1,5-94F/R4AC-10G - 1422211

Technical data

Characteristics head 1

No. of positions (pin connector pattern)	8
--	---

Characteristics head 2


Head type	Plug straight RJ45 / IP20
No. of positions (pin connector pattern)	8

Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Drawings

Schematic diagram




Connector pin assignment plug RJ45

Cable cross section



Ethernet 10 Gbit [94F]

Dimensional drawing



RJ45 connector, IP20

Classifications

eCl@ss

eCl@ss 5.1	27061801
eCl@ss 8.0	27061801
eCl@ss 9.0	27061801

Patch cable - NBC-R4AC-10G/1,5-94F/R4AC-10G - 1422211

Classifications

ETIM

ETIM 5.0	EC000830
ETIM 6.0	EC000830

UNSPSC

UNSPSC 13.2	26121604
-------------	----------