

## Screw - HC-HS-PES - 1586219

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



PE screw, for HC-HS contact inserts



COMPLIANT

### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| Minimum order quantity               | 10 pc                                                                                                   |
| GTIN                                 | <br>4 046356 367172 |
| GTIN                                 | 4046356367172                                                                                           |
| Weight per Piece (excluding packing) | 2.000 g                                                                                                 |
| Custom tariff number                 | 73181552                                                                                                |
| Country of origin                    | China                                                                                                   |

### Technical data

#### General

|          |                                                 |
|----------|-------------------------------------------------|
| Size     | PE screw                                        |
| Material | Steel, galvanized                               |
| Note     | PE screw, for contact inserts HC-HS, HC-B06-UTT |


#### Environmental Product Compliance

|            |                                                         |
|------------|---------------------------------------------------------|
| China RoHS | Environmentally friendly use period: unlimited = EFUP-e |
|            | No hazardous substances above threshold values          |

### Drawings

## Screw - HC-HS-PES - 1586219

Dimensional drawing



Dimensional drawing

### Classifications

eCl@ss

|               |          |
|---------------|----------|
| eCl@ss 10.0.1 | 23110190 |
| eCl@ss 4.0    | 27378000 |
| eCl@ss 4.1    | 27378000 |
| eCl@ss 5.0    | 27379100 |
| eCl@ss 5.1    | 27379100 |
| eCl@ss 6.0    | 27379200 |
| eCl@ss 7.0    | 27379201 |
| eCl@ss 8.0    | 23110190 |
| eCl@ss 9.0    | 23110190 |

ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC000032 |
| ETIM 4.0 | EC002365 |
| ETIM 5.0 | EC002498 |
| ETIM 6.0 | EC002498 |
| ETIM 7.0 | EC002498 |

UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211817 |
| UNSPSC 7.0901 | 39121416 |
| UNSPSC 11     | 43172601 |

## Screw - HC-HS-PES - 1586219

### Classifications

#### UNSPSC

|              |          |
|--------------|----------|
| UNSPSC 12.01 | 39121522 |
| UNSPSC 13.2  | 39121421 |