

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Sleeve housing for cable connector, angled, Screw locking, M23, shielded: no





## **Key Commercial Data**

Packing unit	1 pc
GTIN	4 046356 193986
GTIN	4046356193986
Weight per Piece (excluding packing)	133.710 g
Custom tariff number	85366990
Country of origin	Germany

### Technical data

### General

Note	Order information: Order contact inserts and cable clamping separately
Type of locking	Screw locking
Pg housing screw connection	Pg13,5

#### Ambient conditions

Ambient temperature	-20 °C 125 °C
Degree of protection	IP65

#### Material

Housing material	Turned parts: copper zinc alloy (CuZn), die-cast parts: zinc (GD-Zn)
Gasket and O-ring material	FPM

Specifications according to DIN EN 61984:2001



### Technical data

Specifications according to DIN EN 61984:2001


Installation height max.	2000 m
--------------------------	--------

### **Environmental Product Compliance**


	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"

## Drawings

#### Diagram










Dimensional drawing



## Classifications

### eCl@ss

eCl@ss 10.0.1	27440202
eCl@ss 4.0	27260700
eCl@ss 4.1	27260700
eCl@ss 5.0	27260700
eCl@ss 5.1	27261200
eCl@ss 6.0	27261200
eCl@ss 7.0	27440202
eCl@ss 8.0	27440202

11/05/2019 Page 4 / 5



## Classifications

eCl@ss		
eCl@ss 9.0	27440202	
ETIM		
ETIM 3.0	EC001121	
ETIM 4.0	EC000437	
ETIM 5.0	EC000437	
ETIM 6.0	EC000437	
ETIM 7.0	EC000437	
UNSPSC		
UNSPSC 6.01	43172015	
UNSPSC 7.0901	43201404	
UNSPSC 11	43172015	
UNSPSC 12.01	43201404	
UNSPSC 13.2	31261501	
Approvals		
Approvals		
Approvals		
EAC		
Ex Approvals		
Approval details		
EAC	B.01742	

Phoenix Contact 2019 © - all rights reserved http://www.phoenixcontact.com