

## Panel mounting frames - VS-PPC-F1-RJ45-MNNA-1R-PHA - 1608029

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



RJ45 panel mounting frame, IP67, for push-pull interlocking, metal, for PCB connection, for square panel cutout, with grommet, without mounting screws



### Key Commercial Data

|                                      |          |
|--------------------------------------|----------|
| Packing unit                         | 1 pc     |
| Weight per Piece (excluding packing) | 17.3 g   |
| Custom tariff number                 | 85366990 |
| Country of origin                    | Germany  |

### Technical data

#### Mechanical characteristics

|                             |               |
|-----------------------------|---------------|
| Locking type                | Push Pull     |
| Insertion/withdrawal cycles | ≥ 500         |
| Color                       | nickel-plated |

#### Ambient conditions

|                                 |                  |
|---------------------------------|------------------|
| Ambient temperature (operation) | -40 °C ... 70 °C |
|---------------------------------|------------------|

#### Material data

|                                        |               |
|----------------------------------------|---------------|
| Flammability rating according to UL 94 | V0            |
| Housing material                       | Zinc die-cast |
| Housing surface material               | Nickel-plated |
| Material                               | Metal         |
| Sealing material                       | NBR           |
| Seal material                          | NBR           |

#### Electrical characteristics

|                     |   |
|---------------------|---|
| Degree of pollution | 2 |
|---------------------|---|

## Panel mounting frames - VS-PPC-F1-RJ45-MNNA-1R-PHA - 1608029

### Technical data

#### Standards and Regulations

|                                        |    |
|----------------------------------------|----|
| Flammability rating according to UL 94 | V0 |
|----------------------------------------|----|

### Classifications

#### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27260708 |
| eCl@ss 7.0 | 27440312 |
| eCl@ss 8.0 | 27440210 |

#### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001121 |
| ETIM 4.0 | EC001121 |
| ETIM 5.0 | EC002310 |

#### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 31261501 |
| UNSPSC 7.0901 | 31261501 |
| UNSPSC 11     | 31261501 |
| UNSPSC 12.01  | 31261501 |
| UNSPSC 13.2   | 31261501 |

### Approvals

#### Approvals

Approvals

EAC

Ex Approvals

Approvals submitted

# Panel mounting frames - VS-PPC-F1-RJ45-MNNA-1R-PHA - 1608029


## Approvals

### Approval details


EAC

## Drawings


Dimensional drawing




Dimensional drawing



Drilling diagram




Dimensional drawing



Push-Pull panel mounting frame RJ45

Drilling diagram

Dimensional drawing



Panel cutout