

## Mounting set for securing the batteries - BATTERY MOUNTING KIT - 2320788

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Used for mounting batteries that cannot be mounted on DIN rails.

### Product Description

Mounting set, consisting of 4 metal brackets and a fabric lashing strap for fixing the rechargeable battery modules on a mounting plate.

### Key Commercial Data

|                                      |                                                                                                         |
|--------------------------------------|---------------------------------------------------------------------------------------------------------|
| Packing unit                         | 1 pc                                                                                                    |
| GTIN                                 | <br>4 046356 741088 |
| GTIN                                 | 4046356741088                                                                                           |
| Weight per Piece (excluding packing) | 462.800 g                                                                                               |
| Custom tariff number                 | 63079098                                                                                                |
| Country of origin                    | Germany                                                                                                 |

### Technical data

#### Dimensions

|                  |          |
|------------------|----------|
| Width            | 80 mm    |
| Height           | 25 mm    |
| Depth            | 18 mm    |
| Horizontal pitch | 4.4 Div. |

### Classifications

eCl@ss

|            |          |
|------------|----------|
| eCl@ss 5.1 | 27242200 |
| eCl@ss 6.0 | 27049000 |
| eCl@ss 7.0 | 27049005 |

# Mounting set for securing the batteries - BATTERY MOUNTING KIT - 2320788

## Classifications

### eCl@ss

|            |          |
|------------|----------|
| eCl@ss 8.0 | 27059290 |
| eCl@ss 9.0 | 27059290 |

### ETIM

|          |          |
|----------|----------|
| ETIM 3.0 | EC001039 |
| ETIM 4.0 | EC002625 |
| ETIM 5.0 | EC002625 |
| ETIM 6.0 | EC002839 |
| ETIM 7.0 | EC002839 |

### UNSPSC

|               |          |
|---------------|----------|
| UNSPSC 6.01   | 30211502 |
| UNSPSC 7.0901 | 39121004 |
| UNSPSC 11     | 39121004 |
| UNSPSC 12.01  | 39121004 |
| UNSPSC 13.2   | 39121004 |

## Approvals

### Approvals

#### Approvals

DNV GL / BV / LR / ABS

#### Ex Approvals

### Approval details

|                    |                                                                                     |                                                                                   |            |
|--------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------|
| DNV GL             |  | <a href="https://approvalfinder.dnvgl.com/">https://approvalfinder.dnvgl.com/</a> | TAA0000265 |
| Nominal voltage UN | 500 V                                                                               |                                                                                   |            |
| Nominal current IN | 41 A                                                                                |                                                                                   |            |
| mm²/AWG/kcmil      | 6                                                                                   |                                                                                   |            |

## Mounting set for securing the batteries - BATTERY MOUNTING KIT - 2320788

### Approvals

|     |                                                                                   |                                                                                                                                                                                                                               |                  |
|-----|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| BV  |  | <a href="http://www.veristar.com/portal/veristarinfo/generalinfo/approved/approvedProducts/equipmentAndMaterials">http://www.veristar.com/portal/veristarinfo/generalinfo/approved/approvedProducts/equipmentAndMaterials</a> | 41516/A0 BV      |
| LR  |  | <a href="http://www.lr.org/en">http://www.lr.org/en</a>                                                                                                                                                                       | 17/20032         |
| ABS |                                                                                   | <a href="http://www.eagle.org/eagleExternalPortalWEB/">http://www.eagle.org/eagleExternalPortalWEB/</a>                                                                                                                       | 15-GD1438179-PDA |

### Accessories

#### Accessories

#### Battery unit

Energy storage - UPS-BAT/VRLA-WTR/24DC/13AH - 2320416



Energy storage device, lead AGM, VRLA technology, 24 V DC, 13 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ

Energy storage - UPS-BAT/VRLA-WTR/24DC/26AH - 2320429



Energy storage device, lead AGM, VRLA technology, 24 V DC, 26 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ

Energy storage - UPS-BAT/VRLA/24DC/38AH - 2320335



Energy storage device, lead AGM, VRLA technology, 24 V DC, 38 Ah, automatic detection, and communication with QUINT UPS-IQ

