

Component connector - BES 6 - 2802549

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)



Component connector, Pitch: 6 mm, Number of positions: 1, Color: gray

The illustration shows product BES
6-1N4007

Product Features

- Is supplied as a set with two plug sockets



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	10 pc
GTIN	 4 017918 074463
Weight per Piece (excluding packing)	7.2 g
Custom tariff number	85366990
Country of origin	Poland

Technical data

General

Number of positions	1
Color	gray
Insulating material	PA
Flammability rating according to UL 94	V2

Dimensions

Pitch	6 mm
-------	------

Standards and Regulations

Component connector - BES 6 - 2802549

Technical data

Standards and Regulations

Flammability rating according to UL 94	V2
--	----

Classifications

eCl@ss

eCl@ss 4.0	27141199
eCl@ss 4.1	27141199
eCl@ss 5.0	27141145
eCl@ss 5.1	27141145
eCl@ss 6.0	27141149
eCl@ss 7.0	27141149
eCl@ss 8.0	27141149

ETIM

ETIM 2.0	EC000897
ETIM 3.0	EC000897
ETIM 4.0	EC002018
ETIM 5.0	EC002018

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

Approvals

Approvals

Approvals

EAC / EAC

Ex Approvals

Approvals submitted

Component connector - BES 6 - 2802549

Approvals


Approval details

EAC

EAC

Drawings

Dimensional drawing



Circuit diagram

