

# Electronic housing - ME 17,5 UT/FE BUS/10+2 GN - 2854199

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Component housing with vents, Lower part, Cross connection: integrated bus connector, Color: green, Width: 17.5 mm, Constructional height: 114.5 mm, Number of positions cross connector: 10+2

#### **Product Features**

- Item is from the ME product range
- Tool-free mounting
- Available in overall widths from 12.5 mm to 90 mm, modular extension is possible
- Inflammability class V0 according to UL 94
- Variety of connection technologies
- Can be mounted on the DIN rail
- Optional bus connector that is either integrated or mounted on the DIN rail

### **Key Commercial Data**

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	55.99 g
Custom tariff number	85369010
Country of origin	Germany

#### Technical data

#### General

Housing type	Component housing	
Housing material	Polyamide	
Color	green	

#### Ambient conditions

Ambient temperature (operation)	-40 °C 105 °C (depending on power dissipation)
---------------------------------	--

### **Dimensions**

Length	99 mm
Constructional height	114.5 mm



# Electronic housing - ME 17,5 UT/FE BUS/10+2 GN - 2854199

## Technical data

#### **Dimensions**

Width	17.5 mm	
Technical data		
Connection in acc. with standard	CUL	
Nominal voltage U <sub>N</sub>	300 V	
Nominal current I <sub>N</sub>	8 A	
Indicator1	CUL1	
Flammability rating according to UL 94	V0	
Power dissipation without gap	5.2 W	
Power dissipation with 20 mm gap	10.8 W	

#### Standards and Regulations

Connection in acc. with standard	CUL
Flammability rating according to UL 94	V0

12

#### Classifications

Number of positions

#### eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

#### **ETIM**

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031

### **UNSPSC**

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501



# Electronic housing - ME 17,5 UT/FE BUS/10+2 GN - 2854199

cULus Recognized • Sus

Classifications				
JNSPSC				
UNSPSC 13.2		31261501		
Approvals				
Approvals	Approvals			
Approvals				
UL Recognized / cUL Recognized / U	L Recognized / cULus Recognize	ed		
Ex Approvals				
Approvals submitted				
Approval details				
UL Recognized <b>N</b>				
cUL Recognized ••••				
	В		D	
Nominal current IN	8 A		8 A	
Nominal voltage UN	300 V 300 V			
UL Recognized				
	В		D	
Nominal current IN	8 A		8 A	
Nominal voltage UN	300 V		300 V	



Phoenix Contact 2016 © - all rights reserved http://www.phoenixcontact.com