

Components of electronic housing - ME MAX 22,5 DKL TRANS - 2890386

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)

Complete housing, Complete housing

Product Features

- Available in overall widths from 6.2 mm to 90 mm, modular extension is possible
- ✓ Inflammability class V0 according to UL 94
- ✓ Variety of connection technologies
- Can be mounted on the DIN rail
- Optional with bus connector for DIN rail mounting as well as power connection system

 $\overline{\mathbf{v}}$

Key commercial data

Packing unit	1 pc
Minimum order quantity	10 pc
Weight per Piece (excluding packing)	6.0 GRM
Custom tariff number	85389099
Country of origin	Germany

Technical data

Product type	Cover
Approval	UL Recognized

Classifications

eCl@ss

eCl@ss 4.0	27180401
eCl@ss 4.1	27180401
eCl@ss 5.0	27180506
eCl@ss 5.1	27180506
eCl@ss 6.0	27180802
eCl@ss 7.0	27182702

ETIM

ETIM 3.0	EC001031



Components of electronic housing - ME MAX 22,5 DKL TRANS - 2890386

Classifications

_	ш	ΝЛ
_		1

ETIM 4.0	EC001031
ETIM 5.0	EC002498

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approval	S
----------	---

Approvals

UL Recognized

Ex Approvals

Approvals submitted

Approval details

UL Recognized **5**

Phoenix Contact 2015 © - all rights reserved http://www.phoenixcontact.com