

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Electronic housing, for PCB insertion, without screw connection terminal blocks and cover, with open terminal space

Your advantages

- High degree of flexibility due to the wide choice of versions
- 🗹 Space-saving accommodation of electronic components in finely graded module versions available with 10 to 150 mm pitch
- User-friendly and safe mounting on DIN rails according to EN 60715
- ☑ Uniform and appropriate housing technology
- ✓ Inflammability class V0 insulation material (according to UL 94)
- Shock and contamination-proof accommodation of electronic components
- Universal PCBs for all pitches



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	2 pc
GTIN	4 017918 131357
GTIN	4017918131357
Weight per Piece (excluding packing)	111.300 g
Custom tariff number	85472000
Country of origin	Germany

Technical data

General



Technical data

General

Housing type	Component housing
Housing material	Polycarbonate fiber reinforced
Color (RAL)	green

Ambient conditions

Ambient temperature (operation)	-40 °C 125 °C
---------------------------------	---------------

Dimensions

Length	75 mm
Height	47.5 mm
Width	150 mm
Depth	75 mm

Technical data

Power dissipation without gap	12.3 W
Power dissipation with 20 mm gap	13.1 W

Connection data

Conductor cross section solid min.	0.2 mm ²
Conductor cross section solid max.	4 mm²
Conductor cross section flexible min.	0.2 mm ²
Conductor cross section flexible max.	2.5 mm ²
Conductor cross section AWG min.	24
Conductor cross section AWG max.	12

Standards and Regulations

Flammability rating according to UL 94	V0
----------------------------------------	----


Environmental Product Compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values


Drawings



Dimensional drawing








1 = Top edge of the PCB

B = Housing width



Dimensional drawing



Classifications

eCl@ss

eCl@ss 4.0	27180400
eCl@ss 4.1	27180400
eCl@ss 5.0	27180500
eCl@ss 5.1	27180500
eCl@ss 6.0	27180800
eCl@ss 7.0	27182702
eCl@ss 8.0	27182702
eCl@ss 9.0	27182702

ETIM

ETIM 2.0	EC001031
ETIM 3.0	EC001031
ETIM 4.0	EC001031
ETIM 5.0	EC001031
ETIM 6.0	EC001031



Classifications

	11	١л

ETIM 7.0	EC001031	
UNSPSC		
UNSPSC 6.01	31261501	
UNSPSC 7.0901	31261501	
UNSPSC 11	31261501	
UNSPSC 12.01	31261501	
UNSPSC 13.2	31261501	
UNSPSC 18.0	31261501	
UNSPSC 19.0	31261501	
UNSPSC 20.0	31261501	
UNSPSC 21.0	31261501	

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC [FI

B.01742

Accessories

Accessories

Device marking



Accessories

Marking material - EMG-GKS 22 - 2941594



Device marking label, width: 22 mm, area: 22 x 8 mm, e.g. for EML(20x8) R adhesive marking material

Marking material - EMG-GKS 22 - 2941594



Device marking label, width: 22 mm, area: 22 x 8 mm, e.g. for EML(20x8) R adhesive marking material

Filler plug

Electronic housing - EMG-KA - 2941510



Terminal block/screw cover, set consisting of 50 strips each for terminal blocks and screw openings, 1 strip covers 12 terminal points.

Electronic housing - EMG-KA - 2941510



Terminal block/screw cover, set consisting of 50 strips each for terminal blocks and screw openings, 1 strip covers 12 terminal points.

PCB

Electronic housing - P 1-EMG150 - 2946049

PCB for assembling electronic components





Accessories

Marking material - EMG-GKS 12 - 2947035



Device marking label, width: 12 mm, area: 12 x 8 mm, e.g. for EML(10x7) R adhesive marking material

Marking material - EMG-GKS 12 - 2947035



Device marking label, width: 12 mm, area: 12 x 8 mm, e.g. for EML(10x7) R adhesive marking material

Necessary add-on products

Covering hood - EMG150-H 7,5MM KLAR - 2943178



Covering hood, for the contact and dust-protected encapsulation of the components, in transparent design. Height: 7.5 mm

Covering hood - EMG150-H 15MM KLAR - 2943165



Covering hood, for the contact and dust-protected encapsulation of the components, in transparent design. Height: 15 mm, width: 150 mm

Electronic housing - EMG150-H 52MM GN - 2943521



Covering hood, for the contact and dust-protected encapsulation of the components, in green design. Height: 52 mm, width: 150 mm



Accessories

Phoenix Contact 2020 © - all rights reserved http://www.phoenixcontact.com