

Electronic device circuit breaker - HMC 11 120AC 1A C1D2 TBUS - 2907200

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



HMC series of supplemental circuit protector bussed modules, 1 A rating

Why buy this product

- ▼ T-bus for up to 15 A power distribution
- UL recognized for hazardous locations Class I, Division 2, Groups A, B, C, and D
- ☑ Dual-rated for 50 V DC and 120 V AC

Key Commercial Data

Packing unit	1 STK
GTIN	4 055626 342429
GTIN	4055626342429
Weight per Piece (excluding packing)	1.000 g
Country of origin	United States

Technical data

Note

Trade restriction	The products are offered exclusively for export outside the EU and the European Economic Area.
-------------------	--

Dimensions

Height	93.6 mm
Width	29.2 mm
Depth	109.2 mm

Ambient conditions

Ambient temperature (operation)	-40 °C 65 °C
Ambient temperature (storage/transport)	-40 °C 65 °C

04/23/2017 Page 1 / 3



Electronic device circuit breaker - HMC 11 120AC 1A C1D2 TBUS - 2907200

Technical data

General

Flammability rating according to UL 94	V0
Mounting type	DIN rail: 35 mm
Color	gray
Number of positions	4

Electrical data


Rated voltage	120 V AC (50/60 Hz)
	50 V DC
Nominal current I _N	1 A
Rated short-circuit switching capacity I _{cn}	1 kA ()

Standards and Regulations


Standards/specifications	UL 1077

Drawings

Diagram



Dimensional drawing





Approvals

Approvals

Approvals

UL Recognized / cUL Recognized / cULus Recognized

Ex Approvals

UL Recognized / cUL Recognized / cULus Recognized



Electronic device circuit breaker - HMC 11 120AC 1A C1D2 TBUS - 2907200

Approvals

Approval details

UL Recognized	<i>9</i> 1	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140459
cUL Recognized	.71	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	FILE E 140459
cULus Recognized	c 711 us	http://database.ul.com/cgi-bin/XYV/template/LISEXT/1FRAME/index.htm	

Phoenix Contact 2017 © - all rights reserved http://www.phoenixcontact.com